



1 Identification Product identifier Product name: Methanesulfonic anhydride Stock number: A13328, L00217 **CAS Number:** 7143-01-3 EC number: 230-442-1 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. Inerrito Fisher Scheman C. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) EZ GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms E.F. GHS05 Signal word Danger Hazard statements H314 Causes severe skin burns and eye damage. Precautionary statements P260 Do not b 

 Precationary statements

 P260
 Do not breathe dust/fume/gas/mist/vapours/spray.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P304+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

 P304+P340
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

 P310
 Immediately call a POISON CENTER/doctor.

 P363
 Wash contaminated clothing before reuse.

 P310 P363 Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. P405 P501 WHMIS classification D2B - Toxic material causing other toxic effects E - Corrosive material 12 Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 3
 Flammability = 1
 Physical Hazard = 2 EACTIVITY 2 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 7143-01-3 Methanesulfonic anhydride Identification number(s): EC number: 230-442-1 4 First-aid measures Description of first aid measures **General information** Immediately remove any clothing soiled by the product. **After inhalation** Supply fresh air. If required, provide artificial respiration. Keep patient warm. (Contd. on page 2)

# Safety Data Sheet acc. to OSHA HCS

Product name: Methanesulfonic anhydride	
Seek immediate medical advice. After skin contact	(Contd. of page 1)
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released:	
Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation	
Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Use neutralizing agent	
Dispose of contaminated material as waste according to section 13.	
Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents <b>Prevention of secondary hazards:</b> No special measures required.	
<b>Reference to other sections</b> See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.	
Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Store away from strong bases.	
Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas.	
This product is moisture sensitive. Protect from humidity and water. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. <b>Specific end use(s)</b> No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data	
Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.	
Keep away from foodstuffs, beverages and feĕd. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.	
Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use:	tormino if air
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to dee purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. <b>Protection of hands:</b> Impervious gloves	ermine IT all'-
Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480	
Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm	(Contd. on page 3)

## Product name: Methanesulfonic anhydride

**Eye protection:** Tightly sealed goggles Full face protection Body protection: Protective work clothing.

### 9 Physical and chemical properties

9 Physical and chemical properties	5
Information on basic physical and ch General Information Appearance: Form: Odor: Odor threshold:	nemical properties Powder Not determined Not determined.
pH-value:	Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	65-69 °C (149-156 °F) 125 °C (257 °F) (4mm) Not determined Not determined Not determined Not determined Not determined.
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water, Viscosity: dynamic: kinematic: Other information	Not determined. Not determined Not determined Not applicable. Not determined. Not determined. Not applicable. Reacts violently Not determined. Not applicable.

#### 10 Stability and reactivity

Reactivity Reacts violently with water. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. **Possibility of hazardous reactions** Reacts with strong oxidizing agents Reacts violently with water Conditions to avoid No further relevant information available. Incompatible materials: Bases Oxidizing agents Water/moisture 11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed. 12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. (Contd. of page 2)

Product name: Methanesulfonic anhydride	Revision date 09/09/2016
Uncleaned packagings:	(Contd. of page 3)
<b>Recommendation:</b> Disposal must be made according to official regulations.	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3261
UN proper shipping name	
DOT INTERNIT	Corrosive solid, acidic, organic, n.o.s. (Methanesulfonic anhydride) CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (Methanesulfonic anhydride)
Transport hazard class(es)	
DOT	
22 C	
Class	8 Corrosive substances.
Label Class	8 8 8 (C4) Corrosive substances
Label IMDG, IATA	8 (C4) CONOSIVE Substances 8
IMDG, IATA	
(12)(A)	
Class	8 Corrosive substances.
Label	8
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Secretarian around	Warning: Corrosive substances F-A,S-B Apide
Segregation groups Transport in bulk according to Annex II of MARPOL73/78 and the IBC Coc	Acids de Not applicable.
Transport/Additional information:	
DOT Marine Pollutant (DOT):	No
UN "Model Regulation":	NO UN3261, Corrosive solid, acidic, organic, n.o.s. (Methanesulfonic anhydride), 8, I
Hazard pictograms	
GHS05	
Signal word Danger Hazard statements	
H314 Causes severe skin burns and eye damage. Precautionary statements	
P260 Do not breathe dust/fume/gas/mist/vanours/sprav	ace protection
P280         Wear protective gloves/protective clothing/eye protection/fa           P303+P361+P353         IF ON SKIN (or hair): Remove/Take off immediately all cont           P305+P351+P338         IF IN EYES: Rinse cautiously with water for several minutes           P301+P330+P331         IF SWALLOWED: rinse mouth. Do NOT induce vomiting.           P304+P340         IF INHALED: Remove victim to fresh air and keep at rest in	aminated clothing. Rinse skin with water/shower.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest ir	a position comfortable for breathing.
P310 Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse.	
P405 Store locked up. P501 Dispose of contents/container in accordance with local/region	ional/national/international regulations.
<b>National regulations</b> All components of this product are listed in the U.S. Environmental Protection A	C C C C C C C C C C C C C C C C C C C
All components of this product are listed in the O.S. Environmental Protection A All components of this product are listed on the Canadian Domestic Substance SARA Section 313 (specific toxic chemical listings) Substance is not listed.	es List (DSL).
California Proposition 65	
Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity famale Substance is not listed.	
Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed.	
Information about limitation of use: For use only by technically qualified indu	ividuals.
Substance of Very High Concern (SVHC) according to the KEACH Regula The conditions of restrictions according to Article 67 and Annex XVII of t	ations (EC) No. 1907/2006. Substance is not listed. the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on th
market and use must be observed. Substance is not listed	
Annex XIV of the REACH Regulations (requiring Authorisation for use) Su Chemical safety assessment: A Chemical Safety Assessment has not been of	ubstance is not listed. carried out
16 Other information Employers should use this information only as a supplement to other information information to ensure proper use and protect the health and safety of employer	ion gathered by them, and should make independent judgement of suitability of this
information to ensure proper use and protect the nearth and salety or employed conformance with this Material Safety Data Sheet, or in combination with any c	ees. This information is furnished without warranty, and any use of the product not in other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department	

Department issuing SDS: Global Marketing Department Date of preparation / last revision 09/12/2016 / -

# Product name: Methanesulfonic anhydride

Page 5/5 Printing date 09/12/2016 Revision date 09/09/2016

(Contd. of page 4)

 Abbreviations and acronyms:

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 MDG: International Maritime Code for Dangerous Goods

 DOT: US Department of Transportation

 EINECS: European Invention and Maritime Code for Operation

 EINECS: European Inventory of Existing Commercial Chemical Substances

 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 HMIS: Hazardous Materials Identification System (USA)

 WHMIS: Workplace Hazardous Materials Information System (Canada)

 LC50: Lethal concentration, 50 percent

 LD50: Lethal dose, 50 percent

 LD50: Conference of Governmental Industrial Hygienists (USA)

 OSHA: Occupational Safety and Health Administration (USA)

 NTP: National Toxicology Program (USA)

 IAP: International Agency for Research on Cancer

 EPA: Environmental Protection Agency (USA)

 Skin Corr. 18: Skin corrosion/irritation, Hazard Category 18

 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

USA