

Safety Data Sheet acc. to OSHA HCS

Page 1/5 Printing date 06/21/2018 Revision date 06/20/2018 Version 2

1 Identification

Product identifier

Product name: 3,4-Difluorobenzylamine

Stock number: L10168 CAS Number: 72235-53-1 EC number:

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street

30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Flam. Liq. 4 H227 Combustible liquid. **Hazards not otherwise classified** No information known.

Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS05

Signal word Danger

Hazard statements
H227 Combustible liquid.
H314 Causes severe skin burns and eye damage.
Precautionary statements

P210 Keep away from flames and hot surfaces. No smoking.
P260 Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P388 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B3 - Combustible liquid D2B - Toxic material causing other toxic effects

E - Corrosive material





Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH D Health (acute effects) = 3
E Plammability = 2
ACTIVITY 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 72235-53-1 3,4-Difluorobenzylamine Concentration: ≤100% Identification number(s): EC number: 276-503-6

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

(Contd. on page 2)

(Contd. of page 1)

Product name: 3,4-Difluorobenzylamine

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eve damad

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Hydrogen fluoride (HF)
Nitrogen oxides (NOx)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Provention of contamination bearings from away from ignition sources.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: Substance is not listed.

PAC-3: Substance is not listed.

PAC-3: Substance is not listed.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from air.
Store away from exidizing agents

Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas.
This product is air sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Personal protective equipment

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

(Contd. on page

(Contd. on page 3)

(Contd. of page 2)

Product name: 3,4-Difluorobenzylamine

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

The selection of suitable gloves not only depends on the mate Eye protection:
Tightly sealed goggles
Full face protection
Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

pH-value:

I iauid

Odor: Odor threshold: Not determined Not determined

, Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Not determined Not determined

79 °C (174 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined

Danger of explosion:

Explosion limits: Lower: Not determined

Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Not determined Not determined 1.21 g/cm³ (10.097 lbs/gal) Not determined

Vapor density Evaporation rate Not determined. Not determined Solubility in / Miscibility with Not determined Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic: Not determined. Not determined.

Other information No further relevant information available.

Not determined.

Not determined.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to specifications.

Conditions to avoid No further relevant information available

Incompatible materials:

Oxidizing agents

Hazardous decomposition products:
Carbon monoxide and carbon dioxide

Hydrogen fluoride Nitrogen oxides

11 Toxicological information

Information on toxicological effects
Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.

Additional ecological information: General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

(Contd. on page 4)

(Contd. of page 3)

Product name: 3,4-Difluorobenzylamine

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14	Trans	nort	inforn	nation
14	ııaııs	DUI L	11110111	Iauvi

UN-Number DOT, IMDG, IATA	UN2735
UN proper shipping name DOT ADR IMDG, IATA	Amines, liquid, corrosive, n.o.s. (3,4-Difluorobenzylamine) 2735 Amines, liquid, corrosive, n.o.s. (3,4-Difluorobenzylamine) AMINES, LIQUID, CORROSIVE, N.O.S. (3,4-Difluorobenzylamine)

Transport hazard class(es)

DOT




Class ADR

8 Corrosive substances



Label ĪMDG, IATA 8 (C7) Corrosive substances





Class Label 8 Corrosive substances

Packing group DOT, ADR, IMDG, IATA

Environmental hazards:

Not applicable.

III

Special precautions for user EMS Number:

Warning: Corrosive substances F-A S-B

Segregation groups

Alkalis

Stowage Category Segregation Code

A SG35 Stow "separated from" acids.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Quantity limitations

On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

Marine Pollutant (DOT):

IMDG

Limited quantities (LQ) Excepted quantities (EQ)

Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (3,4-DIFLUOROBENZYLAMINÉ), 8, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS05

Signal word Danger

Signal word Danger
Hazard statements
H227 Combustible liquid.
H314 Causes severe skin burns and eye damage.
Precautionary statements

Precautionary statements
P210 Keep away from flames and hot surfaces. No smoking.
Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 5)

Product name: 3,4-Difluorobenzylamine

(Contd. of page 4)

National regulations
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.
This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity, Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation
DOT: US Department of Transportation
IATA: International Miritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Warzardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Dethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
NTP: National Toxicology Program (USA)
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Dam. 1: Serious eye damage/eye irritation – Category 1