

Safety Data Sheet per OSHA HazCom 2012

1	Identification Product identifier Product name: N-Boc-L-aspartic acid 4-cyclohexyl ester	
	Stock number: H61240 CAS Number: 73821-95-1	
	Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet	
	Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
	30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com	
	www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0	0789.
2	P Hazard(s) identification	
	Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) The substance is not classified according to the Globally Harmonized System (GHS). Hazards not otherwise classified No information known.	
	Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable	
	Signal word Not applicable Hazard statements Not applicable WHMIS classification Not controlled Classification system HMIS ratings (scale 0-4)	
	Hazardous Materials Identification System) HEALTH I Health (acute effects) = 1 FRE I Flammability = 1	
	Reactivity[] Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PBT: Not applicable.	
-	vPvB: Not applicable.	
3	Composition/information on ingredients Chemical characterization: Substances CAS# Description: 73821-95-1 N-Boc-L-aspartic acid 4-cyclohexyl ester	
4	l First-aid measures	
	Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.	
	Seek îmmediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly.	
	Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
	Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5	5 Fire-fighting measures Extinguishing media	
	Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
	Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Advice for firefighters Protective equipment:	
	Wear self-contained respirator. Wear fully protective impervious suit.	
6	Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
	Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Pick up mechanically. Prevention of secondary hazards: No special measures required.	
	Reference to other sections See Section 7 for information on safe handling	
	See Section 8 for information on personal protection equipment.	(Contd. on page 2) USA

Product name: N-Boc-L-aspartic acid 4-cyclohexyl ester

Page 2/4 Printing date 11/24/2015 Reviewed on 03/13/2015

(Contd. of page 1)

See Section 13 for disposal information.

7 Handling and storage				
	7 Handling and storage			
Handling				
Precautions for safe handling				
Keep container tightly sealed.				
Store in cool, dry place in tightly closed of	Store in cool, dry place in tightly closed containers.			
, ,	Information about protection against explosions and fires: No information known.			
Conditions for safe storage, including Storage	any incompatibilities			
Requirements to be met by storeroom	as and receptacles: No special requirements.			
Information about storage in one com	mon storage facility: Store away from oxidizing agents.			
Further information about storage con	iditions:			
Store in cool. drv conditions in well seale	n containers			
Keep container tightly sealed. Store in cool, dry conditions in well seale Specific end use(s) No further relevant	information available.			
8 Exposure controls/personal protection				
Additional information about design of	If technical systems:			
, , , ,	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.			
Control parameters Components with limit values that rec	wire menitoring at the workplace			
Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.				
Additional information: No data				
Exposure controls	Exposure controls			
Personal protective equipment				
General protective and hygienic meas The usual precautionary measures for ha	andling chemicals should be followed.			
Keep away from foodsfuffs, beverages a	ind feed.			
Remove all solled and contaminated close	thing immediately.			
Wash hands before breaks and at the er Maintain an ergonomically appropriate w	Id of Work.			
Breathing equipment: Use suitable res	orking environment. pirator when high concentrations are present.			
Recommended filter device for short	term use:			
Use a respirator with type iveo (USA) or purifying respirators are appropriate. Or	PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- nly use equipment tested and approved under appropriate government standards.			
Protection of hands:	IY USE Equipment tested and approved under appropriate government standards.			
Impervious gloves				
Check protective gloves prior to each us The selection of suitable gloves not only	e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.			
Eye protection: Safety glasses				
Body protection: Protective work clothi	ng			
0 Physical and chemical properties				
9 Physical and chemical properties				
Information on basic physical and che General Information	emical properties			
Appearance:				
Form: Color:	Powder			
Odor:	White Not determined			
Odor: Odor threshold:				
	Not determined			
Odor threshold: pH-value: Change in condition	Not determined Not determined. Not applicable.			
Odor threshold: pH-value: Change in condition Melting point/Melting range:	Not determined Not determined. Not applicable. 93-95 °C (199-203 °F)			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous)	Not determined Not determined. Not applicable. 93-95 °C (199-203 °F)			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature:	Not determined Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined. Not determined. Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	Not determined Not determined. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits:	Not determined Not determined. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower:	Not determined Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper:	Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure:	Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density	Not determined Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density	Not determined Not applicable. 93-95 °C (199-203 °F) Not determined Not applicable. Not applicable.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Upper: Vapor pressure: Density: Relative density Vapor density Vapor density Evaporation rate	Not determined Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water:	Not determined Not applicable. 93-95 °C (199-203 °F) Not determined Not determined Not determined. Not determined Not determined Not determined. Not applicable. Not applicable. Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water):	Not determined Not applicable. 93-95 °C (199-203 °F) Not determined Not determined Not determined. Not determined Not determined Not determined. Not applicable. Not applicable. Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity:	Not determined Not determined. 93-95 °C (199-203 °F) Not determined Not determined.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic:	Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic:	Not determined Not applicable. 93-95 °C (199-203 °F) Not determined Not determined. Not applicable.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic:	Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic:	Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Not determined Not applicable. 93-95 °C (199-203 °F) Not determined Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. Not determined. Not pplicable.			
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Not determined. Not applicable. 93-95 °C (199-203 °F) Not determined Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.			

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. of page 2)

Nitrogen oxides	(Contd. of page 2)			
 11 Toxicological information Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this mate Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute 	vn.			
12 Ecological information				
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.				
13 Disposal considerations				
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.				
14 Transport information				
UN-Number	Natorritable			
DOT, ADN, IMDG, IATA UN proper shipping name	Not applicable			
DOT, ADN, IMDG, IATA	Not applicable			
Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class	Not applicable			
Packing group DOT, IMDG, IATA	Not applicable			
Environmental hazards:	Not applicable.			
Special precautions for user	Not applicable.			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Coc				
Transport/Additional information:				
DOT Marino Bollutant (DOT):	No			
Marine Pollutant (DOT): UN "Model Regulation":	No			
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements Not applicable Hazard pictograms Not applicable Hazard pictograms Not applicable National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. This product is listed in the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, mele Substance is not listed. Prop 65 - Developmental toxicity, mele Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Attement the Regulations (requiring Authorisation for use) Substance is not listed. Attement regulations (requiring Authorisation for use) Substance is not listed. Attement regulations (requiring Authorisation for use) Substance is not listed. Attement regulations (requiring Authorisation for use) Substance is not listed. Attement regulations (requiring Authorisation for use) Substance is not listed.				
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.				
	(Contra on pose 4)			

Product name: N-Boc-L-aspartic acid 4-cyclohexyl ester

(Contd. of page 3)

16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and accoryms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transportation CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) MARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA