Safety Data Sheet acc. to OSHA HCS

1 Identification Product identifier Product name: Manganese pieces **Stock number:** 10236 **CAS Number:** <u>74</u>39-96-5 EC number: 231-105-1 Relevant identified uses of the substance or mixture and uses advised against. No further relevant information available. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Details of the supplier of the safety da Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) The substance is not classified as hazardous according to 29 CFR 1910 (OSHA GHS). Hazards not otherwise classified No information known. Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable WHMIS classification Not controlled Classification custom Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) ALTH I Health (acute effects) = 0 RE I Flammability = 0 ACTIVITY I Physical Hazard = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 7439-96-5 Manganese Concentration: <100% Identification number(s): EC number: 231-105-1 4 First-aid measures Description of first aid measures Description of first aid measures General information No special measures required. After inhalation Seek medical treatment in case of complaints. After skin contact Generally the product does not irritate the skin. After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing if symptoms persist consult doctor. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Suitable extinguishing agents Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Manganese oxides Extinguishing media Advice for firefighters Protective equipment: No special measures required. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Pick up mechanically. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. (Contd. on page 2) Product name: Manganese pieces

Page 2/4 Printing date 02/21/2017 Revision date 02/20/2017

| See Section 13 for disposal information. | | (Contd. of page |
|--|---|-----------------|
| 7 Handling and storage | | |
| Handling | | |
| Precautions for safe handling | | |
| Keep container tightly sealed. Store in cool, dry place in tightly closed | containers. | |
| Information about protection against | explosions and fires: No special measures required. | |
| Conditions for safe storage, including | g any incompatibilities | |
| Storage Requirements to be met by storeroon | ns and receptacles: No special requirements. | |
| | nmon storage facility: No information known. | |
| Keep container tightly sealed. | | |
| Store in cool, dry conditions in well seal Specific end use(s) No further relevant | led containers. | |
| Specific end use(s) no futther relevant | | |
| 8 Exposure controls/personal prot | | |
| Additional information about design | of technical systems: No further data; see section 7. | |
| Control parameters | | |
| Components with limit values that rec 7439-96-5 Manganese (100.0%) | quire monitoring at the workplace: | |
| PEL (USA) Ceiling limit value: 5 mg/n | n³ | |
| as Mn | | |
| REL (USA) Short-term value: 3 mg/m Long-term value: 1 mg/m | | |
| fumĕ, as Mn | | |
| TLV (USA) Long-term value: 0.02* 0. as Mn; *respirable **inhal | 1* mg/m ³ | |
| EL (Canada) Long-term value: 0.2 mg/ | | |
| as Mn; R | | |
| EV (Canada) Long-term value: 0.2 mg/l as manganese | /m ³ | |
| Additional information: No data | | |
| Exposure controls | | |
| Personal protective equipment | | |
| General protective and hygienic mean | | |
| The usual precautionary measures for h | andling chemicals should be followed. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v | vorking environment. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. | vorking environment. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in | nandling chemicals should be followed. working environment. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. | nandling chemicals should be followed. working environment. • minutes) Not determined | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eye protection: Safety glasses Body protection: Protective work cloth | nandling chemicals should be followed. working environment. • minutes) Not determined ing. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties | nandling chemicals should be followed. working environment. I minutes) Not determined ing. S | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information | nandling chemicals should be followed. working environment. I minutes) Not determined ing. S | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information | nandling chemicals should be followed. working environment. ing. s semical properties | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eye protection: Safety glasses Body protection: Protective work cloth. 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: | aandling chemicals should be followed. working environment. ing. s eemical properties Solid in various forms Grey | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: | nandling chemicals should be followed. working environment. ing. s semical properties Solid in various forms Grey Odorless | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: | nandling chemicals should be followed. working environment. ing. S semical properties Solid in various forms Grey Odorless Not determined. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: | nandling chemicals should be followed. working environment. ing. s semical properties Solid in various forms Grey Odorless | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: | nandling chemicals should be followed. working environment. ing. s semical properties Solid in various forms Grey Odorless Not determined. Not applicable. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: | nandling chemicals should be followed. working environment. minutes) Not determined ing. S semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Change in condition Melting point/Bolling range: Boiling point/Bolling range: Sublimation temperature / start: Flammability (solid, gaseous) | nandling chemicals should be followed. working environment. minutes) Not determined ing. s semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined. Not determined. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: | nandling chemicals should be followed. working environment. minutes) Not determined ing. S semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Change in condition Melting point/Bolling range: Boiling point/Bolling range: Sublimation temperature / start: Flammability (solid, gaseous) | nandling chemicals should be followed. working environment. minutes) Not determined ing. s semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined. Not determined. | |
| The usual precautionary méasures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: | nandling chemicals should be followed. working environment. minutes) Not determined ing. S semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined. Not determined. Not determined. Not determined. Not determined. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: | nandling chemicals should be followed. working environment. minutes) Not determined ing. s semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined Not determined Not determined Not determined Not determined. Not determined. Not determined. Not determined. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: | nandling chemicals should be followed. working environment. minutes) Not determined ing. s semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): | nandling chemicals should be followed. working environment. minutes) Not determined ing. S semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined Not determined. Not determined. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eye protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density | andling chemicals should be followed. working environment. minutes) Not determined ing. s semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined. Not determined. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density | nandling chemicals should be followed. working environment. minutes) Not determined ing. S semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined. Not applicable. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Molting range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Evaporation rate Solubility in / Miscibility with | andling chemicals should be followed. working environment. minutes) Not determined ing. S semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined Not determined. Not applicable. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: | andling chemicals should be followed. working environment. minutes) Not determined ing. s semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined Not determined Not determined Not determined. Not applicable. Insoluble | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Moling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water) Viscosity: | andling chemicals should be followed. working environment. minutes) Not determined ing. S semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined Not determined Not determined Not determined. Not determined. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Protection: Safety glasses Body protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Belling range: Boiling point/Belling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water) Viscosity: dynamic: | andling chemicals should be followed. working environment. minutes) Not determined ing. S memical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined. Not applicable. | |
| The usual precautionary measures for h Maintain an ergonomically appropriate v Breathing equipment: Not required. Protection of hands: Not required. Penetration time of glove material (in Eve protection: Safety glasses Body protection: Protective work cloth 9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Moling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water) Viscosity: | andling chemicals should be followed. working environment. minutes) Not determined ing. S semical properties Solid in various forms Grey Odorless Not determined. Not applicable. 1246 °C (2275 °F) 2095 °C (3803 °F) Not determined Not determined Not determined Not determined Not determined Not determined. Not determined. | |

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available.

(Contd. on page 3)

Product name: Manganese pieces

(Contd. of page 2)

Incompatible materials: No information known. Hazardous decomposition products: Manganese oxides

11 Toxicological information

| Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Powder: irritant effect Eye irritation or corrosion: Powder: irritant effect Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenic and/or neoplastic data for this substance. Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed. | | |
|---|---|--|
| 12 Ecological information | | |
| Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governn Do not allow undiluted product or large quantities to reach ground water, water Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. | nental permits. course or sewage system. | |
| 13 Disposal considerations | | |
| Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. | | |
| 14 Transport information | | |
| UN-Number DOT, ADN, IMDG, IATA | Not applicable | |
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | Not applicable | |
| Transport hazard class(es) | | |
| DOT, ADR, ADN, IMDG, IATA Class | Not applicable | |
| Packing group DOT, ADR, IMDG, IATA | Not applicable | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod | | |
| Transport/Additional information: | | |
| DOT | | |
| Marine Pollutant (DOT): | No | |
| UN "Model Regulation": | - | |
| 15 Regulatory information | | |
| Safety, health and environmental regulations/legislation specific for the se GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable National regulations All components of this product are listed in the U.S. Environmental Protection A All components of this product are listed on the Canadian Domestic Substances SARA Section 313 (specific toxic chemical listings) 7439-96-5 Manganese California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. | | |
| Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. | | |
| Information about limitation of use: For use only by technically qualified indiv | viduals. (Contd. on page 4) | |

(Contd. of page 3)

USA

Product name: Manganese pieces

Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 02/21/2017 /
Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organization
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ICAO: International Maritime Code for Dangerous Goods
DOT: US Department of Transport des marchandises dustances
CAS: Chemical Abstracts Service (division of the American Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (Canada)
LC50: Lethal concentration, 50 percent
UPV Versistent and very Bioaccumulative
ACGIH: American Cherence of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IAP: Accouncel Toroport (USA)
IAP: Accounce International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)