

1 Identification

Product identifier

Product name: Ruthenium powder

Stock number: 10667

CAS Number:

7440-18-8

EC number:

231-127-1

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 2 H228 Flammable solid.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02

Signal word

Warning

Hazard statements

H228 Flammable solid.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

WHMIS classification

B4 - Flammable solid



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 1 Health (acute effects) = 1

FIRE 2 Flammability = 2

REACTIVITY 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

7440-18-8 Ruthenium powder

Concentration: ≤100%

Identification number(s):

EC number: 231-127-1

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Product name: Ruthenium powder

Information for doctor

(Contd. of page 1)

Most important symptoms and effects, both acute and delayed No further relevant information available.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Special powder for metal fires. Do not use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Ruthenium oxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Keep away from ignition sources.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC-1: 30 mg/m3
PAC-2: 330 mg/m3
PAC-3: 2,000 mg/m3

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Protect against electrostatic charges.
Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility:
Do not store together with acids.
Store away from oxidizing agents.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection





Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Control parameters
Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data
Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Penetration time of glove material (in minutes) Not determined
Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties
General Information
Appearance:
Form: Powder
Odor: Odorless

(Contd. on page 3)
USA

Product name: Ruthenium powder	
(Contd. of page 2)	
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	2334 °C (4233 °F)
Boiling point/Boiling range:	4150 °C (7502 °F)
Sublimation temperature / start:	Not determined
Flammability (solid, gaseous)	Highly flammable.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	12.45 g/cm ³ (103.895 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.
10 Stability and reactivity	
Reactivity No information known.	
Chemical stability Stable under recommended storage conditions.	
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.	
Possibility of hazardous reactions Reacts with strong oxidizing agents	
Conditions to avoid No further relevant information available.	
Incompatible materials:	
Acids	
Oxidizing agents	
Hazardous decomposition products: Ruthenium oxide	
11 Toxicological information	
Information on toxicological effects	
Acute toxicity: No effects known.	
LD/LC50 values that are relevant for classification: No data	
Skin irritation or corrosion: May cause irritation	
Eye irritation or corrosion: May cause irritation	
Sensitization: No sensitizing effects known.	
Germ cell mutagenicity: No effects known.	
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
Reproductive toxicity: No effects known.	
Specific target organ system toxicity - repeated exposure: No effects known.	
Specific target organ system toxicity - single exposure: No effects known.	
Aspiration hazard: No effects known.	
Subacute to chronic toxicity: No effects known.	
Additional pharmacological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	
12 Ecological information	
Toxicity	
Aquatic toxicity: No further relevant information available.	
Persistence and degradability No further relevant information available.	
Bioaccumulative potential No further relevant information available.	
Mobility in soil No further relevant information available.	
Additional ecological information:	
General notes:	
Do not allow material to be released to the environment without proper governmental permits.	
Avoid transfer into the environment.	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
Other adverse effects No further relevant information available.	
13 Disposal considerations	
Waste treatment methods	
Recommendation Consult state, local or national regulations to ensure proper disposal.	
Uncleaned packagings:	
Recommendation: Disposal must be made according to official regulations.	
14 Transport information	
UN-Number	
DOT, IMDG, IATA	UN3089
UN proper shipping name	
DOT	Metal powders, flammable, n.o.s. (Ruthenium powder)
ADR	3089 Metal powders, flammable, n.o.s.
IMDG, IATA	METAL POWDER, FLAMMABLE, N.O.S. (Ruthenium powder)
(Contd. on page 4)	
USA	

Product name: Ruthenium powder	
(Contd. of page 3)	
Transport hazard class(es) DOT 	4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1
Class Label ADR 	4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives 4.1
Class Label IMDG, IATA 	4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable solids, self-reactive substances and solid desensitised explosives F-G, S-G Heavy metals and their salts (including their organometallic compounds), powdered metals A H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
EMS Number: Segregation groups Stowage Category Handling Code Segregation Code	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
Marine Pollutant (DOT):	No
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3089 METAL POWDERS, FLAMMABLE, N.O.S., 4.1, III
15 Regulatory information	
Safety, health and environmental regulations/legislation specific for the substance or mixture	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard pictograms 	
GHS02	
Signal word Warning	
Hazard statements H228 Flammable solid.	
Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.	
National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.	
(Contd. on page 5)	

Product name: *Ruthenium powder*

Chemical safety assessment: *A Chemical Safety Assessment has not been carried out.* (Contd. of page 4)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: *Global Marketing Department*

Date of preparation/Revision: *Print date, revision date and version number are in the header of each page.*

Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Flam. Sol. 2: Flammable solids – Category 2

USA