



Page 1/5 Printing date 04/20/2018 Revision date 04/19/2018 Version 1

1 Identification

Product identifier

Product name: Methacrylic anhydride

Stock number: L14357 CAS Number: 760-93-0 EC number: 212-084-8

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 1 H330 Fatal if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Flam. Liq. 4 H227 Combustible liquid. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS05 GHS06

Signal word Danger
Hazard statements
H227 Combustible liquid.
H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.
Precautionary statements
P210 Keep away from flames and hot surfaces. No smoking.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

\*\*Conditional\*\*
\*\*Conditional\*
\*\*Conditional\*
\*\*Conditional\*
\*\*Conditional\*
\*\*Conditional\*
\*\*Conditional\*
\*\*Conditional\*
\*\*Cond



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 2
Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

#### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 760-93-0 Methacrylic anhydride Concentration: ≤100%

(Contd. on page 2)

### Product name: Methacrylic anhydride

Identification number(s): EC number: 212-084-8 Additional information: Stabilized with: 2,4-dimethyl-6-tert-butylphenol (Contd. of page 1)

#### 4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After every contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After evallowing Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed.

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Fatal if inhaled.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Advice for firefighters Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC 1: 0.41 mg/3.

PAC-1: 0.41 mg/m3 PAC-2: 4.5 mg/m3 PAC-3: 16 mg/m3

### 7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Store in the dark.

Store away from water/moisture.
Store away from strong bases.
Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive.

This product is moisture sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from exposure to light. Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

(Contd. on page 3)

### Product name: Methacrylic anhydride

(Contd. of page 2)

Version 1

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
Maintain an eronomically appropriate working environment.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Butyl rubber, BR

Penetration time of glove material (in minutes) 480

Glove thickness: 0.3 mm Eye protection:
Tightly sealed goggles
Full face protection
Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

## 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Liquid Not determined Odor: Odor threshold: Not determined.

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -109 °C (-164 °F) 197 °C (387 °F) Not determined

Flash point:

84 °C (183 °F) Not determined

Not determined.

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Not determined

Auto igniting:

Not determined Not determined

Danger of explosion: Explosion limits: Lower: Upper:

Not determined.

Not determined

Not determined Not determined

1.033 g/cm³ (8.62 lbs/gal) Not determined.

Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water:

Not determined. Not determined

Water:

Partition coefficient (n-octanol/water): Not determined

Not determined

Viscosity:

dynamic: kinematic:

Not determined.

Other information

No further relevant information available.

# 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents

Water/moisture

Hazardous decomposition products: Carbon monoxide and carbon dioxide

# 11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled.

Transmit in instaled.
Fatal if inhaled.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Inhalative LC50/2H 450 mg/m3/2H (mouse)

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.

(Contd. on page 4)

# Product name: Methacrylic anhydride (Contd. of page 3) Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information **UN-Number** DOT, IMDG, IATA UN3265 UN proper shipping name DOT ADR Corrosive liquid, acidic, organic, n.o.s. (Methacrylic anhydride) 3265 Corrosive liquid, acidic, organic, n.o.s. (Methacrylic anhydride) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methacrylic anhydride) IMDG, IATA Transport hazard class(es) DOT Class 8 Corrosive substances Label ADR 8 (C3) Corrosive substances Class Label IMDG, IATA 8 Corrosive substances Class Packing group DOT, ADR, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user EMS Number: Warning: Corrosive substances F-A,S-B Segregation groups Stowage Category Stowage Code Acids SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L Quantity limitations Marine Pollutant (DOT): Limited quantities (LQ) Excepted quantities (EQ) TL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml (Contd. on page 5)

# Product name: Methacrylic anhydride

(Contd. of page 4)

UN "Model Regulation":

UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (METHACRYLIC ANHYDRIDE), 8, II

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements
H227 Combustible liquid. H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements

Keep away from flames and hot surfaces. No smoking.

P210 Keep away from flames and hot surfaces. No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P320 P405 P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity, Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) I market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMMS: Maradrous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
PVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Flam. Liq. 4: Flammable liquids — Category 1
Skin Corr. 18: Skin corrosion/irritation — Category 1
Skin Corr. 18: Skin corrosion/irritation — Category 1

USA