



Page 1/5 Printing date 08/03/2018 Revision date 08/01/2018 Version 1

1	Identification		
	Product identifier Product name: Sodium fluoride		
	Stock number: 11003		
	CAS Number: 7681-49-4		
	EC number: 231-667-8		
	Index number: 009-004-00-7		
	Relevant identified uses of the substance or mixture and uses advised against. No further relevant information available. Identified use: SU24 Scientific research and development		
	Details of the supplier of the safety data sheet		
	Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.		
	30 Bond Street		
	Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757		
	Email: tech@alfa.com		
	www.alfa.com Information Department: Health, Safety and Environmental Department		
	Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.		
2	2 Hazard(s) identification		
-	Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)		
	GHS06 Skull and crossbones		
	Acute Tox. 3 H301 Toxic if swallowed.		
	GHS07		
	Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Hazards not otherwise classified No information known.		
	Label elements		
	GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms		
	GHS06		
	Signal word Danger Hazard statements		
	H301 Toxic if swallowed. H315 Causes skin irritation.		
	H319 Causes serious eye irritation. Precautionary statements		
	P280 Wear protective gloves / eye protection / face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.		
	P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label).		
	P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.		
	WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects		
	D2B - Toxic material causing other toxic effects		
	Classification system HMIS ratings (scale 0-4)		
	(Hazardouš Materials Identification System)		
	HEALTH I Health (acute effects) = 3 FIRE Flammability = 0		
	REACTIVITY D Physical Hazard = 1 Other hazards		
	Results of PBT and vPvB assessment		
	PBT: Not applicable, νΡνΒ: Not applicable.		
3	Composition/information on ingredients		
	Chemical characterization: Substances CAS# Description:		
	7681-49-4 Sodium fluoride Concentration: <100%		
	Identification number(s): EC number: 231-667-8		
	(Contd. on page 2) USA		

(Contd. of page 1)

Product name: Sodium fluoride

Index number: 009-004-00-7

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes serious eye irritation. Toxic if swallowed. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Hydrogen fluoride (HF) Sodium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on safe handling See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 17 mg/m3 PAC-2: 90 mg/m3 PAC-3: 1,100 mg/m3 7 Handling and storage Handling Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Prevent formation of dust. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Do not store together with acids. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 7681-49-4 Sodium fluoride (100.0%) Long-term value: 2.5 mg/m³ as F PEL (USA) REL (USA) Long-term value: 2.5 mg/m³ as F TLV (USA) Long-term value: 2.5 mg/m³ as F. BEI EL (Canada) Long-term value: 2.5 mg/m³ as F (Contd. on page 3)

Product name: Sodium fluoride

Ingredients with biological limit value	(Contd. of page
7681-49-4 Sodium fluoride (100.0%)	J
BEI (USA) 2 mg/L	
Medium: urine Time: prior to shift Parameter: Fluoride (backgro	ound, nonspecific)
3 mg/L Medium: urine	
Time: end of shift Parameter: Fluoride (backgro	ound, nonspecific)
Additional information: No data	
Recommended filter device for short i Use a respirator with type P100 (USA) o purifying respirators are appropriate. Or Protection of hands: Impervious gloves Check protective gloves prior to each us The selection of suitable gloves not only Material of gloves Nitrile rubber, NBR Penetration time of glove material (in	andling chemicals should be followed. Ind feed. thing immediately. ad of work. vorking environment. pirator when high concentrations are present. term use: r P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- nly use equipment tested and approved under appropriate government standards. e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Glove thickness: 0.11 mm Eye protection: Safety glasses with sid Body protection: Protective work clothi	e shields / NIOSH (US) or EN 166(EU) ng.
9 Physical and chemical properties	
Information on basic physical and che General Information Appearance:	
Form: Odor:	Powder Odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	993 °C (1819 °F) 1704 °C (3099 °F) Not determined Not determined Not determined Not determined Not determined.
Danger of explosion:	Not determined.
Explosion limits: Lower: Upper: Vapor pressure at 1077 °C (1971 °F): Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with	Not determined Not determined 1.3 hPa (1 mm Hg) 2.78 g/cm ³ (23.199 lbs/gal) Not determined. Not applicable. Not applicable.
Water at 25 °C (77 °F).	40 a/l
Water at 25 °C (77 °F): Partition coefficient (n-octanol/water):	40 g/l : Not determined.
Water at 25 °C (77 °F):	40 g/l : Not determined. Not applicable. Not applicable. No further relevant information available.
Water at 25 °C (77 °F): Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information 0 Stability and reactivity Reactivity Contact with acids liberates v Chemical stability Stable under recomm	: Not determined. Not applicable. Not applicable. No further relevant information available. very toxic gas. mended storage conditions. o be avoided: Decomposition will not occur if used and stored according to specifications. ntact with acids liberates very toxic gas.
Water at 25 °C (77 °F): Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information 0 Stability and reactivity Reactivity Contact with acids liberates w Chemical stability Stable under recom Thermal decomposition / conditions t Possibility of hazardous reactions Co Conditions to avoid No further relevant Incompatible materials: Acids Hazardous decomposition products: Hydrogen fluoride Sodium oxide 11 Toxicological information Information on toxicological effects Acute toxicity: Toxic i swallowed. The Registry of Toxic Effects of Chemical	Not applicable. Not applicable. No further relevant information available. very toxic gas. mended storage conditions. o be avoided: Decomposition will not occur if used and stored according to specifications. ntact with acids liberates very toxic gas. t information available. al Substances (RTECS) contains acute toxicity data for this substance.
Water at 25 °C (77 °F): Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information 0 Stability and reactivity Reactivity Contact with acids liberates v Chemical stability Stable under recomm Thermal decomposition / conditions t Possibility of hazardous reactions Co Conditions to avoid No further relevant Incompatible materials: Acids Hazardous decomposition products: Hydrogen fluoride Sodium oxide 11 Toxicological information Information on toxicological effects Acute toxicity: Toxic if swallowed.	Not applicable. Not applicable. No further relevant information available. very toxic gas. mended storage conditions. o be avoided: Decomposition will not occur if used and stored according to specifications. ntact with acids liberates very toxic gas. t information available. al Substances (RTECS) contains acute toxicity data for this substance.

Product name: Sodium fluoride (Contd. of page 3) Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Correspondents Carcinogenicity: ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment **PBT:** Not applicable. **vPvB:** Not applicable Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN1690 UN proper shipping name DOT Sodium fluoride, solid 1690 Sodium fluoride, solid SODIUM FLUORIDE, SOLID, MARINE POLLUTANT SODIUM FLUORIDE, SOLID ADR IMDG IATA Transport hazard class(es) DOT Class 6.1 Toxic substances Label ADR 303 Ś 6.1 (T5) Toxic substances Class Label IMDG Sec. ¥ Class 6.1 Toxic substances Label 6.1 ĪĂŤĂ 0 Class 6.1 Toxic substances Label 61 Packing group DOT, ADR, IMDG, IATA |||Environmental hazards Marine pollutant (IMDG): Yes (P) Symbol (fish and tree) Special precautions for user EMS Number: Stowage Category Warning: Toxic substances F-A,S-Ă SG35 Stow "separated from" acids Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

(Contd. on page 5)



	Version			
Product name: Sodium fluoride				
Transport/Additional information:	(Contd. of page -			
DOT Quantity limitations Hazardous substance: Marine Pollutant (DOT):	On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg 1000 lbs, 454 kg Yes (P)			
Remarks: IMDG Limited quantities (LQ) Excepted quantities (EQ)	Special marking with the symbol (fish and tree). 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g			
UN "Model Regulation":	Maximum net quantity per outer packağıng: 1000 g UN 1690 SODIUM FLUORIDE, SOLID, 6.1, III			
P405 Store locked up. P501 Dispose of contents/container in accordance National regulations All components of this product are listed in the U.S. Environmen. All components of this product are listed on the Canadian Dome. SARA Section 313 (specific toxic chemical listings) Substance California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technicall Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the R. The conditions of restrictions according to Article 67 and Almarket and use must be observed. Substance is not listed. Substance XIV of the REACH Regulations (requiring Authorisating) Substance is not listed.	e protection. N CENTER/ doctor. yeral minutes. Remove contact lenses, if present and easy to do. Continue rinsing. with local/regional/national/international regulations. ntal Protection Agency Toxic Substances Control Act Chemical substance Inventory. setic Substances List (DSL). te is not listed. tt listed. tt listed. tt listed. tt Q. BEACH Regulations (EC) No. 1907/2006. Substance is not listed. nnex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the tion for use) Substance is not listed.			
information to ensure proper use and protect the health and safe conformance with this Safety Data Sheet, or in combination with Department issuing SDS: Global Marketing Department Date of proparation SDS: Print date, revision date and very	other information gathered by them, and should make independent judgement of suitability of this ety of employees. This information is furnished without warranty, and any use of the product not in any other product or process, is the responsibility of the user.			