



Page 1/5 Printing date 08/25/2017 Revision date 08/24/2017 Version 2

		Version 2
1	Identification	
	Product identifier Product name: 2-Fluoro-6-nitrotoluene	
	Stock number: L20093 CAS Number: 769-10-8	
	EC number: 212-203-3	
	Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department	
	Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
	P Hazard(s) identification	
	Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
	GHS06 Skull and crossbones	
	Acute Tox. 3 H331 Toxic if inhaled.	
	GHS07	
	Acute Tox. 4H302Harmful if swallowed.Acute Tox. 4H312Harmful in contact with skin.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.	
	Flam. Liq. 4 H227 Combustible liquid. Hazards not otherwise classified No information known.	
	Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
	GHS06	
	Signal word Danger Hazard statements H227 Combustible liquid. H302+H312 Harmful if swallowed or in contact with skin. H331 Toxic if inhaled. H335 Causes skin irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from flames and hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
	B3 - Combustible liquid D1A - Very toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects	
	Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
	HEALTH I I Health (acute effects) = 2 Fire I Flammability = 2 REACTIVITY I Physical Hazard = 1	
	Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	USA —

Page 2/5

	(Contd. of page 1)
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 769-10-8 2-Fluoro-6-nitrotoluene Concentration: ≤100% Identification number(s): EC number: 212-203-3	
 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Harmful if swallowed. Causes serious eye irritation. Harmful in contact with skin. Toxic if inhaled. Indication of any immediate medical attention and special treatment needed No further relevant information available. 	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen fluoride (HF) Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: Substance is not listed. PAC-3: Substance is not listed.	
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.	
Keep away from foodstuffs, beverages and feĕd.	(Contd. on page 3)

Domovo oll spilled and conteminated al	othing immodiately	(Contd. of page 2)			
Remove all soiled and contaminated cl Wash hands before breaks and at the e	oning immediately. and of work.				
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate	working environment.				
Breathing equipment: Use suitable re Recommended filter device for short	working environment. spirator when high concentrations are present. t erm use:				
Use a respirator with multi-purpose con determine if air-purifying respirators are	nbination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should b appropriate. Only use equipment tested and approved under appropriate government standards such as	e performed to s NIOSH (LISA) or			
CEN (EU).	ε αρμισμήτατο. Οτην μέσο οφαιριποτιί τοστου από αρμισνού υποσι αρμισμήτατο θονοπηποτί σταποτίος συσή ας	3 NIOSI (03A) 01			
Protection of hands: Impervious gloves					
Check protective gloves prior to each u The selection of suitable gloves not onl	se for their proper condition. y depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.				
Material of gloves Fluorocarbon rubbe	er (Viton)				
Penetration time of glove material (in minutes) 480 Glove thickness: 0.7 mm					
Eye protection: Safety glasses with side Body protection: Protective work cloth	de shields / NIOSH (US) or EN 166(EU) ning.				
9 Physical and chemical propertie	s				
Information on basic physical and cl					
General Information Appearance:					
Form:	Liquid				
Odor: Odor threshold:	Not determined Not determined.				
pH-value:	Not determined.				
Change in condition Melting point/Melting range:	6-8 °C (43-46 °F)				
Boiling point/Boiling range: Sublimation temperature / start:	208-210 °C (406-410 °F)				
Flash point: Flammability (solid, gaseous)	88 °C (190 °F) Not determined.				
Ignition temperature: Decomposition temperature:	Not determined Not determined				
Auto igniting:	Not determined.				
Danger of explosion: Explosion limits:	Not determined.				
Lower:	Not determined				
Upper: Vapor pressure:	Not determined Not determined				
Density at 20 °C (68 °F): Relative density	1.277 g/cm³ (10.657 lbs/gal) Not determined.				
Vapor density Evaporation rate	Not determined.				
Solubility in / Miscibility with	Not determined.				
Water: Partition coefficient (n-octanol/water	Not miscible or difficult to mix): Not determined.				
Viscosity: dynamic:	Not determined.				
kinematic: Other information	Not determined. No further relevant information available.				
10 Stability and reactivity					
Reactivity No information known. Chemical stability Stable under recom	nmended storage conditions.				
Thermal decomposition / conditions Possibility of hazardous reactions R	to be avoided: Decomposition will not occur if used and stored according to specifications.				
Conditions to avoid No further relevant	nt information available.				
Incompatible materials: Oxidizing age Hazardous decomposition products:	ents				
Carbon monoxide and carbon dioxide Hydrogen fluoride					
Nitrogen oxides					
11 Toxicological information					
Information on toxicological effects					
Acute toxicity: Harmful in contact with skin.					
Harmful if swallowed. Toxic if inhaled.					
Danger through skin absorption. LD/LC50 values that are relevant for	classification: No data				
Skin irritation or corrosion: May caus	se irritation				
Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr	10WN.				
Germ cell mutagenicity: No effects kr Carcinogenicity: No classification data	nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.				
Reproductive toxicity: No effects kno					
	- repeated exposure: No effects known.				
Specific target organ system toxicity	- single exposure: May cause respiratory irritation.				
Aspiration hazard: No effects known. Subacute to chronic toxicity: No effe	cts known				
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.				
		USA USA (Contd. on page 4)			

(Contd. of page 3)

	(Contd. of page 3)
 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information Bioaccumulative potential No further relevant information Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach g Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information avail 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulatio. Uncleaned packagings: Recommendation: Disposal must be made according to of 	ground water, water course or sewage system. lable. ns to ensure proper disposal.
14 Transport information	
UN-Number	
DOT, IMDG, IATA	UN2810
UN proper shipping name DOT	Toxic, liquids, organic, n.o.s. (2-Fluoro-6-nitrotoluene)
ADR IMDG, IATA	Toxic, liquids, organic, n.o.s. (2-Fluoro-6-nitrotoluene) 2810 Toxic, liquids, organic, n.o.s. (2-Fluoro-6-nitrotoluene) TOXIC LIQUID, ORGANIC, N.O.S. (2-Fluoro-6-nitrotoluene)
Transport hazard class(es) DOT Class Label ADR Class Label IMDG, IATA	6.1 Toxic substances 6.1 6.1 (T1) Toxic substances 6.1
Class Label	6.1 Toxic substances 6.1
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user EMS Number:	Warning: Toxic substances F-A,S-A
Stowage Category	A
Stowage Code Transport in bulk according to Annex II of MARPOL73/7	SW2 Clear of living quarters.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
Marine Pollutant (DOT):	No
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2810 TOXIC, LIQUIDS, ORGANIC, N.O.S. (2-FLUORO-6-NITROTOLUENE), 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Danger

(Contd. of page 4) Hazard statements H227 Combustible liquid. H302+H312 Harmful if swallowed or in contact with skin. H331 Toxic if inhaled. H315 Causes skin irritation. H331 H315 H319 Causes serious eye irritation. May cause respiratory irritation. H335 Precautionary statements P210 Keep aw P261 Avoid bre Precautionary statements P210 Keep away from flames and hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 National regulations
 This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

 SARA Section 313 (specific toxic chemical listings) Substance is not listed.

 California Proposition 65

 Prop 65 - Chemicals known to cause cancer Substance is not listed.

 Prop 65 - Developmental toxicity, female Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, female Substance is not listed.

 Prop 65 - Developmental toxicity, cause on the product on substance is not listed.

 Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

 The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Information to ensure proper use and protect the health and safety of employees. This information is furthished without warranty, and conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
DT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
DT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
DT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
DT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
DT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
DT: US Department of Versport des marchandises dengeneus Code(USA)

HIMDS: Hazardous Materials Information System (USA)

VPHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concerneroe of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

HIMDS: USA