Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2013 Revision: 10 09 2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Titanium(III) chloride, 20% in 3% hydrochloric acid Trade name

Stock number

1.2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zeppelinstr. 75 A somison matthey company 2eppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com

www.alfa.com

Informing department: 1.4 Emergency telephone number: www.arra.com Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🔁 C; Corrosive

Causes burns

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Other hazards that do not result in

classification

No information known.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms Signal word

GHS05 Danger

Hazard-determining components of

labelling:

Titanium(III) chloride

Hazard statements Precautionary statements

The product is classified and labelled according to the CLP regulation.

Hallulli (III) Glishad Hydrochloric acid H314 Causes severe skin burns and eye damage. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international

2.3 Other hazards

Results of PBT and vPvB assessment PRT-

vPvB:

Not applicable. Not applicable.

### SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Dangerous components:				
CAS: 7705-07-9	Titanium(III) chloride		□ C R34	20,0%
EINECS: 231-728-9	` '		R14	
			Skin Corr. 1B, H314	
CAS: 7647-01-0	Hvdrochloric acid		C R34: X Xi R37	2.4%
EINECS: 231-595-7	,		♦ Skin Corr. 1B, H314;  ♦ STOT SE 3, H335	,
Additional information	ion	None known		

Additional information None known

Non-Hazardous Ingredients

CAS: 7732-18-5 EINECS: 231-791-2 Water 77,6%

# SECTION 4: First aid measures

4.1 Description of first aid measures

General information After inhalation

Instantly remove any clothing soiled by the product.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

After skin contact

Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.

Rinse opened eye for several minutes under running water. Then consult doctor. After eve contact

After eye contact
After swallowing
4.2 Most important symptoms and effects,
both acute and delayed
4.3 Indication of any immediate medical
attention and special treatment needed

No further relevant information available No further relevant information available

## SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents 5.2 Special hazards arising from the substance or mixture

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

If this product is involved in a fire, the following can be released: Hydrogen chloride (HCI)

Seek medical treatment.

Metal oxide

(Contd. on page 2)

(Contd. of page 1)

Printing date 01.07.2013 Revision: 10.09.2012

## Trade name Titanium(III) chloride, 20% in 3% hydrochloric acid

5.3 Advice for firefighters

Protective equipment: Vear self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.

Do not allow to enter the ground/soil.

6.3 Methods and material for containment

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

6.4 Reference to other sections

Ensure adequate ventilation.

No special measures required.

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.

Information about protection against

explosions and fires:

No information known.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers:

Information about storage in one common storage facility:

No special requirements.

Store away from air.
Store away from strong bases.
Store away from oxidizing agents.
Water reacts with many metals to give hydrogen, often violently. Water also reacts violently with many reactive organic and inorganic chemicals.

Further information about storage

Store under dry inert gas. This product is air sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Store in a locked cabinet or with access restricted to technical experts or their assistants.
No further relevant information available.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

**7647-01-0 Hydrochloric acid (2,4%)** AGW (Germany) 3 mg/m³, 2 ppm 2(I);DFG, EU, Y

Short-term value: C 7 mg/m3, C 5 ppm PEL (USA) Short-term value: C 7 mg/m³, C 5 ppm REL (USA) TLV (USA) Short-term value: C 2,98 mg/m³, C 2 ppm No data

Additional information: 8.2 Exposure controls

Personal protective equipment
General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Use breathing protection with high concentrations.
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Impervious gloves

Breathing equipment: Protection of hands:

Material of gloves Penetration time of glove material

Eye protection:

Impervious gloves Not determined Tightly sealed safety glasses. Full face protection Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

**Body protection:** 

Appearance: Form: Colour: iquid

Smell: Not determined Odour threshold: Not determined. pH-value: Not determined

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start: Not determined Not determined Not determined Inflammability (solid, gaseous) Not determined

(Contd. on page 3)

(Contd. of page 2)

Printing date 01.07.2013 Revision: 10.09.2012

Trade name Titanium(III) chloride, 20% in 3% hydrochloric acid

Ignition temperature: Decomposition temperature: Not determined Not determined

Self-inflammability: Product is not selfigniting.

Critical values for explosion:

Lower:

Upper: Steam pressure at 20 °C: Density at 20 °C Relative density Vapour density

Evaporation rate
Solubility in / Miscibility with
Water:

Not miscible or difficult to mix Not determined.

Not determined

Not determined Not determined 23 hPa 1,22 g/cm<sup>3</sup> Not determined. Not determined.

Not determined.

Not determined. Not determined

Partition coefficient (n-octanol/water): Viscosity:

dynamic: kinematic: Solvent content:

0,0 % Organic solvents: Solids content: 20.0 %

No further relevant information available 9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity 10.2 Chemical stability Thermal decomposition / conditions to be

avoided. 10.3 Possibility of hazardous reactions

10.5 Incompatible materials:

10.6 Hazardous decomposition products:

No information known.

Stable under recommended storage conditions.

No decomposition if used and stored according to specifications. Water reacts violently with alkali metals. Reacts with strong oxidizing agents Air

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

Hydrogen chloride (HCI)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

No data

LD/LC50 values that are relevant for

classification: Skin irritation or corrosion: Eye irritation or corrosion: Sensitization:

Causes severe skin burns. Causes serious eye damage. No sensitizing effect known.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this Germ cell mutagenicity: product.
IARC-3: Not classifiable as to carcinogenicity to humans.
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of Carcinogenicity:

its carcinogenicity in humans and/or animals. The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product. Reproductive toxicity:

Specific target organ system toxicity - repeated exposure:

Specific target organ system toxicity - single

exposure: Aspiration hazard:

Additional toxicological information:

No effects known.

No effects known.

No effects known.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Corrosive

**SECTION 12: Ecological information** 

12.1 Toxicity

12.1 Toxicity
Aquatic toxicity:
12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
Additional ecological information:

No further relevant information available. No further relevant information available. No further relevant information available. No further relevant information available.

General notes:

Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment

PBT: vPvB:

Not applicable.

Not applicable. No further relevant information available. 12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal

Uncleaned packagings: Recommendation:

Disposal must be made according to official regulations.

DE/E (Contd. on page 4) Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2013 Revision: 10.09.2012

## Trade name Titanium(III) chloride, 20% in 3% hydrochloric acid

(Contd. of page 3)

	(Conta. or page 3)				
SECTION 14: Transport information					
UN-Number ADR, IMDG, IATA	UN3264				
14.2 UN proper shipping name ADR IMDG, IATA	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (TITANIUM TRICHLORIDE, HYDROCHLORIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (TITANIUM TRICHLORIDE, HYDROCHLORIC ACID)				
14.3 Transport hazard class(es)					
ADR  Class Label IMDG, IATA	8 (C1) Corrosive substances. 8				
Class Label	8 Corrosive substances. 8				
Packing group ADR, IMDG, IATA	II				
14.5 Environmental hazards: Marine pollutant:	No				
14.6 Special precautions for user Kemler Number:	Warning: Corrosive substances. 80				
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.					
Transport/Additional information:					
ADR Excepted quantities (EQ): Limited quantities (LQ) Transport category Tunnel restriction code	E2 1L 2 E				
UN "Model Regulation":	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (TITANIUM TRICHLORIDE, HYDROCHLORIC ACID), 8, II				
SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Inventory of Chemical Substances All ingredients are listed. Standard for the Uniform Scheduling of Drugs and Poisons					
7647-01-0 Hydrochloric acid S5, S6					
National regulations	ional regulations rmation about limitation of use:  Employment restrictions concerning young persons must be observed.  For use only by technically qualified individuals.				
Water hazard class 1 (Self-assessment): slightly hazardous for water.					
Other regulations, limitations and prohibitive regulations ELINCS (European List of Notified Chemical Substances)					
None of the ingredients is listed.					
Substances of very high concern (SVHC) according to REACH, Article 57					

None of the ingredients are listed.

REACH - Pre-registered substances

All ingredients are listed.

Relevant phrases

A Chemical Safety Assessment has not been carried out. 15.2 Chemical safety assessment:

**SECTION 16: Other information**Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

H335 May cause respiratory irritation.

R14 Reacts violently with water.
R34 Causes burns.
R37 Irritating to respiratory system.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Particular Classification and Labelling of Chemicals

VEY: Verordunug über bernnbare Flüssigkeiten, Osterreich (Ordinance on the storage of combustible liquids, Austria)

LC50: Lethal dose, 50 percent

DE/E-

DE/E