



Page 1/5 Printing date 10/16/2017 Revision date 10/13/2017 Version 1

1 Identification

Product identifier

Product name: Thionyl chloride

Stock number: 41868 CAS Number: 7719-09-7 EC number: 231-748-8 Index number:

016-015-00-0
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:


Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Skin Corr. 1A H314 Causes severe skin burns and eye damage.



Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified Lachrymator

Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Danger

Hazard statements H302+H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P405
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects

E - Corrosive material F - Dangerously reactive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 4
Flammability = 0
Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 7719-09-7 Thionyl chloride Concentration: ≤100%

(Contd. on page 2)

#### Product name: Thionyl chloride

Identification number(s): EC number: 231-748-8 Index number: 016-015-00-0

(Contd. of page 1)

#### 4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Harmful if swallowed.
Harmful if inhaled.

This product is a lachrymator

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
Reacts violently with water
If this product is involved in a fire, the following can be released:
Sulfur oxides (SOX)
Hydrogen chloride (HCI)
Advice for firefinhters

Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
PAC-1: 0.2 ppm

PAC-1: 0.2 ppm PAC-2: 2.4 ppm PAC-3: 14 ppm

#### 7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Reep contained upinty sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from water/moisture.
Store away from strong bases.
Store away from alcohols.
Store away from metals.
Store away from amines.
Further information about storage conditions:

Store away from amines.

Further information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.
Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)

#### Product name: Thionyl chloride

(Contd. of page 2)

Version 1

Control parameters

Components with limit values that require monitoring at the workplace:

7719-09-7 Thionyl chloride (100.0%)

REL (USA) Ceiling limit value: 5 mg/m³, 1 ppm TLV (USA) Ceiling limit value: 0.2 ppm EL (Canada) Ceiling limit value: 1 ppm EV (Canada) Ceiling limit value: 5 mg/m³, 1 ppm

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards standards (EU).

Protection of hands:
Impervious gloves
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Fluorocarbon rubber (Viton)
Penetration time of glove material (in minutes) 480

Glove thickness: 0.7 mm

Biobe thickness. 6.7 mm Eye protection: Tightly sealed goggles Full face protection Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

I iauid Odor: Odor threshold: Pungent Not determined. pH-value: Not determined.

Change in condition

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto institue: -105 °C (-157 °F) 76-79 °C (169-174 °F) Not determined Not determined Not determined Not determined Auto igniting: Not determined.

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined 124 hPa (93 mm Hg) 1.631 g/cm³ (13.611 lbs/gal) Not determined. Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate

Not determined Not determined.

Not determined.

Solubility in / Miscibility with

Reacts violently Water: Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic at 25 °C (77 °F): kinematic:

Other information

Not determined.

No further relevant information available.

#### 10 Stability and reactivity

Reactivity Reacts violently with water.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Presimility of hazardous reactions
Contact with water releases toxic gases
Contact with acids releases toxic gases
Contact with acids releases toxic gases
Reacts violently with water
Conditions to avoid No further relevant information available.
Incompatible materials:
Rases

Bases Alcohols Metals

Amines Water/moisture

Hazardous decomposition products: Sulfur oxides (SOx)

(Contd. on page 4)

(Contd. on page 5)

Class

Label

Packing group DOT, ADR, IMDG, IATA Environmental hazards:

Segregation groups Stowage Category

Stowage Code

Special precautions for user EMS Number:

## Version 1 Product name: Thionyl chloride (Contd. of page 3) Hydrogen chloride (HCI) 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if swallowed. Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes especie skin burgs. Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes severe skin burns. Causes serious eye damage. This product is a lachrymator. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Aspiration in Azard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional coelegical information: Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods **Recommendation** Consult state, local or national regulations to ensure proper disposal. **Uncleaned packagings:** Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN1836 UN proper shipping name DOT Thionyl chloride ADR 1836 Thionyl chloride THIONYL CHLORIDE IMDG, IATA Transport hazard class(es) DOT Class 8 Corrosive substances Label ADR Class 8 (C1) Corrosive substances Label IMDG, IATA

8 Corrosive substances

Warning: Corrosive substances F-A,S-B

SW2 Clear of living quarters.

Not applicable.

Acids

## Product name: Thionyl chloride

and the state of t	
	(Contd. of page 4
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden
Marine Pollutant (DOT):	No
IMDG Limited quantities (LQ) Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1836 THIONYL CHLORIDE, 8, I

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard statements H302+H332 Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P405
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Other regulations, limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doose, 50 percent
LD50: Lethal doose, 50 percent
LD50: Lethal doose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
PVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
MTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 4: Acute toxicity — Category 4
Skin Corr. 1A: Skin corrosion/irritation — Category 1A