

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 04/26/2003

# 1 Identification

Product identifier

Product name: Cerium (III) fluoride

Stock number: 11334 **CAS Number:** 7758-88-5

EC number: 231-841-3

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

# 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



## GHS07

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation. **Hazards not otherwise classified** No information known.

# Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



# GHS06

Signal word Danger
Hazard statements
H302+H312 Harmful if swallowed or in contact with skin.
H331 Toxic if inhaled.

H315 H319

Causes skin irritation. Causes serious eye irritation. H335 May cause respiratory irritation. **Precautionary statements** 

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up.
P504 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects



# Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH 2 Health (acute effects) = 2
Flammability = 0
Physical Hazard = 0

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

# 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 7758-88-5 Cerium (III) fluoride

(Contd. on page 2)

Identification number(s): EC number: 231-841-3

(Contd. of page 1)

# 4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders.

Nausea

Indication of any immediate medical attention and special treatment needed No further relevant information available

# 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Hydrogen fluoride (HF)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

# 7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: No information known.

Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:

Fluorides (as F) ḿg/m3 ACGIH TLV Austria MAK Belgium TWA Finland TWA France TWA Germany MAK 2.5 Hungary TWA 1; 2-STEL Netherlands MAC-K 3.5 Netrierlands MAC-N 3.5 Norway TWA 0.6 Poland TWA 1; 3-STEL Sweden NGV 2 Switzerland MAK-W 1.5; 3-KZG-W United Kingdom TWA 2.5 Russia TWA 2.5 Ponmark TWA 2.5 Denmark TWA USA PEL

(Contd. on page 3)

rioduct name. Certain (iii) nuonde			
		(Contd. of page 2)	
7758-88-5 Cerium (III) fluoride (100.0%		(Conta. or page 2)	
PEL (USA) Long-term value: 2.5 mg/r			
` ´ as F			
REL (USA) Long-term value: 2.5 mg/r as F	\ Long-term value: 2.5 mg/m³ as F		
TLV (USA) Long-term value: 2.5 mg/r	TLV (USA) Long-term value: 2.5 mg/m³ as F, BEI		
EL (Canada) Long-term value: 2.5 mg/m³ as F			
Ingredients with biological limit values:			
7758-88-5 Cerium (III) fluoride (100.0%)			
BEI (USA)   2 mg/L Medium: urine Time: prior to shift Parameter: Fluoride (background, nonspecific)			
3 mg/L Medium: urine Time: end of shift			
Parameter: Fluoride (background, nonspecific)			
Additional information: No data			
Exposure controls Porsonal protective equipment			
Personal protective equipment General protective and hygienic measures			
The usual precautionary measures for h	andling chemicals should be followed.		
Keep away from foodstuffs, beverages a	ind teed.		
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.			
Augid contact with the cuse and alin			
Maintain an ergonomically appropriate w	vorking environment. pirator when high concentrations are present.		
Protection of hands:	pirator when high concentrations are present.		
Impervious gloves			
Check protective gloves prior to each us	e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.		
The selection of suitable gloves not only	depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.		
Eye protection: Safety glasses  Body protection: Protective work clothing.			
Body protection: Protective work clothing.			
9 Physical and chemical properties			
Information on basic physical and chemical properties			
General Information Appearance:			
Form:	Lump		
Color:	White		
Odor:	Odorless		
Odor threshold:	Not determined.		
pH-value:	Not applicable.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	1460 °C (2660 °F) 2300 °C (4172 °F) ((approx) s (CAS# 7758-) Not determined		
Flash point:			
Flammability (solid, gaseous)	Not applicable Not determined.		
Ignition temperature:	Not determined		
Decomposition temperature:	Not determined		
Auto igniting: Danger of explosion:	Not determined.  Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined		
Upper: Vapor pressure:	Not determined Not applicable.		
Density at 20 °C (68 °F):	Not applicable. 6.16 g/cm³ (51.405 lbs/gal)		
Relative density `	Not determined.		
Vapor density *	Not applicable.		
Evaporation rate	Not applicable.		
Solubility in / Miscibility with Water:	Insoluble		
Partition coefficient (n-octanol/water)			
Viscosity:			
dynamic:	Not applicable.		
kinematic: Other information	Not applicable. No further relevant information available.		
Galer iniormadoli	No futural resevant information available.		

# 10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials: No information known.
Hazardous decomposition products:
Hydrogen fluoride
Metal oxide fume

USA

(Contd. of page 3)

# 11 Toxicological information

Information on toxicological effects

Information on toxicological effects
Acute toxicity:
Harmful if inhaled.
Harmful in contact with skin.
Harmful in contact with skin.
Harmful if swallowed.
Danger through skin absorption.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Aspiration nazard: No effects known.

Subacute to chronic toxicity:

Cerium salts increase the blood coagulation rate. Exposure to cerium salts may increase sensitivity to heat, itching and skin lesions. Large doses to experimental animals have caused writhing, ataxia, labored respiration, sedation, hypotension and death by cardiovascular collapse.

Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Subacute to chronic toxicity: No effects known.

Additional toxical poison in promotion. To the best of our knowledge the center and chronic toxicity of this substance is not fully known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

# 13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

14 Transport Information		
UN-Number DOT, IMDG, IATA	UN3288	
UN proper shipping name DOT IMDG, IATA	Toxic solid, inorganic, n.o.s. (Cerium (III) fluoride) TOXIC SOLID, INORGANIC, N.O.S. (Cerium (III) fluoride)	
Transport hazard class(es)		
DOT		
1000		
Class	6.1 Toxic substances.	
Label Class	6.1 6.1 (T5) Toxic substances	
Label	6.1 (T5) Toxic substances 6.1	
IMDG, IATA		
Class	6.1 Toxic substances.	
Label	6.1	
Packing group DOT, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Toxic substances	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
DOT Marine Pollutant (DOT): Item:	No	
UN "Model Regulation":	UN3288, Toxic solid, inorganic, n.o.s. (Cerium (III) fluoride), 6.1, III	

(Contd. of page 4)

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



# Signal word Danger

Signal word Danger
Hazard statements
H302+H312 Harmful if swallowed or in contact with skin.
H331 Toxic if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H335 May cause respiratory irritation.
Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vi
P280 Wear protective gloves/protective clot
P305+P351+P338 IF IM EVES: Pinse cautiously with wa

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P306+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store locked up

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) I market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) BOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPUB: very Persistent and very Bioaccumulative
VPUB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NSTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

IISA