

## 1 Identification

### Product identifier

**Product name:** Silver nitrate, Premion®

**Stock number:** 10858

**CAS Number:**

7761-88-8

**EC number:**

231-853-9

**Index number:**

047-001-00-2

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar  
Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757  
Email: tech@alfa.com  
www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

#### Hazard pictograms



GHS03 GHS05

### Signal word Danger

#### Hazard statements

H272 May intensify fire; oxidizer.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P210 Keep away from heat. - No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### WHMIS classification

C - Oxidizing materials

D2A - Very toxic material causing other toxic effects

E - Corrosive material



### Classification system

#### HMIS ratings (scale 0-4)

#### (Hazardous Materials Identification System)

HEALTH 3 Health (acute effects) = 3

FIRE 3 Flammability = 3

REACTIVITY 3 Physical Hazard = 3

#### Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

#### CAS# Description:

7761-88-8 Silver nitrate

**Concentration:** ≤100%

**Product name:** Silver nitrate, Premion®

**Identification number(s):**  
**EC number:** 231-853-9  
**Index number:** 047-001-00-2

(Contd. of page 1)

**4 First-aid measures**

**Description of first aid measures**  
**General information** Immediately remove any clothing soiled by the product.  
**After inhalation**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
**After skin contact**  
Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.  
**After eye contact**  
Call a doctor immediately.  
Rinse opened eye for several minutes under running water. Then consult a doctor.  
**After swallowing**  
Drink copious amounts of water and provide fresh air. Immediately call a doctor.  
Do not initiate vomiting.  
**Information for doctor**  
**Most important symptoms and effects, both acute and delayed** Causes severe skin burns.  
**Danger**  
Silver nitrate is caustic and irritating to the skin, eyes and mucous membranes, producing a persistent black stain, with possible tissue destruction. Absorption over a long period may cause "Argyria", a blue/grey discolouration of various tissues. Industrial argyria may be local, involving the formation of blue/grey particles in the skin and the conjunctivae, or generalised, which appears early on the face, spreading to the hands. This is only normally manifested after many years of gross over-exposure. Ingestion will cause violent abdominal pain and vomiting.  
**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Extinguishing media**  
**Suitable extinguishing agents** Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
**For safety reasons unsuitable extinguishing agents** Halocarbon extinguisher  
**Special hazards arising from the substance or mixture**  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
If this product is involved in a fire, the following can be released:  
Nitrogen oxides (NOx)  
Silver oxides  
**Advice for firefighters**  
**Protective equipment:**  
Wear self-contained respirator.  
Wear fully protective impervious suit.

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
**Ensure adequate ventilation**  
**Environmental precautions:** Do not allow to enter sewers/ surface or ground water.  
**Methods and material for containment and cleaning up:**  
Use neutralizing agent.  
Dispose of contaminated material as waste according to section 13.  
**Ensure adequate ventilation.**  
**Prevention of secondary hazards:**  
Acts as an oxidizing agent on organic materials such as wood, paper and fats  
Keep away from combustible material.  
**Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.  
**Protective Action Criteria for Chemicals**  
**PAC-1:** 0.047 mg/m3  
**PAC-2:** 0.9 mg/m3  
**PAC-3:** 5.4 mg/m3

**7 Handling and storage**

**Handling**  
**Precautions for safe handling**  
Thoroughly remove all dust particles.  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
**Information about protection against explosions and fires:**  
Keep respiratory protective device available.  
Substance/product can reduce the ignition temperature of flammable substances.  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
**Conditions for safe storage, including any incompatibilities**  
**Storage**  
**Requirements to be met by storerooms and receptacles:** Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.  
**Information about storage in one common storage facility:**  
Store away from flammable substances.  
Store away from reducing agents.  
Store in the dark.  
Do not store with organic materials.  
Store away from metal powders.  
Store away from alcohols.  
Store away from ammonia  
Store away from metals.  
**Further information about storage conditions:**  
Store in the dark.

(Contd. on page 3)  
— USA —

**Product name:** Silver nitrate, Premion®

(Contd. of page 2)

Keep container tightly sealed.  
Store in cool, dry conditions in well sealed containers.  
Protect from exposure to light.  
**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:**  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Control parameters**  
**Components with limit values that require monitoring at the workplace:**

<b>7761-88-8 Silver nitrate (100.0%)</b>	
PEL (USA)	Long-term value: 0.01 mg/m <sup>3</sup> as Ag
REL (USA)	Long-term value: 0.01 mg/m <sup>3</sup> as Ag
TLV (USA)	Long-term value: 0.01 mg/m <sup>3</sup> as Ag
EL (Canada)	Short-term value: 0.03 mg/m <sup>3</sup> Long-term value: 0.01 mg/m <sup>3</sup> as Ag

**Additional information:** No data

**Exposure controls**  
**Personal protective equipment**  
**General protective and hygienic measures**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Maintain an ergonomically appropriate working environment.  
**Breathing equipment:**  
Use suitable respirator when high concentrations are present.  
Use suitable respiratory protective device in case of insufficient ventilation.  
**Recommended filter device for short term use:**  
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.  
**Protection of hands:**  
Impervious gloves  
Check protective gloves prior to each use for their proper condition.  
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.  
**Material of gloves** Nitrile rubber, NBR  
**Penetration time of glove material (in minutes)** 480

**Glove thickness:** 0.11 mm  
**Eye protection:**  
Tightly sealed goggles  
Full face protection  
Safety glasses with side shields / NIOSH (US) or EN 166(EU)  
**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

<b>Information on basic physical and chemical properties</b>	
<b>General Information</b>	
<b>Appearance:</b>	
Form:	Crystalline
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
<b>Change in condition</b>	
Melting point/Melting range:	212 °C (414 °F)
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
<b>Flash point:</b>	
Flash point:	Not applicable
Flammability (solid, gaseous)	Contact with combustible material may cause fire.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
<b>Danger of explosion:</b>	
Danger of explosion:	Not determined.
<b>Explosion limits:</b>	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	4.352 g/cm <sup>3</sup> (36.317 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
<b>Solubility in / Miscibility with</b>	
Water at 0 °C (32 °F):	1220 g/l
Alcohols:	Slightly soluble
Ketones:	Slightly soluble
Partition coefficient (n-octanol/water):	Not determined.
<b>Viscosity:</b>	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

Product name: **Silver nitrate, Premion®**

(Contd. of page 3)

**10 Stability and reactivity**

**Reactivity** May intensify fire; oxidizer.  
**Chemical stability** Stable under recommended storage conditions.  
**Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.  
**Possibility of hazardous reactions**  
Reacts with organic substances  
Acts as an oxidizing agent on organic materials such as wood, paper and fats  
Reacts with reducing agents  
Reacts with flammable substances  
**Conditions to avoid** No further relevant information available.  
**Incompatible materials:**  
Reducing agents  
Flammable substances  
Metals  
Ammonia  
Alcohols  
Organic materials  
Metal powders  
Light  
**Hazardous decomposition products:**  
Silver oxides  
Nitrogen oxides

**11 Toxicological information**

**Information on toxicological effects**  
**Acute toxicity:**  
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.  
**LD/LC50 values that are relevant for classification:**  
Oral LD50 1173 mg/kg (rat)  
**Skin irritation or corrosion:** Causes severe skin burns.  
**Eye irritation or corrosion:** Causes serious eye damage.  
**Sensitization:** No sensitizing effects known.  
**Germ cell mutagenicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.  
**Carcinogenicity:**  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.  
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.  
**Reproductive toxicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.  
**Specific target organ system toxicity - repeated exposure:** No effects known.  
**Specific target organ system toxicity - single exposure:** No effects known.  
**Aspiration hazard:** No effects known.  
**Subacute to chronic toxicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.  
**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**12 Ecological information**

**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Ecotoxicological effects:**  
**Remark:** Very toxic for aquatic organisms  
**Additional ecological information:**  
**General notes:**  
Do not allow material to be released to the environment without proper governmental permits.  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
May cause long lasting harmful effects to aquatic life.  
Avoid transfer into the environment.  
Very toxic for aquatic organisms  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.






**13 Disposal considerations**

**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Waste disposal key number according to the European Waste Catalogue:**  
Contaminated salts and their solutions:  
06 03 99 Wastes n. o. s.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

<b>UN-Number</b> <b>DOT, IMDG, IATA</b>	UN1479
<b>UN proper shipping name</b> <b>DOT</b> <b>ADR</b> <b>IMDG, IATA</b>	Oxidizing solid, n.o.s. (Silver nitrate, ACS) 1479 Oxidizing solid, n.o.s. (Silver nitrate, ACS) OXIDIZING SOLID, N.O.S. (Silver nitrate, ACS)

(Contd. on page 5)  
USA

Product name: <b>Silver nitrate, Premion®</b>	
(Contd. of page 4)	
Transport hazard class(es) DOT  Class Label ADR  Class Label IMDG, IATA  Class Label	5.1 Oxidizing substances 5.1  5.1 (O2) Oxidizing substances 5.1  5.1 Oxidizing substances 5.1
Packing group DOT, ADR, IMDG, IATA	I
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Stowage Category Segregation Code	Warning: Oxidizing substances F-A,S-Q D SG38 Stow "separated from" ammonium compounds. SG49 Stow "separated from" cyanides SG60 Stow "separated from" peroxides SG61 Stow "separated from" powdered metals
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: DOT Quantity limitations Hazardous substance: Marine Pollutant (DOT):  IMDG Limited quantities (LQ) Excepted quantities (EQ)	On passenger aircraft/rail: 1 kg On cargo aircraft only: 15 kg 1 lbs, 0.454 kg No  0 Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1479 OXIDIZING SOLID, N.O.S. (SILVER NITRATE, ACS), 5.1, I
<b>15 Regulatory information</b>	
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms   GHS03 GHS05	
Signal word Danger Hazard statements H272 May intensify fire; oxidizer. H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat. - No smoking. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).	
SARA Section 313 (specific toxic chemical listings) 7761-88-8  Silver nitrate	
California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations REACH - Pre-registered substances Substance is not listed. Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.	
(Contd. on page 6) USA	



**Product name:** Silver nitrate, Premion®

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out. (Contd. of page 5)

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

*Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.*

**Department issuing SDS:** Global Marketing Department

**Date of preparation/Revision:** Print date, revision date and version number are in the header of each page.

**Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Ox. Sol. 2: Oxidizing solids – Category 2

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

USA