



Page 1/4 Printing date 01/12/2018 Revision date 01/11/2018 Version 1

V	Version 1
1 Identification	
Product identifier Product name: <b>Ammonium sulfamate</b>	
Stock number: 14534 CAS Number:	
7773-06-0 EC number:	
231-871-7 <b>Relevant identified uses of the substance or mixture and uses advised against.</b> Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill. MA 01835-8099	
Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS07	
Signal word Warning Hazard statements H302 Harmful if swallowed. Precautionary statements P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 Rinse mouth. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification Not controlled Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
(Hazardous Materials Identification System)         HEALTH       I         Health (acute effects) = 1         FIRE       I         IREACTIVITY       I         Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description: 7770 6.0 4 measure suffements	
7773-06-0 Ammonium sulfamate Concentration: ≤100%	
Identification number(s): EC number: 231-871-7	
4 First-aid measures	
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly.	
Seek immédiate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing Seek medical treatment. Information for doctor	
<b>Most important symptoms and effects, both acute and delayed</b> Harmful if swallowed. <b>Indication of any immediate medical attention and special treatment needed</b> No further relevant information available.	- USA -
(Contd. or	00/1

5 Fire-fighting measures Extinguishing media

### Product name: Ammonium sulfamate

Page 2/4 Printing date 01/12/2018 Revision date 01/11/2018 Version 1

(Contd. of page 1)

USA (Contd. on page 3)

# Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Sulfur oxides (SOX) Nitrogen oxides (NOX) Ammonia Advice for firefighters Ammonia Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Prevention of secondary hazards: No special measures required. Reference to other sections Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 30 mg/m3 PAC-2: 98 mg/m3 PAC-3: 5,000 mg/m3 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Requirements to be met by storerooms and receptacies: N Information about storage in one common storage facility: Store away from water/moisture. Store away from oxidizing agents. Further information about storage conditions: Further information about storage conditions: Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: 7773-06-0 Ammonium sulfamate (100.0%) Long-term value: 15\* 5\*\* mg/m \*total dust \*\*respirable fraction PEL (USA) Long-term value: 10\* 5\*\* mg/m³ \*total dust \*\*respirable fraction REL (USA) Long-term value: 10 mg/m³ Long-term value: 10\* 3\*\* mg/m³ \*total dust;\*\*resp. fraction TLV (USA) EL (Canada) EV (Canada) Long-term value: 10 mg/m<sup>3</sup> Additional information: No data Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses with side shields / NIOSH (US) or EN 166(EU) **Body protection:** Protective work clothing.

## Product name: Ammonium sulfamate

(Contd. of page 2)

Page 3/4

9 Physical and chemical propertie	
Information on basic physical and cl	
General Information	
Appearance:	
Form: Odor:	Crystalline Not determined
Odor threshold:	Not determined.
pH-value (50 g/l) at 20 °C (68 °F):	5.2
Change in condition	
Melting point/Melting range:	131-135 °C (268-275 °F)
Boiling point/Boiling range:	131-135 °C (268-275 °F) 160 °C (320 °F) (dec)
Sublimation temperature / start:	Not determined
Flammability (solid, gaseous) Ignition temperature:	Not determined. Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits: Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density: Relative density	Not determined Not determined.
Vapor density	Not deplicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water at 20 °C (68 °F):	2800 a/l
	2800 g/l Soluble
Partition coefficient (n-octanol/water	): Not determined.
Viscosity:	Netepplicable
dynamic: kinematic:	Not applicable. Not applicable.
Other information	No further relevant information available.
Oxidizing agents Water/moisture Hazardous decomposition products	
Water/moisture Water/moisture Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia	
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia	
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects	
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity:	
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed.	cal Substances (RTECS) contains acute toxicity data for this substance.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for	cal Substances (RTECS) contains acute toxicity data for this substance.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemin LD/LC50 values that are relevant for Oral LD50 2000 mg/kg (rat)	cal Substances (RTECS) contains acute toxicity data for this substance. classification:
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemio LD/LC50 values that are relevant for Oral LD50   2000 mg/kg (rat) Skin irritation or corrosion: May caus	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemia LD/LC50 values that are relevant for Oral LD50 2000 mg/kg (rat) Skin irritation or corrosion: May cause Eye irritation or corrosion: May cause Sensitization: No sensitizing effects kit	cal Substances (RTECS) contains acute toxicity data for this substance. <b>classification:</b> se irritation e irritation own.
Hazardous decomposition products: Sulfur oxides (SOX) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral [LD50] 2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kr	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation e irritation nown.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral [LD50] 2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kr	cal Substances (RTECS) contains acute toxicity data for this substance. classification se irritation e irritation nown. nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral [LD50] 2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kr	cal Substances (RTECS) contains acute toxicity data for this substance. classification se irritation e irritation nown. nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Hazardous decomposition products:         Sulfur oxides (SOx)         Nitrogen oxides         Ammonia         11 Toxicological information         Information on toxicological effects         Acute toxicity:         Harmful if swallowed.         The Registry of Toxic Effects of Chemic         LD/LC50 values that are relevant for         Oral LD50 2000 mg/kg (rat)         Skin irritation or corrosion: May caus         Sensitization: No sensitizing effects kr         Germ cell mutagenicity: No effects kr         Carcinogenicity: No classification data         Reproductive toxicity: No effects kno	cal Substances (RTECS) contains acute toxicity data for this substance. classification se irritation e irritation nown. nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral [LD50] 2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kno	cal Substances (RTECS) contains acute toxicity data for this substance. classification e irritation e irritation nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. - repeated exposure: No effects known.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemin LD/LC50 values that are relevant for Oral LD50 2000 mg/kg (rat) Skin irritation or corrosion: May caus Sensitization: No sensitizing effects kn Germ cell mutagenicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known.	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation e irritation nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. - repeated exposure: No effects known. - single exposure: No effects known.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemin LD/LC50 values that are relevant for Oral LD50 2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kn Germ cell mutagenicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known.	cal Substances (RTECS) contains acute toxicity data for this substance. classification e irritation e irritation nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. - repeated exposure: No effects known.
Hazardous decomposition products: Sulfur oxides (SOX) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemid LD/LC50 values that are relevant for Oral LD50 2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kn Germ cell mutagenicity: No effects kno Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: The Re Additional toxicological information 12 Ecological information	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation e irritation nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. - repeated exposure: No effects known. - single exposure: No effects known.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral LD50   2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kn Germ cell mutagenicity: No effects kno Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: The Re Additional toxicological information Toxicity	cal Substances (RTECS) contains acute toxicity data for this substance. classification: we irritation be irritation nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. r - repeated exposure: No effects known. r - single exposure: No effects known. gistry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral [LD50] 2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Specific target organ system toxicity Specific target organ system toxicity Specific target organ system toxicity Subacute to chronic toxicity: The Re Additional toxicological information Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No fur	cal Substances (RTECS) contains acute toxicity data for this substance. classification: = irritation = irritation = own. = own. = on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. - repeated exposure: No effects known. - single exposure: No effects known. - formation available. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral LD50   2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kn Germ cell mutagenicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Additional toxicological information Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No further	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation irritation nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. • - repeated exposure: No effects known. • - single exposure: No effects known. • - formation available. formation available.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemin LD/LC50 values that are relevant for Oral LD50 2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kn Germ cell mutagenicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Specific target organ system toxicity Subacute to chronic toxicity: The Re Additional toxicological information Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No further Mobility in soil No further relevant infor	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation irritation nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. • - repeated exposure: No effects known. • - single exposure: No effects known. • - formation available. formation available.
Hazardous decomposition products: Sulfur oxides (SOX) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemie LD/LC50 values that are relevant for Oral [LD50] 2000 mg/kg (rat) Skin irritation or corrosion: May cause Eye irritation or corrosion: May cause Sensitization: No sensitizing effects kn Germ cell mutagenicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: The Re Additional toxicological information Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No fur Bioaccumulative potential No further Mobility in soil No further relevant in Mobility in soil No further relevant in Mobility in soil No further relevant in:	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation irritation nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. • - repeated exposure: No effects known. • - single exposure: No effects known. • - formation available. formation available.
Hazardous decomposition products: Sulfur oxides (SOX) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral LD50 [2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kn Germ cell mutagenicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: The Re Additional toxicological information: Toxicity Aquatic toxicity: No further relevant infor Persistence and degradability No fur Bioaccumulative potential No further Mobility in soil No further relevant infor Additional ecological information: General notes:	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation iown. iown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. wn. r-repeated exposure: No effects known. r-single exposure: No effects known. gistry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. formation available. ther relevant information available. relevant information available. rmation available.
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemid LD/LC50 values that are relevant for Oral LD50   2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kn Germ cell mutagenicity: No effects kn Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: The Re Additional toxicological information Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No fur Bioaccumulative potential No further Mobility in soil No further relevant information: General notes: Do not allow undiluted product or large Avoid transfer into the environment.	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation se irritation hown. H
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemic LD/LC50 values that are relevant for Oral LD50   2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kr Germ cell mutagenicity: No effects kno Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: The Re Additional toxicological information: Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No fur Bioaccumulative potential No further Mobility in soil No further relevant information: General notes: Do not allow undiluted product or large Avoid transfer into the environment. Results of PBT and vPvB assessment	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation se irritation hown. H
Hazardous decomposition products: Sulfur oxides (SOx) Nitrogen oxides Ammonia 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemid LD/LC50 values that are relevant for Oral LD50 [2000 mg/kg (rat) Skin irritation or corrosion: May caus Eye irritation or corrosion: May caus Sensitization: No sensitizing effects kn Germ cell mutagenicity: No effects kn Germ cell mutagenicity: No effects kn Specific target organ system toxicity Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: The Re Additional toxicological information Toxicity Aquatic toxicity: No further relevant in Persistence and degradability No fur Bioaccumulative potential No further Mobility in soil No further relevant information: General notes: Do not allow undiluted product or large Avoid transfer into the environment.	cal Substances (RTECS) contains acute toxicity data for this substance. classification: se irritation nown. nown. a on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. <i>mn.</i> <i>- repeated exposure:</i> No effects known. <i>- single exposure:</i> No effects known. <i>- formation available.</i> ther relevant information available. ther relevant information available. rrmation available. quantities to reach ground water, water course or sewage system. <i>t</i>

#### Product name: Ammonium sulfamate

(Contd. of page 3)

## 13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.			
14 Transport information			
UN-Number DOT, ADN, IMDG, IATA	Not applicable		
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable		
Transport hazard class(es)			
DOT, ADR, ADN, IMDG, IATA Class	Not applicable		
Packing group DOT, ADR, IMDG, IATA	Not applicable		
Environmental hazards:	Not applicable.		
Special precautions for user	Not applicable.		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			
Transport/Additional information:			
DOT Marine Pollutant (DOT):	No		
UN "Model Regulation":	Not applicable		

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms

! GHS07

Signal word Warning Hazard statements Hazard statements <sup>-</sup> H302 Harmful if swallowed. Precautionary statements P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 Rinse mouth. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. National regulations *market and use must be observed. Substance is not listed.* Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version number are in the header of each page. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern VPWE: very Persistent and very Bioaccumulative ACGHI: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) ARC: International Agency (USA) Acute Tox. 4: Acute toxicity – Category 4 Department issuing SDS: Global Marketing Department