



Page 1/5 Printing date 07/25/2018 Revision date 07/24/2018 Version 1

1 Identification

Product identifier

Product name: Selenium shot

Stock number: 00290 CAS Number: 7782-49-2 EC number: 231-957-4

Index number:

034-001-00-2
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the liver and the reproductive system through prolonged or repeated exposure. Route of exposure: Oral. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to the liver and the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311 Call a POISON CENTER/doctor.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
D18 - Toyic material equiping immediate and person to the contents of th

D1B - Toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 7782-49-2 Selenium Concentration: ≤100% Identification number(s): EC number: 231-957-4 Index number: 034-001-00-2

Product name: Selenium shot

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
No special measures required.

After inhalation Seek medical treatment in case of complaints.

After skin contact Generally the product does not irritate the skin.

After see contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed
Toxic if inhaled.
Toxic if swallowed.
Toxic if swallowed.
May cause damage to the liver and the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Special powder for metal fires. Do not use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Selenium dioxide (SeO2)
Advice for firefighters
Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

PAC-1: 0.6 mg/m3 PAC-2: 6.6 mg/m3 PAC-3: 40 mg/m3

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Do not store together with acids. Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

7782-49-2 Selenium (100.0%)

Long-term value: 0.2 mg/m³ as Se PEL (USA)

REL (USA)

Long-term value: 0.2 mg/m³ as Se

TLV (USA)

Long-term value: 0.2 mg/m³ as Se

EL (Canada) Long-term value: 0.1 mg/m³ EV (Canada) Long-term value: 0.2 mg/m³ Additional information: No data

Exposure controls Personal protective equipment General protective and hygienic measures

The usual processive and hygieric measures
The usual precautionary measures for handling chemicals should be followed.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.

Breathing equipment:
Not required.

Use self-contained respiratory protective device in emergency situations.

(Contd. on page 3)

Product name: Selenium shot

(Contd. of page 2)

Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands: Not required.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480

Glove thickness: 0.11 mm

Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

Not applicable

Not determined.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Solid in various forms Odorless Odor: Odor threshold: Not determined.

pH-value:

Change in condition Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto imiting: 217 °C (423 °F) 685 °C (1265 °F) Not determined Not determined. Not determined Not determined Auto igniting: Not determined.

Danger of explosion: Explosion limits:

Lower: Upper: Not determined Not determined Vapor pressure: Density at 20 °C (68 °F): Relative density Not applicable. 4.28 g/cm³ (35.717 lbs/gal) Not determined.

Vapor density

Not applicable. Not applicable. Evaporation rate Solubility in / Miscibility with Water: Insoluble Partition coefficient (n-octanol/water): Not determined.

Viscosity: dvnamic Not applicable.

kinematic: Other information

Not applicable.
No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available

Conditions to avoid No further relevant information available. Incompatible materials: Acids

Hazardous decomposition products: Selenium dioxide (SeO2)

11 Toxicological information

Information on toxicological effects

Acute toxicity: Toxic if inhaled. Toxic if swallowed.

TOXIC IT SWAIIOWED.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinggenicity:

Carcinogenicity:
EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.
IARC-3: Not classifiable as to carcinogenicity to humans.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure:
May cause damage to the liver and the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.

Additional ecological information:

General notes:
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 4)

(Contd. of page 3)

Product name: Selenium shot

May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

4	П	สมเร	ρυι	UIIII	OH	IIau	UII
	116	. Al	b				

DOT, ADN, IMDG, IATA

UN proper shipping name DOT, ADR, ADN, IMDG, IATA

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA Class

Packing group DOT, ADR, IMDG, IATA

Environmental hazards:

Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Hazardous substance. Marine Pollutant (DOT):

100 lbs, 45.4 kg No

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable. Not applicable.

UN "Model Regulation":

Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS06 GHS08

Signal word Danger

H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to the liver and the reproductive system through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311 Call a POISON CENTER/doctor.
Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
P4101 P4101 P41014

National regulations

National regulations.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

7782-49-2 Selenium

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Date or preparation/Revision: Pfill Gate, revision date and version named are in the needed of cash page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDE: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 5)

Page 5/5 Printing date 07/25/2018 Revision date 07/24/2018 Version 1

Product name: Selenium shot

HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 3: Acute toxicity – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

(Contd. of page 4)