



Page 1/5 Printing date 09/26/2017 Revision date 09/25/2017 Version 1

	Version 1
1 Identification Product identifier	
Product name: Sodium hydrogen selenite	
Stock number: 18212 CAS Number:	
7782-82-3 EC number:	
231-966-3 Index number: 034-002-00-8	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0	0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 1 H300 Fatal if swallowed. Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
STOT RE 2 H373 May cause damage to the kidneys, the liver, the heart and the blood through prolonged or repeated exposure. Route of exposure Hazards not otherwise classified No information known.	ure: Oral.
Label elements	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS06 GHS08	
Signal word Danger Hazard statements H300 Fatal if swallowed.	
H300 Fata if swailowed. H331 Toxic if inhaled. H373 May cause damage to the kidneys, the liver, the heart and the blood through prolonged or repeated exposure. Route of exposure: Oral.	
Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P311 Call a POISON CENTER/doctor. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects	
Classification system HMIS ratings (scale 0-4)	
(Hazardous Materials Identification System)	
Pres  Image: Pression of the second	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description: 7782-82-3 Sodium hydrogen selenite	
7782-82-3 Sodium hydrogen selenite Concentration: ≤100% Identification number(s):	
EC number: 231-966-3	(Contd. on page 2)
	USA -

(Contd. of page 1)

(Contd. on page 3)

# Product name: Sodium hydrogen selenite

## Index number: 034-002-00-8

### 4 First-aid measures

## Description of first aid measures

General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Mact important wanteeme and officiate, both courts and delayed

Most important symptoms and effects, both acute and delayed

Toxic if inhaled. Fatal if swallowed.

May cause damage to the kidneys, the liver, the heart and the blood through prolonged or repeated exposure. Route of exposure: Oral. Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Sodium oxide Sodium oxide Selenium dioxide (SeO2) Advice for firefighters Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Environmental precautions: Do not allow product to reach sewage Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC.1: Substance is not listed PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-3: Substance is not listed.

# 7 Handling and storage

PEL (USA)

REL (USA)

Long-term value: 0.2 mg/r as Se

Long-term value: 0.2 mg/m³ as Se

Handling Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Store away from oxidizing agents. Store away from oxidizing agents. **Further information about storage conditions:** Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. **Specific end use(s)** No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: 7782-82-3 Sodium hydrogen selenite (100.0%)

Product name: Sodium hydrogen selenite

(Contd. of page 2)

Long-term value: 0.2 mg/m³ as Se TLV (USA)

EL (Canada) Long-term value: 0.1 mg/m<sup>3</sup> as Se Additional information: No data

Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480

## Glove thickness: 0.11 mm

**Bye protection:** Safety glasses with side shields / NIOSH (US) or EN 166(EU) **Body protection:** Protective work clothing.

## 9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance: Form: Powder Odor Not determined Odor threshold: Not determined pH-value: Not applicable. Change in condition Melting point/Melting range: Not determined

Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined Not determined Not determined Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density:	Not determined
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not determined
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

### 10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Water/moisture Hazardous decomposition products: Sodium oxide Selenium dioxide (SeO2) 11 Toxicological information Information on toxicological effects Acute toxicity: Fatal if swallowed. Toxic if inhaled.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance LD/LC50 values that are relevant for classification:

Oral LD50 2.5 mg/kg (rat) Skin irritation or corrosion: May cause irritation

Sensitization or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.



## Product name: Sodium hydrogen selenite (Contd. of page 3) Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: May cause damage to the kidneys, the liver, the heart and the blood through prolonged or repeated exposure. Route of exposure: Oral. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Democive Very two for ocuptio arganiamo **Remark:** Very toxic for aquatic organisms Additional ecological information: Additional ecological information: General notes: Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment **PBT:** Not applicable. **vPvB:** Not applicable Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information **UN-Number** DOT, IMDG, IATA UN2630 UN proper shipping name DOT Selenites (Sodium hydrogen selenite) 2630 Selenites (Sodium hydrogen selenite) SELENITES (Sodium hydrogen selenite) ADR IMDG, IATA Transport hazard class(es) DOT e. 6.1 Toxic substances 6.1 Class Label ADR 20 6.1 (T5) Toxic substances 6.1 Class abel IMDG, IATA R Class 6.1 Toxic substances Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Not applicable. Warning: Toxic substances F-A,S-A Special precautions for user EMS Number: Stowage Category F Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg Quantity limitations Marine Pollutant (DOT): No IMDG Limited quantities (LQ) Excepted quantities (EQ) 0 Code: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g

(Contd. on page 5)



(Contd. of page 4)

USA

Product name: Sodium hydrogen selenite

UN "Model Regulation":

UN 2630 SELENITES (SODIUM HYDROGEN SELENITE), 6.1, I

### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms , Qe GHS06 GHS08 Signal word Danger Hazard statements H300 Fatal if swallowed. H331 Toxic if inhaled. H373 May cause damage to the kidneys, the liver, the heart and the blood through prolonged or repeated exposure. Route of exposure: Oral. 

 H3/13 May cause damage to the kidneys, the liver, the heart and the blood through prolonged or repeated exp.

 Precautionary statements

 P260
 Do not breathe dust/fume/gas/mist/vapors/spray.

 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 P311
 Call a POISON CENTER/doctor.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations. This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) 7782-82-3 Sodium hydrogen selenite California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version number are in the header of each page. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ENIECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern VPW: very Persistent, Bioaccumulative and Toxic SVHC: Substance of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) Acute Tox. 1: Acute Toxicity – Category 1 Acute Tox. 1: Acute toxicity – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Department issuing SDS: Global Marketing Department