

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 04/25/2005

1 Identification

Product identifier

Product name: Tungsten (VI) fluoride

Stock number: 82124 **CAS Number:** 7783-82-6

EC number: 232-029-1

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P388 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

A - Compressed gas
D1A - Very toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2 ☐ Flammàbility = 0 ☐ Physical Hazard = 2

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 7783-82-6 Tungsten (VI) fluoride Identification number(s): EC number: 232-029-1

USA

Product name: Tungsten (VI) fluoride

(Contd. of page 1)

4 First-aid measures

Description of first aid measures General information

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

Seek Immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.

Rub in calcium gluconate solution or calcium gluconate gel immediately.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
Reacts violently with water
If this product is involved in a fire, the following can be released:
Metal oxide fume
Hydrogen fluoride (HE)

Hydrogen fluoride (HF)

Hydrogen fluoride (HF)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Inform authorities in case of gas release.

Methods and material for containment and cleaning up:
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Do not store together with acids.

Store away from water/moisture.

Further information about storage conditions:

Protect from bumidity and water.

Further information about storage conditions.
Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:

Fluorides (as F)

ḿg/m3

ACGIH TLV Austria MAK Belgium TWA Finland TWA France TWA

Germany MAK
Hungary TWA
Netherlands MAC-K
Norway TWA
Poland TWA

(Contd. on page 3)

Product name: Tungsten (VI) fluoride

(Contd. of page 2) Sweden NGV 2 Switzerland MAK-W 1.5; 3-KZG-W United Kingdom TWA 2.5 Russia TWA 2 Denmark TWA USA PEL 1; 3-STEL (soluble compounds) 5; 10-STEL (insoluble compounds) 4 5; 10-STEL 7 5 5: 10 5-Tungsten and compounds (as W) mg/m3 ACGIH TLV 1: 3-STEL (sc Belgium TWA Denmark TWA Finland TWA Korea TLV Netherlands MAC-TGG Norway TWA 5 Poland TWA 5 Russia 2-STEL Sweden NGV 5 Switzerland MAK-W 5 United Kingdom TWA 5; 10-STEL 7783-82-6 Tungsten (VI) fluoride (100.0%) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as W REL (USA) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as W TLV (USA) EL (Canada) Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as W Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Exposure controls Fenetration time of glove material (in mile Eye protection: Tightly sealed goggles Full face protection Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Color: Gaseous Colorless Odor: Not determined Odor threshold: Not determined. pH-value: Not determined. Change in condition nange in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 2.5 °C (37 °F) 17.1 °C (63 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not applicable Not determined. Not determined Not determined Auto igniting: Not determined Danger of explosion: Explosion limits: Lower: Upper: Product does not present an explosion hazard. Not determined Not determined Vapor pressure: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Not determined 12.9 g/cm³ (107.651 lbs/gal) Not determined. Not determined. Not applicable. Water: Reacts violently Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: kinematic: Not determined. Not determined. No further relevant information available. Other information

Product name: Tungsten (VI) fluoride

(Contd. of page 3)

10 Stability and reactivity

Reactivity
Reacts violently with water.

Reacts violentity with water.
Contact with acids liberates toxic gas.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
Reacts violently with water
Contact with acids liberates toxic gas.
Conditions to avoid No further relevant information available.
Incompatible materials:
Acids

Acids Water/moisture

Hazardous decomposition products: Metal oxide fume

Hydrogen fluoride

11 Toxicological information

Information on toxicological effects

Acute toxicity:
Fatal if inhaled.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Tungsten compounds may be irritating to the eyes and respiratory tract. Animal studies suggest that soluble tungsten compounds have the exposure to the soluble tungsten compounds have the exposure.

Subacute to chronic toxicity:

Tungsten compounds may be irritating to the eyes and respiratory tract. Animal studies suggest that soluble tungsten compounds have the potential for causing adverse health effects involving the gastrointestinal tract and central nervous system. These effects have not been observed in humans. Chronic exposure to tungsten compounds may result in permanent lung damage.

Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

Perset allow material to be released to the environment without proper go

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

DOT, IMDG, IATA

UN2196

UN proper shipping name DOT

ĬMĎĠ, IATA

Tungsten hexafluoride TUNGSTEN HEXAFLUORIDE

Transport hazard class(es)

DOT





Labei IMDG, IATA



Class

(Contd. on page 5)

Product name: Tungsten (VI) fluoride (Contd. of page 4) Packing group DOT, IMDG, IATA Not applicable Environmental hazards: Not applicable Special precautions for user EMS Number: Not applicable. F-C,S-U Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: Marine Pollutant (DOT): No UN "Model Regulation": UN2196, Tungsten hexafluoride, 2.3 (8)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Danger

Hazard statements H330 Fatal if inhaled. H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

ID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organization
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Workplace Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doose, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal aconcentration, 50 percent
LD50: Lethal and Very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
INTP: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA