



Page 1/6 Printing date 06/21/2017 Revision date 06/06/2017 Version 1

1 Identification
Product identifier Product name: <u>Strontium chromate</u>
Stock number: 89026
CAS Number: 7789-06-2
<i>EC number:</i> 232-142-6
Index number:
024-009-00-4 Details of the supplier of the safety data sheet
Manufacturer/Supplier: Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety and Environmental Department Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS03 Flame over circle
Ox. Sol. 3 H272 May intensify fire; oxidizer.
GHS08 Health hazard
Carc. 1A H350 May cause cancer. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS03 GHS08
Signal word Danger
Hazard statements
H272 May intensify fire; oxidizer. H350 May cause cancer. Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat No smoking. P201 Obtain special instructions before use. P220 Keep/Store away from clothing/combustible materials.
P4U5 Store locked UD
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
C - Oxidizing materials D1B - Toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects
Classification system HMIS ratings (scale 0-4)
(Hazardouš Materials Identification System)
HEALTH B Health (acute effects) = 3 FIRE D Flammability = 0
Reactivity 2 Physical Hazard = 2
Other hazards Results of PBT and vPvB assessment
PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances
CAS# Description: 7789-06-2 Strontium chromate
Concentration: <100% Identification number(s):
EC number: 232-142-6´ Index number: 024-009-00-4
USA – (Contd. on page 2)

Product name: Strontium chromate

(Contd. of page 1)

	(Contd. of page 1)
4 First-aid measures	
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed	
May cause cancer. Suspected of causing cancer by inhalation.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam	
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents Halocarbon extinguisher	
Special hazards arising from the substance or mixture This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.	
If this product is involved in a fire, the following can be released: Chromium oxides	
Strontium oxide Advice for firefighters	
Protective equipment: Wear self-contained respirator.	
Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.	
Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Prevention of secondary baseds:	
Prevention of secondary hazards: Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material. Reference to other sections	
Reference to other sections	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information. Protective Action Criteria for Chemicals	
PAC-1: Substance is not listed. PAC-2: Substance is not listed.	
PAC-3: Substance is not listed.	
7 Handling and storage	
Handling Precautions for safe handling	
Keep container tightly sealed. Store in cool, dry place in tightly closed containers	
Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care.	
Information about protection against explosions and fires: Substance/product can reduce the ignition temperature of flammable substances.	
Substance/product can reduce the ignition temperature of flammable substances. This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.	
Conditions for safe storage, including any incompatibilities Storage	
Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:	
Store away from flammable substances.	
Store away from reducing agents. Do not store with organic materials.	
Store away from metal powders. Further information about storage conditions:	
Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters	
Components with limit values that require monitoring at the workplace: 7789-06-2 Strontium chromate (100.0%)	
PEL (USA) Long-term value: 0.005 mg/m³ as Cr, see 29 CFR 1910.1026	
REL (USA) Long-term value: 0.001 mg/m ³	
as Čr; see Pocket Guide Äpps. A and C TLV (USA) Long-term value: 0.0005 mg/m³	
EL (Ċanada) Long-term value: 0.0005 mg/m³	
EV (Canada) Long-term value: 0.0005 mg/m ³	
as Cr	(Contd. on page 3)
	USA

(Contd. of page 2)

Product name: Strontium chromate

Ingredients with biological limit values: 7789-06-2 Strontium chromate (100.0%)

T189-06-2 Stomann Circence BEI (USA) 25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume)

10 μg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)

Additional information: No data

Exposure controls Personal protective equipment

Personal protective equipment General protective equipment Meep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protective gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chem	nical properties
Odor: 0	Powder Jaorless lot determined.
pH-value: N	lot applicable.
Boiling point/Boiling range: N	lot determined lot determined lot determined
Flammability (solid, gaseous) Columnation Ignition temperature: No Decomposition temperature: No	lot applicable Contact with combustible material may cause fire. lot determined lot determined lot determined.
Explosion limits: N Lower: N Upper: N Vapor pressure: N Density at 20 °C (68 °F): 3. Relative density N Vapor density N Evaporation rate N Solubility in / Miscibility with SI Water: SI Partition coefficient (n-octanol/water): N Viscosity: dynamic: N kinematic: N	Product does not present an explosion hazard. Iot determined Iot applicable. .895 g/cm³ (32.504 lbs/gal) Iot determined. Iot applicable. Iot applicable. Iot applicable. Iot determined. Iot applicable. Iot applicable. Iot applicable. Iot applicable. Iot applicable. Iot further relevant information available.

10 Stability and reactivity

Reactivity May intensify fire; oxidizer. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with reducing agents Reacts with flammable substances Conditions to avoid No further relevant information available. Incompatible materials: Flammable substances Incompatible materials: Flammable substances Reducing agents Organic materials Metal powders **Hazardous decomposition products:** Chromium oxides Strontium oxide

USA (Contd. on page 4)

(Contd. of page 3)

Product name: Strontium chromate

11 Toxicological information	
Information on toxicological effects Acute toxicity:	
Harmful if swallowed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute	taviaity data for this substance
LD/LC50 values that are relevant for classification:	
Oral LD50 3118 mg/kg (rat) Skin irritation or corrosion: Irritant to skin and mucous membranes.	
Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known.	
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances	s (RTECS) contains mutation data for this substance.
Carcinogenicity: May cause cancer.	
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity. ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans bas	ed on epidemiologic studies of, or convincing clinical evidence in, exposed humans.
(inhalation) EPA-A: human carcinogen: sufficient evidence from epidemiologic s	sed on epidemiologic studies of, or convincing clinical evidence in, exposed humans. studies to support a causal association between exposure and cancer.
(inhalation) EPA-K: Known human carcinogens. (oral) EPA-D: Not classifiable as to human carcinogenicity: inadequate human a (oral) EPA-CBD: Carginogenic potential cannot be determined.	and animal evidence of carcinogenicity or no data are available.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumor	igenic and/or carcinogenic and/or neoplastic data for this substance.
Reproductive toxicity: No effects known.	
Specific target organ system toxicity - repeated exposure: No effects known Specific target organ system toxicity - single exposure: No effects known.	1
Aspiration hazard: No effects known.	
Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute	and chronic toxicity of this substance is not fully known.
12 Ecological information	
Toxicity	
Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available.	
Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.	
Ecotoxical effects: Remark: Very toxic for aquatic organisms	
Additional ecological information:	
General notes: Do not allow material to be released to the environment without proper governm	nental permits.
Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.	
Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment.	
Results of PBT and vPvB assessment PBT: Not applicable.	
vPvB: Not applicable. Other adverse effects No further relevant information available.	
13 Disposal considerations	
Waste treatment methods	
Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings:	disposal.
Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.	
14 Transport information	
UN-Number	1110007
DOT, IMDG, IATA UN proper shipping name	UN3087
DOT ADR	Oxidizing solid, toxic, n.o.s. (strontium chromate) 3087 Oxidizing solid, toxic, n.o.s. (strontium chromate)
IMDG, IATA	OXIDIZING SOLID, TOXIC, N.O.S. (strontium chromate)
Transport hazard class(es) DOT	
Class Label	5.1 Oxidizing substances
Label ADR	5.1, 6.1
Class Label	5.1 (OT2) Oxidizing substances 5.1+6.1
Eunor	(Contd. on page 5)

Safety	/ Data	Sheet
acc. to (JSHA HO	S

Product name: Strontium chromate

	(Contd. of pag
IMDG	
Class	5.1 Oxidizing substances
Label	5.1/6.1
Class Label	5.1 Oxidizing substances 5.1 (6.1)
Packing group DOT, ADR, IMDG, IATA	<i>III</i>
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Oxidizing substances
EMS Number: Stowage Category	F-A,S-Q B
Segregation Code	SG38 Stow "separated from" ammonium compounds. SG49 Stow "separated from" cvanides
Transport in bulk according to Annex II of MARPOL73/78 a	SG60 Stow "separated from" peroxides
Transport in burk according to Annex in or MARPOLIS/18 a	
DOT	
Quantity limitations	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
Marine Pollutant (DOT):	
IMDG Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3087 OXIDIZING SOLID, TOXIC, N.O.S. (STRONTIUM CHROMATE), 5.1 (6.1), III
Regulatory information Safety, health and environmental regulations/legislation sp GHS label elements The product is classified and labeled in a Hazard pictograms	pecific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS)
Safety, health and environmental regulations/legislation s GHS label elements The product is classified and labeled in a	pecific for the substance or mixture accordance with 29 CFR 1910 (OSHA HCS)
Safety, health and environmental regulations/legislation sp GHS label elements The product is classified and labeled in a Hazard pictograms GHS03 GHS08 Signal word Danger Hazard statements H272 May intensify fire; oxidizer. H350 May cause cancer. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat No smoking. P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat No smoking. P220 Keep/Store away from clothing/combustible materials. P201 Obtain special instructions before use. P220 Keep/Store away from clothing/combustible materials. P405 Store locked up. P501 Dispose of contents/container in accordance with local/rec National regulations All components of this product are listed in the U.S. Environmed All components of this product are listed on the Canadian Dom SARA Section 313 (specific toxic chemical listings) 7789-06-2 Strontium chromate	accordance with 29 CFR 1910 (OSHA HCS) egional/national/international regulations. ental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
Safety, health and environmental regulations/legislation sp GHS label elements The product is classified and labeled in a Hazard pictograms GHS03 GHS08 Signal word Danger Hazard statements H272 May intensify fire; oxidizer. H350 May cause cancer. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat No smoking. P210 Obtain special instructions before use. P220 Keep/Store away from clothing/combustible materials. P405 Store locked up. P501 Dispose of contents/container in accordance with local/re National regulations All components of this product are listed in the U.S. Environme All components of this product are listed on the Canadian Dom SARA Section 313 (specific toxic chemical listings) 7789-06-2] Strontium chromate California Proposition 65 Prop 65 - Chemicals known to cause cancer	accordance with 29 CFR 1910 (OSHA HCS) egional/national/international regulations. ental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
Safety, health and environmental regulations/legislation sp GHS label elements The product is classified and labeled in a Hazard pictograms GHS03 GHS08 Signal word Danger Hazard statements H272 May intensify fire; oxidizer. H350 May cause cancer. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat No smoking. P201 Obtain special instructions before use. P200 Keep/Store locked up. P201 Dispose of contents/container in accordance with local/re National regulations All components of this product are listed in the U.S. Environme All components of this product are listed on the Canadian Dom SARA Section 313 (specific toxic chemical listings) 7789-06-2 Strontium chromate California Proposition 65 Prop 65 - Chemicals known to cause cancer 7789-06-2 Strontium chromate	accordance with 29 CFR 1910 (OSHA HCS) egional/national/international regulations. ental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
Safety, health and environmental regulations/legislation sp GHS label elements The product is classified and labeled in a Hazard pictograms GHS03 GHS08 Signal word Danger Hazard statements H272 May intensify fire; oxidizer. H350 May cause cancer. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat No smoking. P210 Obtain special instructions before use. P220 Keep/Store away from clothing/combustible materials. P405 Store locked up. P501 Dispose of contents/container in accordance with local/re National regulations All components of this product are listed in the U.S. Environme All components of this product are listed on the Canadian Dom SARA Section 313 (specific toxic chemical listings) 7789-06-2] Strontium chromate California Proposition 65 Prop 65 - Chemicals known to cause cancer	accordance with 29 CFR 1910 (OSHA HCS) egional/national/international regulations. ental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
Safety, health and environmental regulations/legislation sp GHS label elements The product is classified and labeled in a Hazard pictograms	accordance with 29 CFR 1910 (OSHA HCS) egional/national/international regulations. ental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
Safety, health and environmental regulations/legislation sp GHS label elements The product is classified and labeled in a Hazard pictograms	accordance with 29 CFR 1910 (OSHA HCS) egional/national/international regulations. ental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
Safety, health and environmental regulations/legislation sp GHS label elements The product is classified and labeled in a Hazard pictograms	egional/national/international regulations. ental Protection Agency Toxic Substances Control Act Chemical substance Inventory. nestic Substances List (DSL).

(Contd. of page 5)

USA

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal concentration, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPVB: very Persistent and Very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IMP: National Toxicology Program (USA)
IAP: National Toxicology Program (USA)
IAP: National Toxicology Program (USA)
IAP: Adminal Toxicology Program (USA)
IAP: Adminal Toxicology Program (USA)
Cas. J. 3: Oxidizing solids – Category 1A