



Page 1/7 Printing date 03/27/2017 Revision date 03/24/2017 Version 1

1 Identification

Product identifier

Product name: Sodium dichromate, dihydrate

Stock number: 12611 CAS Number: 7789-12-0 **EC** number: 234-190-3 Index number: 024-004-01-4

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 1B H340 May cause genetic defects.

H350 May cause cancer. Carc. 1B

Repr. 1B H360 May damage fertility or the unborn child.

STOT RE 1 H372 Causes damage to the lung, the liver, the digestive system and the blood through prolonged or repeated exposure. Route of exposure: Oral.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Acute Tox. 4 H312 Harmful in contact with skin.

Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms









GHS03 GHS05 GHS06 GHS08

Signal word Danger Hazard statements

Hazard statements
H272 May intensify fire; oxidizer.
H301 Toxic if swallowed.
H312 Harmful in contact with skin.
H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H340 May cause genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child

H360 May damage fertility or the unborn child. H372 Causes damage to the lung, the liver, the digestive system and the blood through prolonged or repeated exposure. Route of exposure: Oral.

H372 Causes damage to the lung, the liver, the digestive system and the blood unrough prolonged of repeated exposure. Notice of exposure. Claim.

Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P210 Keep away from heat. - No smoking.
P260 Do not breathe dusts or mists.
P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

(Contd. of page 1)

Product name: Sodium dichromate, dihydrate

Specific treatment is urgent (see on this label). Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
C - Oxidizing materials
D1A - Very toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)

Health (acute effects) = 3 Flammability = 1

WIY 2 Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 7789-12-0 Sodium dichromate, dihydrate

Concentration: ≤100% Identification number(s): EC number: 234-190-3 Index number: 024-004-01-4

4 First-aid measures

Description of first aid measures

General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Harmful in contact with skin.
Fatal if inhaled.

Fatal if Inhaled.
Toxic if swallowed.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
May cause cancer.
May cause genetic defects.
May cause genetic defects.
May damage fertility or the unborn child.
Causes damage to the lung, the liver, the digestive system and the blood through prolonged or repeated exposure. Route of exposure: Oral.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
For safety reasons unsuitable extinguishing agents Halocarbon extinguisher
Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released:

Sodium oxide Chromium oxides

Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:
Acts as an oxidizing agent on organic materials such as wood, paper and fats
Keep away from combustible material.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment. (Contd. on page 3)

(Contd. of page 2)

Product name: Sodium dichromate, dihydrate

See Section 13 for disposal information. **Protective Action Criteria for Chemicals PAC-1:** 0.43 mg/m3 **PAC-2:** 7.5 mg/m3 **PAC-3:** 45 mg/m3

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Only handle and refill product in closed systems.

Universal of the product in closed systems.

Information about protection against explosions and fires:
Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities Storage

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from flammable substances.
Store away from reducing agents.
Do not store with organic materials.
Store away from metal powders.
Store away from water/moisture.
Do not store together with acids.
Store away from strong bases.
Further information about storage conditions:
Store under dry inert gas.
This product is hygroscopic.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7789-12-0 Sodium dichromate, dihydrate (100.0%)

PEL (USA)

Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026

Long-term value: 0.0002 mg/m³ as Cr; See Pocket Guide Apps. A and C REL (USA)

Long-term value: 0.05 mg/m³ as Cr; BEI TLV (USA)

EL (Canada) Long-term value: 0.025 mg/m³ Ceiling limit value: 0.1 mg/m³ as Cr; ACGIH A1, IARC 1

Ingredients with biological limit values:

7789-12-0 Sodium dichromate, dihydrate (100.0%)

BEI (USA) 25 µg/L
Medium: urine
Time: end of shift at end of workweek
Parameter: Total chromium (fume)

10 μg/L Medium: urine

Time: increase during shift Parameter: Total chromium (fume)

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) 480
Glove thickness: 0.11 mm
Eye protection:
Tightly sealed goggles

(Contd. on page 4)

(Contd. of page 3)

Product name: Sodium dichromate, dihydrate

Full face protection Safety glasses with side shields / NIOSH (US) or EN 166(EU) **Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Crystalline Odorless Odor: Odor threshold: Not determined.

Change in condition

pH-value:

100 °C (212 °F) (-H₂O) Not determined

Not applicable

Not determined.

Not applicable.

Not determined Contact with combustible material may cause fire.

Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature: Not determined Not determined Auto igniting: Not determined.

Danger of explosion: Explosion limits:

Not determined Lower: Upper: Not determined

Vapor pressure: Density at 20 °C (68 °F): Relative density Not applicable. 2.348 g/cm³ (19.594 lbs/gal) Not determined. Vapor density Not applicable.

Evaporation rate Solubility in / Miscibility with Water at 20 °C (68 °F):

Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic: Other information

Not applicable. Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity May intensify fire; oxidizer.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids
Reducing agents
Flammable substances
Water/moisture

Bases

Organic materials Metal powders

Hazardous decomposition products:

Sodium oxide

Chromium oxides

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful in contact with skin. Fatal if inhaled. Toxic if swallowed.

Danger through skin absorption.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.

Germ cell mutagenicity:
May cause genetic defects.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcing populativ Carcinogenicity:

Carcinogenicity:
May cause cancer.
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.
IARC-1: Carcinogenic to humans: sufficient evidence from studies in humans or sufficient evidence from studies in experimental animals.
INTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.
INTP-R: Reasonably anticipated to be a carcinogen: imited evidence from studies in humans or sufficient evidence from studies in humans or sufficient evidence in, exposed humans.
Inhalation) EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.
Inhalation) EPA-F: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.
Inhalation) EPA-CBD: Carginogenic potential cannot be determined.
Inhalation EPA-CBD: Carginogenic potential cannot be determined.
Inhalatio

Reproductive toxicity: May damage fertility or the unborn child.

Specific target organ system toxicity - repeated exposure:
Causes damage to the lung, the liver, the digestive system and the blood through prolonged or repeated exposure. Route of exposure: Oral.

(Contd. on page 5)

(Contd. of page 4)

Product name: Sodium dichromate, dihydrate

Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:

Persek: Very toxic for aquatic organisms

Remark: Very toxic for aquatic organisms
Additional ecological information:

Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14	Transport information		
UN-Number			

UN-Number DOT, IMDG, IATA	UN3087
UN proper shipping name DOT ADR IMDG IATA	Oxidizing solid, toxic, n.o.s. (Sodium dichromate, dihydrate) 3087 Oxidizing solid, toxic, n.o.s. (Sodium dichromate, dihydrate) OXIDIZING SOLID, TOXIC, N.O.S. (Sodium dichromate, dihydrate)

Transport hazard class(es)

DOT



5.1 Oxidizing substances 5.1, 6.1



5.1 (OT2) Oxidizing substances 5.1+6.1 Class Label IMDG



5.1 Oxidizing substances 5.1/6.1 Class



5.1 Oxidizing substances Class 5.1 (6.1)

Packing group DOT, ADR, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Stowage Category Segregation Code

Warning: Oxidizing substances SG38 Stow "separated from" ammonium compounds. SG49 Stow "separated from" cyanides SG60 Stow "separated from" peroxides

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg Quantity limitations Marine Pollutant (DOT):

(Contd. on page 6)

(Contd. of page 5)

Product name: Sodium dichromate, dihydrate

Limited quantities (LQ) 1 kg Code: E2 Excepted quantities (ÉQ)

Gode. E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

UN 3087 OXIDIZING SOLID, TOXIC, N.O.S. (SODIUM DICHROMATE, DIHYDRATE), 5.1 (6.1), II UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



IMDG









Signal word Danger

Signal word Danger
Hazard statements
H272 May intensify fire; oxidizer.
H301 Toxic if swallowed.
H312 Harmful in contact with skin.
H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H340 May cause genetic defects

H340 May cause genetic defects.
H340 May cause genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H372 Causes damage to the lung, the liver, the digestive system and the blood through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P210 Keep away from heat. - No smoking.
P260 Do not breathe dusts or mists.
P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

Mational regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

7789-12-0 Sodium dichromate, dihydrate

California Proposition 65

Prop 65 - Chemicals known to cause cancer

7789-12-0 Sodium dichromate, dihydrate

Prop 65 - Developmental toxicity

7789-12-0 Sodium dichromate, dihydrate

Prop 65 - Developmental toxicity, female

7789-12-0 Sodium dichromate, dihydrate

Prop 65 - Developmental toxicity, male

7789-12-0 Sodium dichromate, dihydrate Information about limitation of use:

Information about limitation of use:
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.
This substance is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH).
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 03/27/2017 / Abbreviations and acronyms:

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
IATA: International Air Transport Association
IATA: International Air Transport Association
WHMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doose, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)

(Contd. on page 7)

Product name: Sodium dichromate, dihydrate

NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
OX. Sol. 2: Oxidizing solids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 18: Skin corrosion/irritation – Category 1B
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 18: Germ cell mutagenicity – Category 1B
Carc. 18: Carcinogenicity – Category 1B
Repr. 1B: Reproductive toxicity – Category 1B
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Contd. of page 6)