



Page 1/5 Printing date 05/08/2017 Revision date 05/05/2017 Version 1

Version
1 Identification
Product identifier Product name: Cobalt(II) chloride hexahydrate
Stock number: 10692 CAS Number: 7791-13-1
EC number: 231-589-4 Index number:
027-004-00-5 Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com
Ernal: lech@ana.com www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS08 Health hazard
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Muta. 2 H341 Suspected of causing genetic defects. Carc. 1B H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child.
GHS07
Acute Tox. 4 H302 Harmful if swallowed. Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS07 GHS08
Signal word Danger Hazard statements H302 Harmful if swallowed. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction
H317 Máy cause an allergic skin reaction. H341 Suspected of causing genetic defects. H350 May cause cancer. H360 May damage fertility or the unborn child.
Precautionary statements P284 [In case of inadequate ventilation] wear respiratory protection. P201 Obtain special instructions before use. P361 Avoid breathing dust/fume/cas/mist/capors/spray.
P261 Avoid breathing dustfume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification D2A - Very toxic material causing other toxic effects
()
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH II Health (acute effects) = 1 FIRE II Flammability = 0 REACTMITY II Physical Hazard = 1
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances CAS# Description: 7701 12.1 Const/UL chloride beyohydrate
7791-13-1 Cobalt(II) chloride hexahydrate (Contd. on page

(Contd. on page 2)

Product name: Cobalt(II) chloride hexahydrate

(Contd. of page 1) Concentration: ≤100% Identification number(s): EC number: 231-589-4 Index number: 027-004-00-5 4 First-aid measures **Description of first aid measures After inhalation** Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Harmful if swallowed. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. May damage fertility or the unborn child. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media **Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire. **Special hazards arising from the substance or mixture** If this product is involved in a fire, the following can be released: Hydrogen chloride (HCI) Orbot evideon Tydogen chiofue (TCF) Cobalt oxides Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Ensure adequate ventilation. **Prevention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **Protective Action Criteria for Chemicals PAC-1:** 0.24 mg/m3 **PAC-2:** 25 mg/m3 **PAC-3:** 150 mg/m3 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Store away from oxidizing agents. Store away from alkali metals. Further information about storage conditions: Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. Storage 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: 7791-13-1 Cobalt(II) chloride hexahydrate (100.0%) PEL (USA) Short-term value: 0.1* mg/m³ * as Co (for metal dust and fume)

(Contd. on page 3)

(Contd. of page 2)

Product name: Cobalt(II) chloride hexahydrate

TLV (USA) Long-term value: 0.02 mg/m³ as Co

Additional information: No data

Exposure controls

Exposure controls

Exposure controls

General protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all solied and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable glove material (in minutes) Not determined
Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

9 Physical and chemical properties

s ringsical and chemical properties	
Information on basic physical and che General Information Appearance: Form:	emical properties Crvstalline
Odor:	Odorless
Odor threshold:	Not determined.
pH-value (50 g/l) at 20 °C (68 °F):	4.9
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	87 °C (189 °F) Not determined Not determined Not determined Not determined Not determined Not determined
Danger of explosion: Explosion limits:	Not determined.
Lower: Upper:	Not determined Not determined
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	1.924 g/cm ³ (16.056 lbs/gal)
Relative density	Not determined.
Vapor density Evaporation rate	Not applicable.
	Not applicable.
Solubility in / Miscibility with	970 a/l
Water at 20 °C (68 °F):	
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	Natapplicable
dynamic: kinematic:	Not applicable.
	Not applicable. No further relevant information available.
Other information	

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available.

Incompatible materials: Water/moisture

Valenniostate Oxidizing agents Alkali metals **Hazardous decomposition products:** Hydrogen chloride (HCI) Cobali oxides

11 Toxicological information

Information on toxicological effects Acute toxicity: Harmful if swallowed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: Oral LD50 766 mg/kg (rat) Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity: Suspected of causing genetic defects.

(Contd. on page 4) USA



Product name: Cobalt(II) chloride hexahydrate

The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutat	(Contd. of page 3)
Carcinogenicity:	
or by mechanism(s) not considered relevant to worker exposure. Available epid Available evidence suggests that the agent is not likely to cause cancer in hum. Reproductive toxicity:	at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), demologic studies do not confirm an increased risk of cancer in exposed humans. ans except under uncommon or unlikely routes or levels of exposure.
May damage fertility or the unborn child. The Registry of Toxic Effects of Chemical Substances (RTECS) contains repro Specific target organ system toxicity - repeated exposure: No effects known Specific target organ system toxicity - single exposure: No effects known.	ductive data for this substance. n.
Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Subs Additional toxicological information: To the best of our knowledge the acute	tances (RTECS) contains multiple dose toxicity data for this substance. and chronic toxicity of this substance is not fully known.
12 Ecological information	
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: General notes:	
Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	
13 Disposal considerations	
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	disposal.
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3077
UN proper shipping name DOT	Environmentally hazardous substances, solid, n.o.s. (Cobalt(II) chloride
ADR IMDG, IATA	hexahydrate) 3077 Environmentally hazardous substances, solid, n.o.s. (Cobalt(II) chloride hexahydrate) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cobalt(II)
Transport hazard class(es)	chloride hexahydrate)
DOT, IMDG	
\square	
Class Label ADR	9 Miscellaneous dangerous substances and articles 9
Class Label IATA	9 (M7) Miscellaneous dangerous substances and articles 9
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user EMS Number:	Warning: Miscellaneous dangerous substances and articles F-A,S-F
Stowage Category Stowage Code	A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod	
	(Contd. on page 5) USA



	Versio
duct name: Cobalt(II) chloride hexahydrate	
	(Contd. of page
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: No limit
Marine Pollutant (DOT):	On cargo aircraft only: No limit No
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1
• • • •	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.
	(COBALT(II) CHLORIDĖ HEXAHYDRATE), 9, III
Regulatory information Safety, health and environmental regulations/legislation spe GHS label elements The product is classified and labeled in ac Hazard pictograms	ecific for the substance or mixture cordance with 29 CFR 1910 (OSHA HCS)
GHS07 GHS08	
All components of this product are listed on the Canadian Dome SARA Section 313 (specific toxic chemical listings) 7791-13-1 Cobalt(II) chloride hexahydrate California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is no Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed Information about limitation of use: For use only by technical Other regulations. Limitations and prohibitive regulations	tion. face protection. gional/national/international regulations. ntal Protection Agency Toxic Substances Control Act Chemical substance Inventory. estic Substances List (DSL). of listed.
This substance is included in the Candidate List of Substances of The conditions of restrictions according to Article 67 and A market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisati	
Chemical safety assessment: A Chemical Safety Assessment	t has not been carried out.
Other information Employers should use this information only as a supplement to <i>information</i> to ensure proper use and protect the health and safe conformance with this Safety Data Sheet, or in combination with	other information gathered by them, and should make independent judgement of suitability of this ety of employees. This information is furnished without warranty, and any use of the product not i h any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and ver Abbreviations and acronyms:	rsion number are in the header of each page.
ADR: Accord européen sur le transport des marchandises dangereuses par Route (E IMDG: International Maritime Code for Dangerous Goods DATA: International Air Transportation IATA: International Air Transport Association MATA: Luropean Inventory of Existing Commercial Chemical Substances ENESC: European Inventory of Existing Commercial Chemical Substances	European Agreement concerning the International Carriage of Dangerous Goods by Road)
HMS: Hazardous Materials Identification System (USA) HMS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern vPuB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSFA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA)	
IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	
Acute Tox. 4: Acute toxicity – Calegory 4 Resp. Sens. 1: Respiratory sensitisation – Calegory 1 Skin Sens. 1: Skin sensitisation – Calegory 1	