

Safety Data Sheet per OSHA HazCom 2012

Reviewed on 08/05/.	2010
1 Identification	
Product identifier Product name: 3,5-Bis(trifluoromethyl)benzoyl chloride	
Stock number: 411401 09827	
CAS Number: 785-56-8	
EC number: 212-322-0	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MAX 01835-8099 Tel: 800-343-0660_	
Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
H227 Combustible liquid. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05	
Signal word Danger Hazard statements H227 Combustible liquid. H314 Causes severe skin burns and eye damage. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EVES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification B3 - Combustible liquid D2B - Toxic material causing other toxic effects E - Corrosive material	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTHImage: Barbon SystemHEALTHImage: Barbon SystemHEALTH	
Reactivity (2) Physical Hazard = 2 Other hazards	
Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances	
CAS# Description: 785-56-8 3 5-Bis(trifluoromethyl)benzoyl chloride Identification number(s): EC number: 212-322-0	
4 First-aid measures	=
Description of first aid measures	
General information Immediately remove any clothing soiled by the product. After inhalation Supply frach circle fractioned provide artificial reconstration. Keen petiant worm	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. (Contd. on pa	ige 2)

Safety Data Sheet per OSHA HazCom 2012

Product name: 3,5-Bis(trifluoromethyl)benzoyl chloride

Severe immediate method and when we are adopted and when all documply it is a severe and adopted and adopted is a severe adopted and address and adopted is a severe adopted and address and adopted is a severe adopted and address adopted and adopted is a severe adopted and address adopted and adopted is a severe adopted and adopted and adopted is a severe adopted and adopted adopt	Product name: 3,5-Bis(trifluoromethyl)benzoyl chloride	
Information for doctor Charses servers with humanity in models and facts, both acute and delayed Causes servers with humanity in models attention and special treatment needed No further relevant information available. Fine-fighting meaks Servers and the provide in a flow, both with the substance or mature Provide in a flow of the substance or mature Provide in a flow of the substance or mature Provide in a flow of the substance or mature Provide in a flow in the substance or mature Provide in a flow of the substance or not have water in a flow of the substance or not Provide in a flow of the substance o	After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	(Contd. of page 1)
S Fire-fighting measures Excitopushing media Support of CO2, and, excitopushing powder. Do not use water. Special heases sharing from the substance of method This product is involved in a flux the following can be released: Thydrogen function This product is involved in a flux the following can be released: Thydrogen function This product is involved in a flux the following can be released: Thydrogen function This product is involved in a flux the following can be released: Thydrogen function This product is involved in a flux the following Can be released: Thydrogen function This product is involved in a flux the following Can be released: Thydrogen function This product is involved in a flux the following Can be released: Thydrogen function This product is involved in a flux the following Can be released: This product is involved in the substance of method This product is involved in the following Can be released Can be releaded Can be relea	Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage.	
Extinguishing media Subble callinguishing speets CO2, send, extinguishing powder. Do not use water. Carton monocole and door of the first the biolowing can be reased: Carton monocole and door of locking where the product is moving on the reased of locking of the product is moving on the reased of locking where the product is moving on the reased of locking of locking in the locking of locking of locking of locking of locking of locking where the productive impervisions suit. F of locking of locking		
Personal precautions, protective equipment and emergency procedures Weer protective equipment area internal persons away. Ensure adequate vehilution Environmental precautions : Do not allow material to be released to the environment without proper governmental permits. Environmental precautions : Do not allow material to be released to the environment without proper governmental permits. Weer protecting agent. Weer protecting agent. The state adequate vehilution internal (survate accounting to section 13. Description of secondary hazards: Keep away from ignition sources. Reference to other secondary hazards: Keep away from ignition sources. Reference to other secondary internation on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handing Keep contained with the second of the secondary internation of the protection equipment. See Section 13 for disposal information. 7 Handling on the sets handling Handling Keep contained by internation and personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Keep contained by internation against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be not ally storage conditions: Store away from storage based. Store in cool, dry place sets again. Store in cool, dry conditions against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storeg Requirements to be not ally store ones and receptacles: No special requirements. Store away from storage based. Store in cool, dry conditions in well sealed containers. Store away from storage based. Store in cool, dry conditions well sealed containers. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Freeter from hundling on the sealed containers. Freeter from hundling on the sealed containers. Freeter from hundling on the s	Extinguishing media Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen fluoride (HF) Hydrogen chloride (HCI) Advice for firefighters Protective equipment: Wear self-contained respirator.	
Handling Frequencies Processitions for safe handling Handle under dry protective gas. Store in cool, dry place in tightly closed containers. Ensure good venillation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements for safe storage, including any incompatibilities Storage Requirements bout storage in oncommon storage facility: Stora away from wolding agents. Storage work from wolding agents. Store away from wolding agents. Stora away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store away from wolding agents. Store in cool, dry conditions in well seeled containers. Store in cool, dry conditions in well seeled containers. Properly operating chemical kume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control Jarameters Components with limit values that require monitoring at the workplace: Not required.	Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 7 for information on personal protection equipment.	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Personal protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and shou. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Tightly sealed goggles Full face protection	Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from strong bases. Store away from strong bases. Store away from water/moisture. Further information about storage conditions: This product is moisture sensitive. Keep container tightly sealed. Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water.	
General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Tightly sealed goggles Full face protection	Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls	
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Tightly sealed goggles Full face protection	General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves	
Tightly sealed goggles Full face protection	The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection:	
	Tightly sealed goggles	(Contd. on page 3)

(Contd. of page 2)

Product name: 3,5-Bis(trifluoromethyl)benzoyl chloride

Body protection: Protective work clothing.

9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liauid Colorless Not determined Color: Odor: Odor threshold: Not determined. pH-value: Not determined . Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined 65-67 °C (149-153 °F) (12mm Hg) Not determined 72 °C (162 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined. Danger of explosion: Explosion limits: Lower: Product does not present an explosion hazard. Not determined Upper: Not determined Vapor pressure: Density at 20 °C (68 °F): Relative density Not determined 1.526 g/cm³ (12.734 lbs/gal) Not determined. Vapor density Not determined Evaporation rate Solubility in / Miscibility with Not determined. Water: Not determined Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic Not determined. kinematic: Not determined. No further relevant information available. Other information 10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Ovidizing agents Bases Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen fluoride Hydrogen chloride (HCI) 11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes servere skin burns. Eye irritation or corrosion: Causes servers kin burns. Eye irritation or corrosion: Causes servers with ourns. Germ cell mutagenicity: No effects known. Germ cell mutagenicity: No effects known. Germ cell mutagenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Auditional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

 Toxicity

 Aquatic toxicity: No further relevant information available.

 Persistence and degradability No further relevant information available.

 Bioaccumulative potential No further relevant information available.

 Mobility in soil No further relevant information available.

 Mobility in soil No further relevant information available.

 Additional ecological information:

 General notes:

 Do not allow material to be released to the environment without proper governmental permits.

 Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

 Avoid transfer into the environment.

 Results of PBT and vPvB assessment

 PBT: Not applicable.

 vPvB: Not applicable.

 Other adverse effects No further relevant information available.

Other adverse effects No further relevant information available

13 Disposal considerations Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Safety Data Sheet per OSHA HazCom 2012

Product name: 3,5-Bis(trifluoromethyl)benzoyl chloride

(Contd. of page 3)

Uncleaned packagings:

Uncleaned packagings: Recommendation: Disposal must be made according to o	official regulations.
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3265
UN proper shipping name DOT	Corrective liquid poide errorie r e.e. (25 Dis/hith.erroreth.dberrord.ek/eride)
IMDG, IATA	Corrosive liquid, acidic, organic, n.o.s. (3,5-Bis(trifluoromethyl)benzoyl chloride) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (3,5-Bis(trifluoromethyl)benzoy. chloride)
Transport hazard class(es)	
DOT	
Class	8 Corrosive substances.
Label Class	8 (C3) Corrosive substances
Label IMDG, IATA	8
Class	8 Corrosive substances.
Label	8 8
Packing group DOT, IMDG, IATA	
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Segregation groups	Warning: Corrosive substances F-A,S-B Acids
Transport in bulk according to Annex II of MARPOL73	
Transport/Additional information: DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN3265, Corrosive liquid, acidic, organic, n.o.s. (3,5-Bis(trifluoromethyl)benzoyl chloride), 8, II
GHS label elements The product is classified and labeled Hazard pictograms GHS05	in accordance with 29 CFR 1910 (OSHA HCS)
P405 Store locked up. P501 Dispose of contents/container in accord National regulations This product is not listed in the U.S. Environmental Protect to research and development only. This product must be u product must not be used for commercial purposes or in for SARA Section 313 (specific toxic chemical listings) Su	ours/spray. y all contaminated clothing. Rinse skin with water/shower. er for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. dance with local/regional/national/international regulations. tion Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restrict used by or directly under the supervision of a technically qualified individual as defined by TSCA. This prmulations for commercial purposes.
The conditions of restrictions according to Article 67 a market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Autho Chemical safety assessment: A Chemical Safety Assess	l. not listed. t listed. hnically qualified individuals. ns the REACH Regulations (EC) No. 1907/2006. Substance is not listed. and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on th prisation for use) Substance is not listed.
6 Other information Employers should use this information only as a suppleme information to ensure proper use and protect the health an conformance with this Material Safety Data Sheet, or in co Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / -	ent to other information gathered by them, and should make independent judgement of suitability of this nd safety of employees. This information is furnished without warranty, and any use of the product not in ombination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / -

(Contd. of page 4)

Product name: 3,5-Bis(trifluoromethyl)benzoyl chloride

 Abbreviations and acronyms:

 RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

 IATA-DGR: Dangerous
 Goods Regulations by the "International Air Transport Association" (IATA)

 ICAO: International Civil Aviation Organization
 (CAO)

 ICAO: International Civil Aviation Organization
 (IATA)

 ICAO: International Givil Aviation Organization
 (ICAO)

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transport Association

 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 HMIS: Hazardous Materials Information System (Canada)
 LC50: Lethal concentration, 50 percent

 LD50: Lethal dose, 50 percent
 LS04

 VPWE very Persistent and very Bioaccumulative
 (USA)

 VBF: Nearconal Toxicology Program (USA)

 VBF: Nearconal Addeny of Covernmental Industrial Hygienists (USA)

 VPMIS: Superional Safety and Health Administration (USA)

 NT: Neinonal Toxicology Program (USA)

 VBF: Neuriconal Agency for Research on Cancer

 EP

USA