Revision: 25.11.2009

	nce/mixture and of the company/undertaking
1.1 Product identifier Trade name	4-Chlorophenylmagnesium bromide, 1M in MeTHF
Stock number: CAS Number:	873-77-8
1.2 Relevant identified uses of the substance Identified use:	
1.3 Details of the supplier of the safety data s	
Manufacturer/Supplier:	Alfa Aesar GmbH & Co.KG A Johnson Matthey Company
	Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300
	Tel: +49 (0) 721 84007 280
	Email: tech@alfa.com
Informing department:	www.alfa.com Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number)
1.4 Emergency telephone number:	Poison Information Center Mainz
	www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture Classification according to Regulation (EC)	e lo 1272/2008
GHS02 flame	
Elam Lig 2 H225 Highly flammable liquid an	d vopour
Flam. Liq. 2 H225 Highly flammable liquid an	d vapour.
GHS05 corrosion	
Skin Corr. 1C H314 Causes severe skin burns	
Classification according to Directive 67/548/	EEC or Directive 1999/45/EC
R34: Causes burns.	
F; Highly flammable	
P11: Highly flammable	
R14-19: Reacts violently with water. May form Information concerning particular hazards	n explosive peroxides.
for human and environment:	Not applicable
Other hazards that do not result in classification	No information known.
2.2 Label elements	
Labelling according to Regulation (EC) No 1272/2008	The substance is classified and labelled according to the CLP regulation.
Hazard pictograms Signal word	GHS02, GHS05 Danger
Hazard statements	H225 Highly flammable liquid and vapour. H214 Causes severe skin burns and eye damage. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with weta/cheause.
Precautionary statements	P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment.
	P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international
Additional information:	regulations. EUH014 Reacts violently with water.
2.3 Other hazards	EUH019 May form explosive peroxides.
Results of PBT and vPvB assessment	Netensieskie
PBT: vPvB:	Not applicable. Not applicable.
SECTION 3: Composition/information o	n ingredients
3.1 Substances	-
CAS# Designation:	873-77-8 4-Chlorophenylmagnesium bromide, 1M in MeTHF
SECTION 4: First aid measures	
4.1 Description of first aid measures General information	Instantly remove any clothing soiled by the product.
After inhalation	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
After skin contact	Seek immediate medical advice. Instantly wash with water and soap and rinse thoroughly.
After eye contact	Seek immediate medical advice. Rinse opened eye for several minutes under running water. Then consult doctor.
After swallowing 4.2 Most important symptoms and effects,	Seek medical treatment.
4.3 Indication of any immediate medical	No further relevant information available.
attention and special treatment needed	No further relevant information available.
SECTION 5: Firefighting measures	
5.1 Extinguishing media	Dry cond
Suitable extinguishing agents	Dry sand Extinguishing powder. Do not use water.
For safety reasons unsuitable extinguishing agents 5.2 Special hazards arising from the	Water.
5.2 Special hazards arising from the substance or mixture	Reacts violently with water
	If this product is involved in a fire, the following can be released: (Contd. on page 2)
	DĒ/E —

Page 2/4

nting date 02.07.2013	Re	vision: 25.11.20
de name 4-Chlorophenylmagnesium k	bromide, 1M in MeTHF	
	Carbon monoxide and carbon dioxide Hydrogen chloride (HCI) Metal oxide Hydrogen bromide (HBr)	(Contd. of page
5.3 Advice for firefighters Protective equipment:	Wear self-contained breathing apparatus. Wear full protective suit.	
SECTION 6: Accidental release measure		
6.1 Personal precautions, protective equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away.	
6.2 Environmental precautions:	Keep away from ignition sources Do not allow material to be released to the environment without proper governmental permits Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.	
6.3 Methods and material for containment and cleaning up: Prevention of secondary hazards:	Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust Use neutralizing agent. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents).
6.4 Reference to other sections	Keep away from ignition sources. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.	
SECTION 7: Handling and storage		
7.1 Precautions for safe handling	Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.	
Information about protection against explosions and fires:	Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Do not distill to dryness. Explosive peroxides may form, handle container cautiously.	
7.2 Conditions for safe storage, including an Storage	y incompatibilities	
Requirements to be met by storerooms and containers:	Store in cool location.	
Information about storage in one common storage facility:	Store away from oxidizing agents. Store away from air. Store away from water.	
Further information about storage conditions:	Store under dry inert gas. This product is moisture sensitive. This product is air sensitive. Protect from humidity and keep away from water. Store in cool, dry conditions in well sealed containers. Avoid contact with air / oxygen (formation of peroxide). Store in a locked cabinet or with access restricted to technical experts or their assistants. Check container pressure periodically to prevent explosive peroxides.	
7.3 Specific end use(s)	No further relevant information available.	
SECTION 8: Exposure controls/personal Additional information about design of	al protection	
8.1 Control parameters	Properly operating chemical fume hood designed for hazardous chemicals and having an ave of at least 100 feet per minute.	erage face velo
Components with critical values that require monitoring at the workplace: Additional information: 8.2 Exposure controls	Not required. No data	
General protective equipment General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Use breathing protection with high concentrations.	
Breathing equipment: Protection of hands:	Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further and varies from manufacturer to manufacturer.	marks of qualit
Material of gloves Penetration time of glove material Eye protection:	Impervious gloves Not determined Tightly sealed safety glasses. Full face protection	
Body protection:	Protective work clothing.	
SECTION 9: Physical and chemical prop 9.1 Information on basic physical and chemic General Information Appearance:		
Form: Smell:	Liquid Not determined	
Odour threshold: pH-value:	Not determined.	
	Not determined.	

Revision: 25.11.2009

(Contd. of page 2)

Trade name 4-Chlorophenylmagnesium bromide, 1M in MeTHF

	(Contd. of page 2)
Change in condition	Not determined
Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not determined
Inflammability (solid, gaseous) Ignition temperature:	Not determined. Not determined
Ignition temperature: Decomposition temperature:	Not determined
Self-inflammability:	Not determined.
Danger of explosion:	May form explosive peroxides. Do not distill to dryness.
Critical values for explosion:	
Lower: Upper:	Not determined Not determined
Steam pressure:	Not determined
Density Relative density	Not determined Not determined.
Vapour density	Not determined.
Evaporation rate Solubility in / Miscibility with	Not determined.
Water:	Reacts violently
Partition coefficient (n-octanol/water): Viscosity:	Not determined.
dynamic:	Not determined.
kinematic: 9.2 Other information	Not determined. No further relevant information available.
SECTION 10: Stability and reactivity	
10.1 Reactivity	Reacts violently with water.
10.2 Chemical stability	May form explósive peroxides. Stable under recommended storage conditions.
Thermal decomposition / conditions to be	-
avoided: 10.3 Possibility of hazardous reactions	No decomposition if used and stored according to specifications. Reacts violently with water
10.5 Incompatible materials:	Forms peroxides Oxidizing agents
10.5 incompatible materials:	Air
10.6 Hazardous decomposition products:	Water/moisture Carbon monoxide and carbon dioxide
To.o Hazardous decomposition products.	Hydrogen chloride (HCI)
	Metal Öxide Hydrogen bromide
SECTION 11: Toxicological information	
11.1 Information on toxicological effects Acute toxicity:	Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of
•	esophagus and stomach.
LD/LC50 values that are relevant for classification:	No data
Skin irritation or corrosion:	Causes severe skin burns.
Eye irritation or corrosion: Sensitization:	Causes serious eye damage. No sensitizing effect known.
Germ cell mutagenicity:	No effects known.
Carcinogenicity:	No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: Specific target organ system toxicity -	No effects known.
repeated exposure:	No effects known.
Specific target organ system toxicity - single exposure:	o effects known.
Aspiration hazard:	No effects known.
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
SECTION 12: Ecological information	
12.1 Toxicity	
Aquatic toxicity:	No further relevant information available. No further relevant information available.
12.2 Persistence and degradability 12.3 Bioaccumulative potential	No further relevant information available.
12.4 Mobility in soil Additional ecological information:	No further relevant information available.
General notes:	Do not allow material to be released to the environment without proper governmental permits.
	Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
19 E Deputto of DBT and vDvD accessory	Avoid transfer into the environment.
12.5 Results of PBT and vPvB assessment PBT:	Not applicable.
vPvB: 12.6 Other adverse effects	Not applicable. No further relevant information available.
12.0 ULICI AUVEISE EITEUIS	ייט יטינויטי יטופימות ווווטוווומנוטון מימוומטוס.
SECTION 13: Disposal considerations	
13.1 Waste treatment methods	Liend over to diencoare of hozordove weste
Recommendation	Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations.
Incleaned nackagings	Consult state, local or national regulations for proper disposal.
Uncleaned packagings: Recommendation:	Disposal must be made according to official regulations.
SECTION 44. Transport information	
SECTION 14: Transport information	
UN-Number ADR, IMDG, IATA	UN2924
	(Contd. on page 4)
	DE/E

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 25.11.2009

(Contd. of page 3)

Printing date 02.07.2013	Revision: 25.11.200
Trade name 4-Chlorophenylmagnesium bromic	de, 1M in MeTHF
	(Contd. of page
14.2 UN proper shipping name ADR IMDG, IATA	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (4-Chlorophenylmagnesium bromide/2-methyltetrahydrofuran) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (4-Chlorophenylmagnesium bromide/2-methyltetrahydrofuran)
14.3 Transport hazard class(es) ADR	
Class Label IMDG, IATA	3 (FC) Flammable liquids. 3+8
Class Label	3 Flammable liquids. 3+8

Label	5+8
Packing group ADR, IMDG, IATA	Ш
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Kemler Number: EMS Number:	Warning: Flammable liquids. 338 F-E,S-C
14.7 Transport in bulk according to Annex II of MARPOL73/78 an Code	nd the IBC Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ): Limited quantities (LQ) Transport category Tunnel restriction code	E2 1L 2 D/E
UN "Model Regulation":	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (4- Chlorophenylmagnesium bromide/2-methyltetrahydrofuran), 3 (8), II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Inventory of Chemical Substances Standard for the Uniform Scheduling of Drugs and Poisons National regulations Substance is not listed. Substance is not listed. For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed. Information about limitation of use:

 Water hazard class:
 Water hazard

 Other regulations, limitations and prohibitive regulations
 ELINCS (European List of Notified Chemical Substances)

 Substances of very high concern (SVHC)
 Substance is

 according to REACH, Article 57
 Substance is

 TREACH - Pre-registered substances
 Substance is

 15.2 Chemical safety assessment:
 A Chemical Substance is

 Water hazard class 1 (Self-assessment): slightly hazardous for water. Substance is not listed. Substance is not listed. Substance is listed. A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing data specification sheet: Health, Safety and Environmental Department.
Abbreviations and acronyms:
RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International
Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (IATA)
ICAO: International Civil Aviation Organization
ICAO: International Civil Aviation Organization
ICAO: International Code for Dangerous Goods By Raid)
IMDG: International Air Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of
Dangerous Goods by Road)
IMDG: International Air Transport Association
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemical
Sc CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal dose, 50 percent
DE/E -

DE/E