

Safety Data Sheet per OSHA HazCom 2012

	100 011 00/11/2000
1 Identification	
Product identifier Product name: 2-Ethylacrolein	
Stock number: B21839 CAS Number:	
922-63-4 EC number:	
213-079-3	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928	-0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS06 Skull and crossbones	
Acute Tox. 2 H330 Fatal if inhaled.	
GHS08 Health hazard	
Wuta. 2 H341 Suspected of causing genetic defects.	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS02 GHS06 GHS08	
Signal word Danger Hazard statements	
H225 Highly flammable liquid and vapor. H330 Fatal if inhaled.	
H315 Causes skin irritation. H319 Causes serious eye irritation. H341 Supported of ocuping gometic defects	
H341 Suspected of causing genetic defects. H335 May cause respiratory irritation. Precautionary statements	
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsin P320 Specific treatment is urgent (see on this label).	ng.
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification B2 - Flammable liquid D1A - Very toxic material causing immediate and serious toxic effects	
Disc Toxic material causing other toxic effects	
Classification system HMIS ratings (scale 0-4)	
(Hazardous Materials Identification System)	
HEALTH 2 Health (acute effects) = 2 FIRE 3 Flammability = 3 REACTIVITY 1 Physical Hazard = 1	
	(Contd. on page 2) USA

Product name: 2-Ethylacrolein

Page 2/5 Printing date 11/23/2015 Reviewed on 05/11/2009

(Contd. of page 1)

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 922-63-4 2-Ethylacrolein Identification number(s): EC number: 213-079-3

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available

5 Fire-fighting measures

Extinguishing media Extinguishing media Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. **Prevention of secondary hazards:** Keep away from ignition sources. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling

Handling Precautions for safe handling Keep container tightly sealed. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep infilion sources away. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Protect from heat.

Further information about storage conditions: Keep container tightly sealed.

Refri

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

Product name: 2-Ethylacrolein

Product name: 2-Ethylacrolein				
(Contd. of page 2) Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing.				
9 Physical and chemical properties				
Information on basic physical and che General Information Appearance: Form: Color: Odor:				
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 92-93 °C (198-199 °F) Not determined			
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	1 °C (34 °F) Not determined. Not determined Not determined Not determined.			
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	Product is not explosive. However, formation of explosive air/vapor mixtures is possible. Not determined Not determined 0.859 g/cm ³ (7.168 lbs/gal) Not determined. Not determined. Not determined.			
Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Not miscible or difficult to mix			
40 Stability and magnitudes				
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recomm Thermal decomposition / conditions to Possibility of hazardous reactions No Conditions to avoid No further relevant Incompatible materials: Oxidizing agents Heat Hazardous decomposition products:	t information available.			
11 Toxicological information				
Information on toxicological effects Acute toxicity: Fatal if inhaled.				
LD/LC50 values that are relevant for c Inhalative LC50/4H 289 ppm/4H (rat)	lassification:			
Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: Suspected of causing genetic defects. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Other information (about experimental toxicology): Mutagenic effects have been observed on tests with bacteria. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals: Lung, Thorax, or Respiration - changes in lung weight. Blood - changes in serum composition (e.g. TP, bilirubin, cholesterol). Related to Chronic Data - changes in ovarian weight. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.				
12 Ecological information Toxicity Aquatic toxicity: No further relevant info Descriptions and description of the furth	ormation available.			

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.

(Contd. on page 4) USA

Safety	^v Data	Sheet
per OSH	A HazC	om 2012

Additional eccological information: Consist of page 3 Consist of page 3 Consist		
Additional scolagical information: Do not allow: unables of product or large quantities to main ground water, water course or aewage system. Do not allow: unables of product or large quantities to main ground water, water course or aewage system. Do not allow: unables of product or large quantities to main ground water, water course or aewage system. The system of the syst	Product name: 2-Ethylacrolein	
Waste treatment methods Recommendation: Consult study, local or national regulations to ensure proper disposal. Recommendation: Descent must be made according to official regulations. 11 Transport Information Upport Upport Proper shipping name Doff Doff Image: Transport Information Image	General notes: Do not allow material to be released to the environment with Do not allow undiluted product or large quantities to reach g Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable	
14 Transport information UN1992 VM proper shipping name Flammable liquids, toxic, n. o. s. (2-Ethylacrolein) MD06, IATA FLAMMABLE LIQUID, YOXIC, N. O.S. (2-Ethylacrolein) MD06, IATA FLAMMABLE LIQUID, YOXIC, N. O.S. (2-Ethylacrolein) OT Image: An and the second se	Waste treatment methods Recommendation Consult state, local or national regulation Uncleaned packagings:	
UM-Number DOT, IMDC, IATA UN1992 UM proper shipping rame proof, IATA Finamable liquids, toxic, n.o.s. (2-Ethylacrolein) PLAMABLE UGUID, NOX (2, N.O.S. (2-Ethylacrolein), 2, (2, 1, 1) PLAMABLE UGUID, NOX (2		ficial regulations.
UM proper shipping name DOC, IATA Flammable liquids, toxic, n.o.s. (2-Ethylacrolein) Transport hazard class(es) Image: Class in the second secon		
DOT Hommable Rigulds, Exite, Lock, C. N. C.S. (2-Ethylacrolein) Transport hazard class(es) DOT OC See 10000 Class 3 Flammable Rigulds. See 1 3 Flammable Rigulds. OOT, MAA 9 Flammable Rigulds. See 1 3 Flammable Rigulds. See 1 3 Flammable Rigulds. See 1 3 Flammable Rigulds. OOT, MAGO, RATA II Environmental hzards: Not applicable. Transport/Additional Information: Not applicable. DOT Mode Regulation? UN 'Wood Regulation? UN 1992, Flammable Rigulds, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II UN 'Wood Regulation? UN 1992, Flammable Rigulds, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II UN 'Wood Regulation? UN 1992, Flammable Rigulds, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II UN 'Wood Regulation? UN 1992, Flammable Rigulds, toxic, n.o.s. (2-Ethylacrol	DOT, IMDG, IATA	UN1992
Transport hazard class(es) DoT ODT Class 3 Flammable liquids. 3 + 6 1 Class 3 + 6 1 Label 3 + 6 1 Verified 3 + 6 1 Packing group 1	DOT	Flammable liquids, toxic, n.o.s. (2-Ethylacrolein)
DOT Image: Second		FLAMMABLE LIQUID, TOXIC, N.O.S. (2-Ethylacrolein)
Label Class		2 Elemente la limite
Label 3+6.1 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids EMS Number: FE.S.O Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II 115 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture Setty health and environmental regulations/legislation specific for the substance or mixture Setty fiber and environmental regulations/legislation specific for the substance or mixture Setty fiber and environmental regulations/legislation specific for the substance or mixture Setty fiber and environmental regulations/legislation specific for the substance or mixture Setty fiber and environmental regulations/legislation specific for the substance or mixture Setty fiber and submer in the product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) With and the fiber and setty fiber and the fiber and setty fiber and sety fiber and setty fibe	Label Class Label	3+6.1 3 (FT1) Flammable liquids
Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids EMS Number: Fas.Sub Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS babel elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Wwww.lister elements Signal word Danger Hazard pictograms Faster elements H330 Falat in intaked. Hazard pictograms F122 EHghty flammable liquid and vapor. Hazard pictograms H333 Fay cause servin ceptor formeritic defects. H335 May cause respiratory intration. H331 Source septor frametic defects. H335 May cause respiratory intration. P2010 Keep away from heal/sparks/sopen flames/hot surfaces. No smoking. P2010 Specific treatments argent liste of intrateses. No smoking. <t< th=""><th></th><th></th></t<>		
Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids EMS Number: Fas.Sub Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS babel elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Wwww.lister elements Signal word Danger Hazard pictograms Faster elements H330 Falat in intaked. Hazard pictograms F122 EHghty flammable liquid and vapor. Hazard pictograms H333 Fay cause servin ceptor formeritic defects. H335 May cause respiratory intration. H331 Source septor frametic defects. H335 May cause respiratory intration. P2010 Keep away from heal/sparks/sopen flames/hot surfaces. No smoking. P2010 Specific treatments argent liste of intrateses. No smoking. <t< th=""><th>Packing group</th><th>11</th></t<>	Packing group	11
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GAS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms WW WW WW Signal word Danger Hazard statements France and the optical contains and the substance or mixture GAI of the substance or mixture Hazard statements H225 Highly flammable liquid and vapor. H330 Failel if inhaled. H315 Causes skin initiation. H3315 Causes scill genetic defects. H335 May cause respiratory initiation. Hrecautionary statements From heat/spark/open flames/hot surfaces. No smoking. From heat/spark/open flames/hot		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture (HS Albel elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) (Hazard pictograms) W W W If Segulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture (HS Albel elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) (Hazard pictograms) W W W W If Segulatory infration. Safety, health and environmental regulations/legislation specific for the substance or mixture (HS Albel elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) (HS Albel elements) If Segues as skin initiation. Safety, health and environments H225 Highly flammable liquid and vapor. Safety, health and environments H315 Causes serious eve initiation. Safety health and environmental regulations for minediately all contaminated clothing. Fines kin with water/shower. P305+P351+P358 IF IN EVES: Nines cautiously with water or several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. <th>Special precautions for user</th> <th></th>	Special precautions for user	
DOT No UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Haard pictograms Image: Ima		
Marine Pollutant (DOT): No UN "Model Regulation": UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	•	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms		No
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Construction of the substance of the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms Image: Construction of the substance of the substance or mixture GHS label elements Signal word Danger Hazard statements Hazard pictogram H225 Highly flammable liquid and vapor. H330 Fail if inhaled. H315 Causes skin imitation. H316 Causes skin imitation. H341 Suspected of causing genetic defects. H334 May cause respiratory imitation. Precautionary statements P210 Keep away from head/sparks/open flames/hot surfaces. No smoking. P200 P303+P361+P353 li on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303+P361+P353 li on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P300 P303+P361+P353 li on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P300 P303+P361+P353 li on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P300 P304 Store locked up. P405 P405 Store locked up. P405 P405 Store locked up. P405 P406 Store locked up. P406 P407	UN "Model Regulation":	UN1992, Flammable liquids, toxic, n.o.s. (2-Ethylacrolein), 3 (6.1), II
Fron na - Developmental toxicity male Nunstance is not listed	Safety, health and environmental regulations/legislation GHS label elements The product is classified and labeled in Hazard pictograms GHS02 GHS06 GHS08 Signal word Danger Hazard statements H225 Highly flammable liquid and vapor. H330 Fatal if inhaled. H315 Causes skin irritation. H319 Causes serious eve irritation. H319 Causes serious vee irritation. H319 Causes serious ver irritation. H315 Causes respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flame P305+P361+P353 If on skin (or hair): Take off immediately P3055+P361+P353 If N FYFS: Rinse cautiously with water	in accordance with 29 CFR 1910 (OSHA HCS) bs/hot surfaces. No smoking. all contaminated clothing. Rinse skin with water/shower. for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. label).
(Contd. on page 5	P320 Specific treatment is urgent (see on this P405 Store locked up. P501 Dispose of contents/container in accorda National regulations This product is not listed in the U.S. Environmental Protection to research and development only. This product must be us product must not be used for commercial purposes or in form SARA Section 313 (specific toxic chemical listings) Sub California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance i	on Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted sed by or directly under the supervision of a technically qualified individual as defined by TSCA. This mulations for commercial purposes. Is not listed. is not listed. of listed. nically qualified individuals.

Product name: 2-Ethylacrolein

Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 /
Abbreviations and acronyms:

ID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Civil Aviation Organization
ICAC-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport Association
IATA: International Agetive ton the American Chemical Substan

(Contd. of page 4)

USA