

Safety Data Sheet per OSHA HazCom 2012

1 Identification
Product identifier Product name: 1,4-Decadiyne, 50% in hexane
Stock number: L12516
CAS Number: 929-53-3
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099 Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com
www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Flam. Liq. 2. H225. Highly flammable liquid and vapor.
GHS08 Health hazard
Repr. 2 H361 Suspected of damaging fertility or the unborn child. STOT RE 2 H373 May cause damage to the perioheral nervous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged
STOT RE 2 H373 May cause damage to the peripheral nervous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Inhalative. Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
STOT SE 3 H336 May cause drowsiness or dizziness. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS02 GHS07 GHS08
Signal word Danger Hazard statements
H225 Highly flammable liquid and vapor
H315 Causes skin irritation. H361 Suspected of damaging fertility or the unborn child. H336 May cause drowsiness or dizziness.
H373 May cause damage to the peripheral nervous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Inhalative.
H304 May be fatal it swallowed and enters airways. Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P405 Store locked up.' P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification D2A - Very toxic material causing other toxic effects
\Box
Classification system HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
HEALTH 2 FIRE 9 Flammability = 3 REACTIVITY Physical Hazard = 1
Other hazards Results of PBT and vPvB assessment
PBT: Not applicable. vPvB: Not applicable.
USA

Page 2/5 Printing date 11/23/2015 Reviewed on 02/20/2009

(Contd. of page 1)

	(Contd. of page 1)
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 929-53-3 1,4-Decadiyne, 50% in hexane	
 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling expo Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	sed containers.
 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 13 for disposal information. 	
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Components with limit values that require monitoring at the workplace:	
n-Hexane ppm ACGIH TLV 50 (skin) Belgium TWA 50 France TWA 50 Germany TWA 50 Netherlands TWA 100 Switzerland TWA 50, 100-STEL United Kingdom TWA 100, 125-STEL Russia TWA 40 Denmark 50 Finland 50, 150-STEL Hungary TWA 100 mg/m3, 200 mg/m3-STEL Poland TWA 400 mg/m3 Sweden 25, 50-STEL USA PEL 500	(Contd. on page 3) USA

Product name: 1.4-Decadivne. 50% in hexane

Product name: 1,4-Decadiyne, 50% in hexane			
		(Contd. of page 2)	
Control parameters Components with limit values that req The product does not contain any releva Additional information: No data	uire monitoring at the workplace: nt quantities of materials with critical values that have to be monitored at the workplace.		
Protection of hands: Impervious gloves Check protective gloves prior to each us	anding chemicals should be followed. nd feed. hing immediately. nd of work. rorking environment. pirator when high concentrations are present. e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. minutes) Not determined		
9 Physical and chemical properties			
Information on basic physical and che General Information Appearance:			
Form: Color:	Liquid Colorless		
Odor: Odor threshold:	Not determined Not determined.		
pH-value:	Not determined.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 68-69 °C (154-156 °F) (5 mmHg) Not determined		
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined Not determined Not determined		
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density	Not determined. Not determined Not determined 0.82 g/cm ³ (6.843 lbs/gal) Not determined.		
Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water):	Not determined. Not determined. Not miscible or difficult to mix Not determined.		
Viscosity: dynamic: kinematic: Other information	Not determined. Not determined. No further relevant information available.		
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide			
11 Toxicological information			
Specific target organ system toxicity	in irritation. irritation wm. quate for an assessment of human carcinogenic potential. imaging fertility or the unborn child. - repeated exposure: vous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged or re	epeated	

May cause drowsiness or dizziness. May cause respiratory irritation. Aspiration hazard: May be fatal if swallowed and enters airways. Subacute to chronic toxicity: No effects known. Subacute to chronic toxicity: Hexanes may cause skin irritation, CNS effects, lung irritation, headache, dizziness, drowsiness. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

USA

Product name: 1,4-Decadiyne, 50% in hexane

Product name: 1,4-Decadiyne, 50% in hexane		
	(Contd. of page 3	
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Toxic for aquatic organisms Additional ecological information: General notes: Do not allow material to be released to the environment without proper gov Toxic for aquatic organisms Do not allow product to reach ground water, water course or sewage system Danger to drinking water if even extremely small quantities leak into the grover Also poisonous for fish and plankton in water bodies. Toxic to aquatic life. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPVB: Not applicable. Other adverse effects No further relevant information available.	vernmental permits.	
Other adverse effects No further relevant information available.		
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure pro Uncleaned packagings: Recommendation: Disposal must be made according to official regulation.		
14 Transport information		
UN-Number DOT, IMDG, IATA	UN3295	
UN proper shipping name DOT	Hydrocarbons, liquid, n.o.s.	
IMDG, IATA	HYDROCARBONS, LIQUID, N.O.S.	
Transport hazard class(es) DOT Class Label Class Label IMDG, IATA	3 Flammable liquids. 3 3 3 (F1) Flammable liquids 3	
Class Label	3 Flammable liquids. 3	
Packing group DOT, IMDG, IATA	11	
Environmental hazards:	Environmentally hazardous substance, liquid	
Special precautions for user EMS Number:	Warning: Flammable liquids F-E,S-D	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
DOT Marine Pollutant (DOT):	No	
UN "Model Regulation":	UN3295, Hydrocarbons, liquid, n.o.s., special provision 640D, 3, II	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the GHS label elements The product is classified and labeled in accordance with Hazard pictograms	he substance or mixture with 29 CFR 1910 (OSHA HCS)	

GHS02 GHS07 GHS08

 Signal word Danger Hazard statements

 H225 Highly flammable liquid and vapor.

 H315 Causes skin irritation.

 H361 Suspected of damaging fertility or the unborn child.

 H364 May cause drowsiness or dizziness.

 H373 May cause damage to the peripheral nervous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Inhalative.

 H304 May be fatal if swallowed and enters airways.

 Precautionary statements

 P210
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

 P260
 Do not breathe dust/fume/gas/mist/vapours/spray.

Product name: 1,4-Decadiyne, 50% in hexane

(Contd. of page 4)
 P301+P310
 IF SWALLOWED: Immediately call a POISON CENTER/ doctor...
 Store locked up.
 Store locked up.
 Store locked up.
 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Mational regulations
 This product is not listed in the U.S. Environmental Protection Agency Toxic Subtances Control Act Chemical Substance Inventory. Use of this product is restricted
 product must not be used for commercial purposes or in formulations for commercial purposes.
 SAFA Section 313 (specific toxic chemical bitsted.
 Prop 65: - Developmental Toxicity, male Substance is not listed.
 Prop 65: - Developmental toxicity, male Substance is not listed.
 Prop 65: - Developmental toxicity, male Substance is sol listed.
 Prop 65: - Developmental toxicity, male Substance is sol listed.
 Prop 65: - Developmental toxicity, male Substance is not listed.
 Prop 65: - Developmental toxicity, male Substance is sol listed.
 Prop 65: - Developmental toxicity, male Substance is sol listed.
 Prop 65: - Developmental toxicity, male Substance is sol listed.
 Prop 65: - Developmental toxicity, male Substance is sol listed.
 Prop 65: - Developmental toxicity, male Substance is sol listed.
 Prop 65: - Developmental toxicity, male Substance is section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
 Other regulations, Immitations and prohibility ergulations
 Cl, No. 1907/2006, Substance is not listed.
 Amer XIV of the REACH Regulations (Fequiring Authorisation for use) Substance is not listed.
 Chemical Sately assessment. A Chemical Safely Assessment has not been carried out
 Normation is information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this
 information to ensure proper use and proheditive regulations (CC) No 1907/2006 (REACH) for the manufacturing, placing on the
 informatio