



1 Identification	
Product identifier Product name: 2-Chloroethyl phenyl sulfone	
Stock number: B21690, L06942	
CAS Number: 938-09-0	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099	
Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0)789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eve damage.	
Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05	
Signal word Danger Hazard statements	
H314 Causes severe skin burns and eye damage. Brocautionary statements	
P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P304+P350+P351 P348 IF IN EYES: Rinse cautiously with part for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing	
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing	<i>ı</i> .
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER/doctor.	
P360 Infinediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse. P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
D2B - Toxic material causing other toxic effects E - Corrosive material	
$\mathbf{T} \mathbf{\Theta}$	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH Image: Health (acute effects) = 3 FIRE Image: Health (acute effects) = 1	
$\frac{\text{REACTIVITY}}{1} Physical Hazard = 1$	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
938-09-0 2-Chloroethyl phenyl sulfone	
4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product.	
After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
	(Contd. on page 2) USA —

Product name: 2-Chloroethyl phenyl sulfone

(Contd. of page 1) After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Hydrogen chloride (HCl) Advice for firefighters **Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from strong bases. Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Tightly sealed goggles Full face protection_ Body protection: Protective work clothing USA

Product name: 2-Chloroethyl phenyl sulfone

(Contd. of page 2)

9 Physical and chemical properties	9 Physical and chemical properties		
Information on basic physical and chemical properties			
General Information Appearance:			
Form: Odor:	Crystalline Not determined		
Odor: Odor threshold:	Not determined Not determined.		
pH-value:	Not applicable.		
Change in condition			
Melting point/Melting range: Boiling point/Boiling range:	52-55 °C (126-131 °F) 168-174 °C (334-345 °F) (7mm)		
Sublimation temperature / start: Flammability (solid, gaseous)	Not determined		
Ignition temperature:	Not determined. Not determined		
Decomposition temperature: Auto igniting:	Not determined Not determined.		
Danger of explosion:	Not determined.		
Explosion limits: Lower:	Not determined		
Upper:	Not determined		
Vapor pressure: Density:	Not applicable. Not determined		
Relative density	Not determined.		
Vapor density Evaporation rate	Not applicable. Not applicable.		
Solubility in / Miscibility with			
Water: Partition coefficient (n-octanol/water)	Not determined : Not determined.		
Viscosity:			
dynamic: kinematic:	Not applicable. Not applicable.		
Other information	No further relevant information available.		
 10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Bases Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Suffic voides (SOX) Hydrogen chloride (HCl) 11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes serious eve damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Germ cell mutagenicity: No effects known. Garcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. 			
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.			
12 Ecological information			
Toxicity Aquatic toxicity: No further relevant inf Persistence and degradability No furth Bioaccumulative potential No further r Mobility in soil No further relevant infor Additional ecological information: General notes: Do not allow undiluted product or large of Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevation	her relevant information available. relevant information available. rmation available. quantities to reach ground water, water course or sewage system. t		
13 Disposal considerations			
Waste treatment methods Recommendation Consult state, local o Uncleaned packagings:	or national regulations to ensure proper disposal.		

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

Product name: 2-Chloroethyl phenyl sulfone

	(Contd. of page 3)
14 Transport information	
UN-Number DOT, IMDG, IATA	UN1759
UN proper shipping name DOT MDC LATA	Corrosive solids, n.o.s. (2-Chloroethyl phenyl sulfone) CORROSIVE SOLID, N.O.S. (2-Chloroethyl phenyl sulfone)
IMDG, IATA Transport hazard class(es)	CORROSIVE SOLID, N.O.S. (2-Chloroethyl phenyl sulfone)
DOT	
Class Label	8 Corrosive substances.
Class Label	8 (C10) Corrosive substances
ÎMDĞ, IATA	Ŭ
Class Label	8 Corrosive substances. 8
Packing group DOT, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user EMS Number:	Warning: Corrosive substances F-A,S-B
Transport in bulk according to Annex II of MARPOL73/78 and the I	BC Code Not applicable.
Transport/Additional information: DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN1759, Corrosive solids, n.o.s. (2-Chloroethyl phenyl sulfone), 8, III
P301+P330+P331 IF SWALLOWED: Trinse mouth. Do NOT Induce vom P304+P340 IF INHALED: Remove victim to fresh air and keep at P310 Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with low National regulations This product is not listed in the U.S. Environmental Protection Agency To to research and development only. This product must be used by or dir product must not be used for commercial purposes or in formulations for This product is not listed on the Canadian Domestic Substances List (D SARA Section 313 (specific toxic chemical listings) Substance is not California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualit Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH	t rešt in a position comfortable for breathing. cal/regional/national/international regulations. Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted ectly under the supervision of a technically qualified individual as defined by TSCA. This or commercial purposes. DSL) or the Canadian Non-Domestic Substances List (NDSL). ot listed. fied individuals. Regulations (EC) No. 1907/2006. Substance is not listed. (VII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the
Chemical safety assessment: A Chemical Safety Assessment has no	t been carried out.
Employers should use this information only as a supplement to other in information to ensure proper use and protect the health and safety of en conformance with this Material Safety Data Sheet, or in combination with Department issuing SDS: Global Marketing Department	formation gathered by them, and should make independent judgement of suitability of this mployees. This information is furnished without warranty, and any use of the product not in the any other product or process, is the responsibility of the user.
Date of preparation / last revision 09/09/2016 / - Abbreviations and acronyms:	

ADD/EVIATIONS and acronyms. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Safety Data Sheet acc. to OSHA HCS

Product name: 2-Chloroethyl phenyl sulfone

Page 5/5 Printing date 09/09/2016 Revision date 09/08/2016

(Contd. of page 4)

USA

- IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent VPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency (for Research on Cancer EPA: Environmental Protection Agency (USA) Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1