

COPPER(I) SELENIDE 99.99%

Page: 1 Compilation date: 27/04/2015 Revision date: SAP Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: COPPER(I) SELENIDE 99.99%

CAS number: 20405-64-5

**EINECS number:** 243-796-7

Index number: 034-002-00-8

Product code: IN1582

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: Apollo Scientific Ltd Units 3 & 4 Parkway Denton Manchester M34 3SG UK Tel: 0161 337 9971 Fax: 0161 336 6932 Email: david.tideswell@apolloscientific.co.uk

#### 1.4. Emergency telephone number

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP:	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Acute Tox. 2: H330; Acute Tox. 3: H301
Classification under CHIP:	T: R23/25; N: R50/53
Most important adverse effects:	Toxic if swallowed. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with
	long lasting effects.

#### 2.2. Label elements

Label elements:	
Hazard statements:	H301: Toxic if swallowed.
	H330: Fatal if inhaled.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.

### COPPER(I) SELENIDE 99.99%

Signal words:	Danger
Hazard pictograms:	GHS06: Skull and crossbones
	GHS09: Environmental
Precautionary statements:	P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P310: Immediately call a POISON CENTER/doctor/.
	P273: Avoid release to the environment.
2.3. Other hazards	

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.1. Substances

Chemical identity: COPPER(I) SELENIDE 99.99% CAS number: 20405-64-5

EINECS number: 243-796-7

### Section 4: First aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.
	Drench the affected skin with running water for 10 minutes or longer if substance is still
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist
	examination.
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water
	to drink immediately. If unconscious, check for breathing and apply artificial respiration if
	necessary. If unconscious and breathing is OK, place in the recovery position. Transfer
	to hospital as soon as possible.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If
	conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK,
	place in the recovery position. If unconscious, check for breathing and apply artificial
	respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide
	oxygen if available. Transfer to hospital as soon as possible.
4.2. Most important symptoms and effects, both acute and delayed	

may occur at the site of contact. Absorption through the skin may be fatal.

**Eye contact:** There may be severe pain. The eyes may water profusely.

**Page:** 2

# COPPER(I) SELENIDE 99.99%

**Page:** 3

Ingestion:	There may be soreness and redness of the mouth and throat. There may be vomiting.
	Convulsions may occur. There may be loss of consciousness.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Absorption
	through the lungs can occur causing symptoms similar to those of ingestion.
	Convulsions may occur. There may be loss of consciousness.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
4.3. Indication of any immediate	medical attention and special treatment needed
Immediate / special treatment:	Immediate medical attention is required. Show this safety data sheet to the doctor in
	attendance.
Section 5: Fire-fighting measure	28
5.1. Extinguishing media	
Extinguishing media:	Carbon dioxide, dry chemical powder, foam. Suitable extinguishing media for the
	surrounding fire should be used. Use water spray to cool containers.
5.2. Special hazards arising from	
Exposure hazards:	Toxic. In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Copper
	oxides. selenium oxides
5.3. Advice for fire-fighters	
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact
	with skin and eyes.
Section 6: Accidental release m	easures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
Personal precautions:	Notify the police and fire brigade immediately. If outside do not approach from
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the
	contaminated area with signs and prevent access to unauthorised personnel. Do not
	attempt to take action without suitable protective clothing - see section 8 of SDS. Do not
	create dust.
6.2. Environmental precautions	
Environmental precautions:	Do not discharge into drains or rivers.
6.3. Methods and material for co	ontainment and cleaning up
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific
	substance. Transfer to a closable, labelled salvage container for disposal by an
	appropriate method.
6.4. Reference to other sections	

Reference to other sections: Refer to section 8 of SDS.

### COPPER(I) SELENIDE 99.99%

7.1. Precautions for safe handling	
Handling requirements: Ave	roid direct contact with the substance. Ensure there is exhaust ventilation of the area.
	roid the formation or spread of dust in the air. Only use in fume hood.
7.2. Conditions for safe storage, inc	
	ore in a cool, well ventilated area. Keep container tightly closed. The floor of the prage room must be impermeable to prevent the escape of liquids.
	ust only be kept in original packaging.
7.3. Specific end use(s)	
·	
Specific end use(s): No	o data available.
Section 8: Exposure controls/perso	onal protection
8.1. Control parameters	
Workplace exposure limits: No	o data available.
DNEL/PNEC Values	
DNEL / PNEC No	o data available.
8.2. Exposure controls	
	nsure there is exhaust ventilation of the area. The floor of the storage room must be
	permeable to prevent the escape of liquids.
	elf-contained breathing apparatus must be available in case of emergency. Particle
	er class P1 (EN143).
Hand protection: Pro	afety glasses with side-shields. Ensure eye bath is to hand.
Skin protection: 9a	
Section 9: Physical and chemical p	
Section 9. Physical and chemical p	biopernes
9.1. Information on basic physical a	and chemical properties
State: So	blid
Melting point/range °C: 11	13
9.2. Other information	

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### COPPER(I) SELENIDE 99.99%

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Copper oxides.

Selenium Oxides

#### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

#### Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 3)	ING	Based on test data
Acute toxicity (ac. tox. 2)	INH	Based on test data

#### Symptoms / routes of exposure

Skin contact:	There may be redness or whiteness of the skin in the area of exposure. Irritation or pain
	may occur at the site of contact. Absorption through the skin may be fatal.
Eye contact:	There may be severe pain. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. There may be vomiting.
	Convulsions may occur. There may be loss of consciousness.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Absorption
	through the lungs can occur causing symptoms similar to those of ingestion.
	Convulsions may occur. There may be loss of consciousness.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

#### Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

### 12.2. Persistence and degradability

Persistence and degradability: No data available.

#### COPPER(I) SELENIDE 99.99%

Page: 6

#### 12.3. Bioaccumulative potential

## Bioaccumulative potential: No data available.

### 12.4. Mobility in soil

Mobility: No data available.

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

#### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations:	MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND
	FEDERAL REGULATIONS
Disposal of packaging:	Dispose of as special waste in compliance with local and national regulations Observe
	all federal, state and local environmental regulations.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

UN number: UN3283

14.2. UN proper shipping name

Shipping name: SELENIUM COMPOUND, SOLID, N.O.S.

### 14.3. Transport hazard class(es)

Transport class: 6.1

14.4. Packing group

#### Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

# COPPER(I) SELENIDE 99.99%

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.2. Chemical Safety Assessment	
Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture	
by the supplier.	
Section 16: Other information	
Other information	
Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
* Data predicted using computational software. Toxtree - Toxic Hazard Estimation by	
decision tree approach. http://ecb.jrc.ec.europa.eu/qsar/qsar-tools/index.php?	
C=TOXTREE	
~ Data predicted using computatioanl software ACD/ToxSuite v 2.95.1 Copyright 1994-	
2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry	
Development, Inc (ACD/Labs). http://www.acdlabs.com/products/pc_admet/tox/tox/	
Phrases used in s.2 and s.3: H301: Toxic if swallowed.	
H330: Fatal if inhaled.	
H400: Very toxic to aquatic life.	
H410: Very toxic to aquatic life with long lasting effects.	
R23/25: Toxic by inhalation and if swallowed.	
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the	
aquatic environment.	
Legend to abbreviations: PNEC = predicted no effect level	
DNEL = derived no effect level	
LD50 = median lethal dose	
LC50 = median lethal concentration	
EC50 = median effective concentration	
IC50 = median inhibitory concentration	
dw = dry weight	
bw = body weight	
cc = closed cup	
oc = open cup MUS = mouse	
GPG = guinea pig RBT = rabbit	
HAM = hamster	
HMN = human	
	nt 1

COPPER(I) SELENIDE 99.99%

MAM = mammal PGN = pigeon IVN = intravenous SCU = subcutaneous SKN = skin DRM = dermal OCC = ocular/corneal PCP = phycico-chemical properties Legal disclaimer: The material is intended for research purposes only and should be handled exclusively by those who have been fully trained in safety, laboratory and chemical handling procedures. The above information is believed to be correct to the best of our knowledge. The above information is believed to be correct to the best of our knowledge at the date of its publication, but should not be considered to be all inclusive. It should be used only as a guide for safe handling, storage, transportation and disposal. We cannot guarantee that the hazards detailed in this document are the only hazards that exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 8