according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

ROTH

Methylcyclohexane D 14 99,5 Atom%D

article number: **9913** date of compilation: 2016-08-25 Version: **2.0 en** Revision: 2016-08-25

Replaces version of: 2016-08-25

Version: (1.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Methylcyclohexane D 14

Article number 9913

Registration number (REACH)

This information is not available.

EC number 233-325-3 CAS number 10120-28-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

competent person responsible for the safety data sheet

: sicherheit@carlroth.de

2.1

Emergency information service Poison Centre Munich: +49/(0)89 19240

1.4 Emergency telephone number

e-mail (competent person)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS Section **Hazard class** Hazard class and cat-Hazard egory statement 2.6 flammable liquid (Flam. Liq. 2) H225 3.2 skin corrosion/irritation (Skin Irrit. 2) H315 3.8D (STOT SE 3) H336 specific target organ toxicity - single exposure (narcotic effects, drowsiness) 3.10 aspiration hazard (Asp. Tox. 1) H304 H400 4.1A (Aquatic Acute 1) hazardous to the aquatic environment - acute hazard 4.1C hazardous to the aquatic environment - chronic hazard (Aquatic Chronic 2) H411

United Kingdom (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Narcotic effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms









Hazard statements

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P280 Wear protective clothing/eye protection.

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin

with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)









H304 May be fatal if swallowed and enters airways.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

2.3 Other hazards

There is no additional information.

United Kingdom (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Methylcyclohexane D 14

EC number 233-325-3
CAS number 10120-28-2
Molecular formula C7D14

Molar mass 112,3 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. Take off contaminated clothing. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Aspiration hazard. Observe aspiration hazard if vomiting occurs. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Dizziness, Drowsiness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

United Kingdom (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Explosive properties.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

• Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

United Kingdom (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ground/bond container and receiving equipment.

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

No data available.

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	64,3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	1.355 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	1,7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	1,34 μg/l	freshwater	short-term (single instance)
PNEC	0,134 μg/l	marine water	short-term (single instance)
PNEC	273 µg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	36,2 μg/kg	freshwater sediment	short-term (single instance)
PNEC	3,62 µg/kg	marine sediment	short-term (single instance)
PNEC	9,7 μg/kg	soil	short-term (single instance)

United Kingdom (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)







Eve/face protection

Use safety goggle with side protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

type of material

NBR (Nitrile rubber)

material thickness

0,4 mm.

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

colourless

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid Colour

Odour characteristic

Odour threshold No data available

Other physical and chemical parameters

This information is not available. pH (value)

Melting point/freezing point -126,4 °C Initial boiling point and boiling range 100,9 °C -4 °C Flash point

Evaporation rate no data available Flammability (solid, gas) not relevant (fluid)

United Kingdom (en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

Explosive limits

• lower explosion limit (LEL) 1,1 vol% (45 g/m³)

• upper explosion limit (UEL) 6,7 vol%

Explosion limits of dust clouds not relevant

Vapour pressure 1 kPa at -7,9 °C

Density $0.88 \, \mathrm{g/_{cm^3}}$ at 20 °C

Vapour density 3,39 (air = 1)
Bulk density Not applicable

Relative density Information on this property is not available.

Solubility(ies)

Water solubility 14 ^{mg}/_l at 25 °C

Partition coefficient

n-octanol/water (log KOW) 3,88 (ECHA)
Soil organic carbon/water (log KOC) 2,37 (ECHA)

Auto-ignition temperature 260 °C

Decomposition temperature no data available

Viscosity

• dynamic viscosity 0,679 mPa s at 20 °C

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

Surface tension 23,29 ^{mN}/_m (25 °C)

Refractive index 1,423

Temperature class (EU, acc. to ATEX)

T3 (Maximum permissible surface temperature

on the equipment: 200°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

risk of ignition. Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

United Kingdom (en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	2.250 ^{mg} / _{kg}	mouse	
dermal	LD50	>86.000 ^{mg} / _{kg}	rabbit	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

presenting an aspiration hazard

• If in eyes

causes slight to moderate irritation

United Kingdom (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

If inhaled

fatigue, narcosis

• If on skin

causes skin irritation

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Very toxic to aquatic organisms.

Endpoint	Value	Species	Source	Exposure time
LC50	2,07 ^{mg} / _l	japanese ricefish/medaka (Oryzi- as latipes)		96 h
EC50	0,326 ^{mg} / _l	daphnia magna		48 h
ErC50	0,134 ^{mg} / _l	Pseudokirchneriella sub- capitata		72 h

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

12.2 Process of degradability

Data are not available.

Process	Degradation rate	Time
biotic/abiotic	0 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 3,88

BCF >95 - <321 (>95 - <321)

12.4 Mobility in soil

Henry's law constant 34.300 Pa m³/mol at 25 °C

The Organic Carbon normalised adsorption 2,37

coefficient

12.5 Results of PBT and vPvB assessment

Data are not available.

United Kingdom (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	2296

14.2 UN proper shipping name

Hazardous ingredients

METHYLCYCLOHEXANE

Methylcyclohexane D 14

14.3 Transport hazard class(es)

Class 3 (flammable liquids)

14.4 Packing group II (substance presenting medium danger)

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 2296

Proper shipping name METHYLCYCLOHEXANE

Particulars in the transport document UN2296, METHYLCYCLOHEXANE, (Methylcyclo-

hexane D 14), 3, II, (D/E), environmentally hazard-

ous

Class
Classification code
F1

Packing group II

Danger label(s) 3 + "fish and tree"

United Kingdom (en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913





Environmental hazards yes (hazardous to the aquatic environment)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 33
Emergency Action Code 3YE

• International Maritime Dangerous Goods Code (IMDG)

UN number 2296

Proper shipping name METHYLCYCLOHEXANE

Particulars in the shipper's declaration UN2296, METHYLCYCLOHEXANE, 3, II, -4°C c.c.,

MARINE POLLUTANT

Class 3

Marine pollutant yes (hazardous to the aquatic environment)

Packing group II

Danger label(s) 3 + "fish and tree"





Special provisions (SP)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category B

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

• Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.

United Kingdom (en) Page 11 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)

not listed

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 100 %

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.1	UN number: 1993	UN number: 2296	yes
14.2	UN proper shipping name: FLAMMABLE LIQUID, N.O.S.	UN proper shipping name: METHYLCYCLOHEXANE	yes
14.8	UN number: 1993	UN number: 2296	yes
14.8	Proper shipping name: FLAMMABLE LIQUID, N.O.S.	Proper shipping name: METHYLCYCLOHEXANE	yes
14.8	Particulars in the transport document: UN1993, FLAMMABLE LIQUID, N.O.S., (Methyl- cyclohexane D 14), 3, II, (D/E), environmentally hazardous, special provision 640D	Particulars in the transport document: UN2296, METHYLCYCLOHEXANE, (Methylcyclo- hexane D 14), 3, II, (D/E), environmentally haz- ardous	yes
14.8	Special provisions (SP): 274, 601, 640D		yes
14.8	UN number: 1993	UN number: 2296	yes
14.8	Proper shipping name: FLAMMABLE LIQUID, N.O.S.	Proper shipping name: METHYLCYCLOHEXANE	yes
14.8	Particulars in the shipper's declaration: UN1993, FLAMMABLE LIQUID, N.O.S., (Methyl- cyclohexane D 14), 3, II, -4°C c.c., MARINE POL- LUTANT	Particulars in the shipper's declaration: UN2296, METHYLCYCLOHEXANE, 3, II, -4°C c.c., MARINE POLLUTANT	yes
14.8	Special provisions (SP): 274	Special provisions (SP):	yes
14.8	EmS: F-E, S-E	EmS: F-E, S-D	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	BioConcentration Factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

United Kingdom (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Methylcyclohexane D 14 99,5 Atom%D

article number: 9913

Abbr.	Descriptions of used abbreviations
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EÚ GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	highly flammable liquid and vapour
H304	may be fatal if swallowed and enters airways
H315	causes skin irritation
H336	may cause drowsiness or dizziness
H400	very toxic to aquatic life
H411	toxic to aquatic life with long lasting effects

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 14 / 14