

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II) nitrate hexahydrate ≥ 98%, extra pure**

article number: **0337**  
Version: **1.0 en**

date of compilation: 2017-06-09

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Nickel(II) nitrate hexahydrate</b>
Article number	0337
Registration number (REACH)	01-2119492333-38-xxxx
Index No	028-012-00-1
EC number	236-068-5
CAS number	13478-00-7

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 (CLP)**

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.14	oxidising solid	(Ox. Sol. 2)	H272
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302
3.11	acute toxicity (inhal.)	(Acute Tox. 4)	H332
3.2	skin corrosion/irritation	(Skin Irrit. 2)	H315
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318
3.4R	respiratory sensitisation	(Resp. Sens. 1)	H334
3.4S	skin sensitisation	(Skin Sens. 1)	H317

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II) nitrate hexahydrate $\geq 98\%$ , extra pure

article number: 0337

### Classification acc. to GHS

Section	Hazard class	Hazard class and category	Hazard statement
3.5	germ cell mutagenicity	(Muta. 2)	H341
3.6	carcinogenicity	(Carc. 1A)	H350i
3.7	reproductive toxicity	(Repr. 1B)	H360D
3.9	specific target organ toxicity - repeated exposure	(STOT RE 1)	H372
4.1A	hazardous to the aquatic environment - acute hazard	(Aquatic Acute 1)	H400
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 1)	H410

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms



#### Hazard statements

H272	May intensify fire; oxidiser
H302+H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360D	May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

#### Precautionary statements

##### Precautionary statements - prevention

P201	Obtain special instructions before use.
P220	Keep/store away from combustible materials.
P280	Wear protective gloves/eye protection.

##### Precautionary statements - response

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II) nitrate hexahydrate $\geq 98\%$ , extra pure

article number: 0337

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
P201	Obtain special instructions before use.
P220	Keep/store away from combustible materials.
P280	Wear protective gloves/eye protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

### 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Nickel(II) nitrate hexahydrate
Index No	028-012-00-1
Registration number (REACH)	01-2119492333-38-xxxx
EC number	236-068-5
CAS number	13478-00-7
Molecular formula	$\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$
Molar mass	290,8 g/mol

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II) nitrate hexahydrate $\geq 98\%$ , extra pure

article number: 0337

### General notes

Avoid exposure - obtain special instructions before use.

### Following inhalation

Provide fresh air. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

### Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions (such as skin rashes, hives, asthma or anaphylactic shock), Cough, Vomiting, Nausea, Risk of serious damage to eyes

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible. Oxidising property.

#### Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II) nitrate hexahydrate  $\geq 98\%$ , extra pure**

article number: **0337**

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

### Advices on how to contain a spill

Covering of drains.

### Advices on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. Avoid dust formation.

#### • Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

##### • Ventilation requirements

Use local and general ventilation.

##### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

### 7.3 Specific end use(s)

No information available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II) nitrate hexahydrate  $\geq 98\%$ , extra pure**

article number: **0337**

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)



#### Eye/face protection

Use safety goggles with side protection.

#### Skin protection

- **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### Respiratory protection

Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White). Respiratory protection necessary at: Dust formation. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

#### Environmental exposure controls

Keep away from drains, surface and ground water.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II) nitrate hexahydrate  $\geq 98\%$ , extra pure**

article number: **0337**

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid (crystalline)
Colour	green
Odour	like: Nitric acid
Odour threshold	No data available

#### Other physical and chemical parameters

pH (value)	5 (50 g/l, 20 °C)
Melting point/freezing point	56 – 57 °C
Initial boiling point and boiling range	136 – 137 °C
Flash point	not applicable
Evaporation rate	no data available
Flammability (solid, gas)	These information are not available
<u>Explosive limits</u>	
• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	these information are not available
Vapour pressure	This information is not available.
Density	2,05 g/cm <sup>3</sup> at 20 °C
Vapour density	This information is not available.
Bulk density	~ 800 kg/m <sup>3</sup>
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	~ 940 g/l at 20 °C
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	>137 °C
Viscosity	not relevant (solid matter)
Explosive properties	Shall not be classified as explosive
Oxidising properties	oxidiser

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II) nitrate hexahydrate  $\geq 98\%$ , extra pure**

article number: **0337**

## 9.2 Other information

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Oxidising property.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Reducing agents, Acids

### 10.4 Conditions to avoid

Keep away from heat. - Decomposition takes place from temperatures above:  $>137^{\circ}\text{C}$ .

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Exposure route	Endpoint	Value	Species	Source
oral	LD50	1.620 mg/kg	rat	TOXNET

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause sensitization by skin contact. May cause sensitization by inhalation.

#### Summary of evaluation of the CMR properties

##### Germ cell mutagenicity:

Suspected of causing genetic defects

##### Carcinogenicity:

May cause cancer by inhalation

##### Reproductive toxicity:

May damage the unborn child

##### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II) nitrate hexahydrate $\geq 98\%$ , extra pure

article number: 0337

### • Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, nausea

#### • If in eyes

Causes serious eye damage

#### • If inhaled

cough, breathing difficulties, asthmatic complaints, a respiratory sensitiser

#### • If on skin

irritant effects, a skin sensitiser

### Other information

Other adverse effects: Methaemoglobinaemia

## SECTION 12: Ecological information

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute)

Very toxic to aquatic organisms.

Endpoint	Value	Species	Source	Exposure time
EC50	0,9 mg/l	daphnia magna	ECOTOX-Database	48 h
LC50	10,6 mg/l	common carp (Cyprinus caprio)	ECOTOX-Database	96 h

#### Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

### 12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II) nitrate hexahydrate  $\geq 98\%$ , extra pure**

article number: **0337**

## 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

14.1	UN number	2725
14.2	UN proper shipping name	NICKEL NITRATE
	Hazardous ingredients	Nickel(II) nitrate hexahydrate
14.3	Transport hazard class(es)	
	Class	5.1 (oxidizing substances)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	hazardous to the aquatic environment

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	2725
Proper shipping name	NICKEL NITRATE
Particulars in the transport document	UN2725, NICKEL NITRATE, 5.1, III, (E), environmentally hazardous
Class	5.1
Classification code	O2
Packing group	III
Danger label(s)	5.1 + "fish and tree"

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II) nitrate hexahydrate $\geq 98\%$ , extra pure

article number: 0337



Environmental hazards	yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	50
<b>Emergency Action Code</b>	1Z

### • International Maritime Dangerous Goods Code (IMDG)

UN number	2725
Proper shipping name	NICKEL NITRATE
Particulars in the shipper's declaration	UN2725, NICKEL NITRATE, 5.1, III, MARINE POLLUTANT
Class	5.1
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	5.1 + "fish and tree"



Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-Q
Stowage category	A

### • International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	2725
Proper shipping name	Nickel nitrate
Particulars in the shipper's declaration	UN2725, Nickel nitrate, 5.1, III
Class	5.1
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	5.1

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II) nitrate hexahydrate ≥ 98%, extra pure**

article number: **0337**



Excepted quantities (EQ)

E1

Limited quantities (LQ)

10 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

Not listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

Not listed.

- **Restrictions according to REACH, Annex XVII**

Name of substance	CAS No	Wt%	Type of registration	No
Nickel(II) nitrate hexahydrate		100	1907/2006/EC annex XVII	3
Nickel(II) nitrate hexahydrate		100	1907/2006/EC annex XVII	28
Nickel(II) nitrate hexahydrate		100	1907/2006/EC annex XVII	30
Nickel(II) nitrate hexahydrate		100	1907/2006/EC annex XVII	27

- **List of substances subject to authorisation (REACH, Annex XIV)**

not listed

- **Seveso Directive**

#### 2012/18/EU (Seveso III)

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P8	oxidising liquids and solids	50	200	55)

#### Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

#### Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II) nitrate hexahydrate  $\geq 98\%$ , extra pure**

article number: **0337**

**Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

not listed

**Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

not listed

## National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
vPvB	very Persistent and very Bioaccumulative

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II) nitrate hexahydrate $\geq 98\%$ , extra pure

article number: 0337

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	may intensify fire; oxidiser
H302	harmful if swallowed
H315	causes skin irritation
H317	may cause an allergic skin reaction
H318	causes serious eye damage
H332	harmful if inhaled
H334	may cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	suspected of causing genetic defects
H350i	may cause cancer by inhalation
H360D	may damage the unborn child
H372	causes damage to organs through prolonged or repeated exposure
H400	very toxic to aquatic life
H410	very toxic to aquatic life with long lasting effects

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.