Printing date 19.05.2011

Safety data sheet according to Regulation (EC) No. 1907/2006

Version number 1



Revision: 19.05.2011

1 Identification of the substance/mixture and of the company/undertaking		
· Product identifier		
· Trade name: BUTYRIC ACID HEXYL ESTER ROTICHROM® GC		
 Article number: 9451 CAS Number: 2639-63-6 EINECS Number: 220-136-6 Relevant identified uses of the substance or mixture and Application of the substance / the preparation Laboratory 		
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Carl Roth GmbH + Co. KG Schoemperlenstraße 3-5 76185 Karlsruhe Telefon: +49/(0)721 5606-0 	Telefax: +49/(0)721 5606-149 E-Mail: info@carlroth.de	
• Further information obtainable from: Department Health, • Emergency telephone number: Poison Centre Munich	Safety and Environment Telefon +49/(0)89 19240	
2 Hazards identification		
 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The substance is not classified according to the CLP regulation. 		
· Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void		
 Label elements Labelling according to Regulation (EC) No 1272/2008 Voltation Hazard pictograms Void Signal word Void Hazard statements Void Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	bid	
3 Composition/information on ingredients		
 Chemical characterization: Substances CAS No. Description 2639-63-6 Hexyl butyrate Identification number(s) EC Number: 220-136-6 		
4 First aid measures		
 Description of first aid measures After inhalation: Supply fresh air. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Rinse opened eye for 10 minutes under r After swallowing: Rinse out mouth and drink a glass of water. Do not induce version 		

Safety data sheet

according to Regulation (EC) No. 1907/2006

Printing date 19.05.2011

Version number 1



Revision: 19.05.2011

Trade name: BUTYRIC ACID HEXYL ESTER ROTICHROM® GC

(Contd. of page 1)

If symptoms persist consult doctor.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, powder, foam.
- Special hazards arising from the substance or mixture Forms explosive mixtures with air at elevated temperatures.
- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (e.g. Rotisorb® Art.-Nr. 1710.1).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Handling corresponding to laboratory safety guidelines.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Respiratory protection: Required when vapours/aerosols are generated.
- Protection of hands:



Protective gloves

• Material of gloves Butylcaoutchouc, thickness: 0,7 mm

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No. 1907/2006

Printing date 19.05.2011

Version number 1

Revision: 19.05.2011

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and vari from manufacturer: o manufacturer: Penetration time of glove material Value for the permeation: Level ≥ 3 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties General Information on basic physical and chemical properties General Information Appearance: Form: Form: Colour: Colouris Colouris Characteristic Change in condition Melting point/Melting range: Datage: Datage of explosion: Datage: Datage of explosion: Solubility in / Miscibility with water: Not miscible or difficult to mix. Segregation coefficient (n-octanol/water): 3.81 log POW Distability and reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of Mazardous reactions. Hazardous decomposition products: No information available. Difformation on toxicological effects Active toxicity: Difformation on toxicological effects Characteristic Chemical stability Chemical stability	Trade name: BUTYRIC ACID HEXYL ESTER ROTICHROM® GC		
9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Fluid Colour: Colourless Odour: Colourless Odour: Colourles Odour: Colourless Odour: Colarcersite Page of condition grange: 205°C Flash point: 83°C Danger of explosion: Product does not present an explosion hazard. Density at 20°C: 0.851 g/cm³ Solubility in / Miscibility with water: water: Not miscible or difficult to mix. Segregation coefficient (n-octanol/water): 3.81 log POW 10 Stability and reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possib	from manufacturer to manufacturer. • Penetration time of glove material Value for the permeation: Level ≥ 3 The exact break through time has to be for • Eye protection:		
 Information on basic physical and chemical properties General Information Appearance: General Information Appearance: Appearance:	· Body protection: Protective work clothing		
• General Information Fluid • Appearance: Fluid • Colour: Colourless • Odour: Characteristic • Odour: Characteristic • Odour: Characteristic • Odour: Characteristic • Odour: Undetermined. Boiling point/Molting range: Undetermined. Boiling point/Boiling range: 205°C • Flash point: 83°C • Danger of explosion: Product does not present an explosion hazard. • Density at 20°C: 0.851 g/cm³ • Solubility in / Miscibility with water: water: Not miscible or difficult to mix. • Segregation coefficient (n-octanol/water): 3.81 log POW 10 Stability and reactivity • Chemical stability • Thermal decomposition / conditions to be avoided: Heating • Possibility of hazardous reactions Violent reactions. • Incompatible materials: Strong oxidizing agents. • Hazardous decomposition products: No information available. 11 Toxicological information • Acute toxicity: • LofU-LC50 values relevant for classification: • Oral LD50 >5000 mg/kg	9 Physical and chemical properties		
· Appearance: Form: Fluid Form: Colour: Colourless · Odour: Characteristic · Odour: Undetermined. Boiling point/Boiling range: Undetermined. Boiling point/Boiling range: Undetermined. Boiling point/Boiling range: Undetermined. Boiling point/Boiling range: 205°C · Flash point: 83°C · Danger of explosion: Product does not present an explosion hazard. · Density at 20°C: 0.851 g/cm ³ · Solubility in / Miscibility with Not miscible or difficult to mix. · Segregation coefficient (n-octanol/water): 3.81 log POW Informal decomposition / conditions to be avoided: Heating · Presisbility of hazardous reactions Violent reactions. Incompatible materials: Strong oxidizing agents. · Incompatible materials: Strong oxidizing agents. Hazardous decomposition products: No information available. It Toxicological information Information ano toxicological effects · Acter to toxicty: Information on toxicological effects · Acter to toxicty: Information classification: · Day op >5000 mg/kg (rat) Gregation classification: <th></th> <th>mical properties</th>		mical properties	
Form: Fluid Colour: Colourless Odour: Characteristic * Odour: Undetermined. Boiling point/Boiling range: 205°C * Flash point: 83°C * Danger of explosion: Product does not present an explosion hazard. • Density at 20°C: 0.851 g/cm³ * Solubility in / Miscibility with water: Not miscible or difficult to mix. * Segregation coefficient (n-octanol/water): 3.81 log POW 10 Stability and reactivity * Reactivity • Chemical stability * Thermal decomposition / conditions to be avoided: Heating • Possibility of hazardous reactions Violent reactions. • Incompatible materials: Strong oxidizing agents. • Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects • Accute toxicity: • LD/LCS0 values relevant for classification: oral LD50 >5000 mg/kg (rat)			
· Odour:Characteristic• Change in conditionUndetermined.Melting point/Boiling range:205°C• Flash point:83°C• Danger of explosion:Product does not present an explosion hazard.• Density at 20°C:0.851 g/cm³• Solubility in / Miscibility with water:Not miscible or difficult to mix.• Segregation coefficient (n-octanol/water):3.81 log POW10 Stability and reactivity• Chemical stability • Thermal decomposition / conditions to be avoided: Heating • Possibility of hazardous reactions Violent reactions.• Incompatible materials: Strong oxidizing agents.• Hazardous decomposition products: Normation available.11 Toxicological information• Information on toxicological effects • Acute toxicity:• Call• LD50 >5000 mg/kg (rat)		Fluid	
• Change in condition Melting point/Melting range: 205°C Boiling point/Boiling range: 205°C • Flash point: 83°C • Danger of explosion: Product does not present an explosion hazard. • Density at 20°C: 0.851 g/cm³ • Solubility in / Miscibility with water: Not miscible or difficult to mix. • Segregation coefficient (n-octanol/water): 3.81 log POW 10 Stability and reactivity • Chemical stability • Not miscible or difficult to mix. • Reactivity • Stability of hazardous reactions to be avoided: Heating • Possibility of hazardous reactions Violent reactions. • Incompatible materials: Strong oxidizing agents. • Hazardous decomposition products: No information available. • Information on toxicological effects • Acute toxicity: • LD/LC50 values relevant for classification: • Oral LD50 >5000 mg/kg (rat)			
Melting point/Melting range: Undetermined. Boiling point/Boiling range: 205°C 205°C 83°C Danger of explosion: Product does not present an explosion hazard. Density at 20°C: 0.851 g/cm³ Solubility in / Miscibility with water: Not miscible or difficult to mix. Segregation coefficient (n-octanol/water): 3.81 log POW ID Stability and reactivity Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions. Possibility and reactivity: Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat)		Characteristic	
Danger of explosion: Product does not present an explosion hazard. Density at 20°C: 0.851 g/cm ³ Solubility in / Miscibility with water: Not miscible or difficult to mix. Segregation coefficient (n-octanol/water): 3.81 log POW 10 Stability and reactivity Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions Violent reactions. Incompatible materials: Strong oxidizing agents. Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat)	Melting point/Melting range:		
 Density at 20°C: 0.851 g/cm³ Solubility in / Miscibility with water: Not miscible or difficult to mix. Segregation coefficient (n-octanol/water): 3.81 log POW 10 Stability and reactivity Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions. Incompatible materials: Strong oxidizing agents. Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat) 	· Flash point:	83°C	
 Solubility in / Miscibility with water: Not miscible or difficult to mix. Segregation coefficient (n-octanol/water): 3.81 log POW 10 Stability and reactivity Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions Violent reactions. Incompatible materials: Strong oxidizing agents. Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat) 	· Danger of explosion:	Product does not present an explosion hazard.	
 Solubility in / Miscibility with water: Not miscible or difficult to mix. Segregation coefficient (n-octanol/water): 3.81 log POW 10 Stability and reactivity Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions Violent reactions. Incompatible materials: Strong oxidizing agents. Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat) 			
 10 Stability and reactivity Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions Violent reactions. Incompatible materials: Strong oxidizing agents. Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat) 	Solubility in / Miscibility with		
 Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions Violent reactions. Incompatible materials: Strong oxidizing agents. Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat) 	· Segregation coefficient (n-octanol/wate	er): 3.81 log POW	
 Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions Violent reactions. Incompatible materials: Strong oxidizing agents. Hazardous decomposition products: No information available. 11 Toxicological information Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat) 			
 Information on toxicological effects Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat) 	 Chemical stability Thermal decomposition / conditions to be avoided: Heating Possibility of hazardous reactions Violent reactions. Incompatible materials: Strong oxidizing agents. 		
 Acute toxicity: LD/LC50 values relevant for classification: Oral LD50 >5000 mg/kg (rat) 	11 Toxicological information		
 Specific symptoms in biological assay: Skin irritation test (rabbit): slight irritations. Primary irritant effect: on the skin: Slight irritations. on the eye: No irritating effect. after inhalation: No irritating effect. 	 Acute toxicity: LD/LC50 values relevant for classifica Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rabbit) Specific symptoms in biological assay: Primary irritant effect: on the skin: Slight irritations. on the eye: No irritating effect. 		

Safety data sheet

according to Regulation (EC) No. 1907/2006



Version number 1



Revision: 19.05.2011

(Contd. of page 3)

Trade name: BUTYRIC ACID HEXYL ESTER ROTICHROM® GC

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

• Further information: The product should be handled with the care usual when dealing with chemicals.

12 Ecological information

· Toxicity

- Acquatic toxicity: Quantitative data on the ecological effect of this product are not available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.
- · Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

13 Disposal considerations

· Waste treatment methods

· Recommendation

The disposal is regionally differently regulated, therefore the kind of disposal is to be inquired at the responsible authorities.

This material and its container must be disposed of as hazardous waste.

- · Uncleaned packaging:
- · Recommendation: Disposal according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- **Remarks:** Not subject to transport regulations.
- · Maritime transport IMDG:
- · IMDG Class:
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -
- · Special precautions for user Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Department: Health, Safety and Environment

• Contact: Frau Dr. Rupp

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No. 1907/2006 Version number 1



Revision: 19.05.2011

(Contd. of page 4)

Trade name: BUTYRIC ACID HEXYL ESTER ROTICHROM® GC

· Abbreviations and acronyms:

Printing date 19.05.2011

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

• * Data compared to the previous version altered.