

Revision: 18.10.2013

Printing date 18.10.2013

Version number 2

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SILICONE OIL DC 710 ~ 500cSt

Article number: 0899

CAS Number: 63148-58-3

Registration number

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Laboratory chemical

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Carl Roth GmbH + Co. KG Schoemperlenstraße 3-5 76185 Karlsruhe Germany

Telefon: +49/(0)721 5606-0 Telefax: +49/(0)721 5606-149 E-Mail: sicherheit@carlroth.de

Further information obtainable from: Department Health, Safety and Environment

1.4 Emergency telephone number:

Poison Centre Munich Telefon +49/(0)89 19240

2 Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Void

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

2.3 Other hazards

All chemicals are potentially dangerous. They are therefore only be handled by specially trained personnel with the necessary care.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 2)



Printing date 18.10.2013 Version number 2 Revision: 18.10.2013

Trade name: SILICONE OIL DC 710 ~ 500cSt

(Contd. of page 1)

3 Composition/information on ingredients

3.1 Chemical characterization: Substances

CAS No. Description

63148-58-3 Methyl phenyl silicone oil

4 First aid measures



4.1 Description of first aid measures

General information:

Remove any clothing soiled by the product.

After inhalation:

After inhalation of vapors (thermal decomposition):

Supply fresh air; if there is any trouble seek medical help.

After skin contact:

Rinse with warm water.

After eye contact:

To be sure rinse opened eye under running water. If there is any trouble seek medical help.

After swallowing:

If there is any trouble seek medical help.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In the event of fire development of hazardous combustion gases or vapours possible.

In case of fire, the following can be released:

formaldehyde vapours

Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 3)



Printing date 18.10.2013 Version number 2 Revision: 18.10.2013

Trade name: SILICONE OIL DC 710 ~ 500cSt

(Contd. of page 2)

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions

Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (small spills with absorbent cloth) and discard.

Dispose of the material collected according to regulations.

Clean the affected area carefully.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

No special precautions are necessary if used correctly.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities:

No further data: see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: Not required.

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

(Contd. on page 4)



Printing date 18.10.2013 Version number 2 Revision: 18.10.2013

Trade name: SILICONE OIL DC 710 ~ 500cSt

(Contd. of page 3)

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Respiratory protection:



Required when vapours/aerosols are generated.

Protection of hands:



For the permanent contact gloves are recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile, thickness: ≥ 0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

Value for the permeation: Level ≥ 6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, thickness: ≥ 0.11 mm

Eye protection:



Tightly sealed goggles

Body protection:

Protective work clothing

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid Colourless
Odour: Odourless

Odour threshold: No information available.

pH-value: No information available.

(Contd. on page 5)



Printing date 18.10.2013 Version number 2 Revision: 18.10.2013

Trade name: SILICONE OIL DC 710 ~ 500cSt

		(Contd. of page 4)
Change in condition Melting point/Melting range: Boiling point/Boiling range:	No information available. > 65 °C	
Flash point:	> 100 °C (c.c.)	
Flammability (solid, gaseous):	No information available	
Ignition temperature:	No information available	
Decomposition temperature:	No information available	
Self-igniting:	No information available	
Danger of explosion:	Forms explosive mixtures with air on intense heating.	
Explosion limits: Lower: Upper: Oxidizing properties:	No information available. No information available. No information available.	
Vapour pressure:	No information available	
Density at 20 °C: Vapour density Evaporation rate	1.1 g/cm³ No information available No information available	
Solubility in / Miscibility with water:	Insoluble.	
Partition coefficient (n-octanol/wa	ter): No information available	
Viscosity: Dynamic: Kinematic:	No information available. No information available.	

No further relevant information available.

10 Stability and reactivity

9.2 Other information

10.1 Reactivity See section 10.3

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents.

10.4 Conditions to avoid

Strong Heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.5 Incompatible materials:

No information available.

10.6 Hazardous decomposition products:

In case of fire: see item 5.

(Contd. on page 6)



Printing date 18.10.2013 Version number 2 Revision: 18.10.2013

Trade name: SILICONE OIL DC 710 ~ 500cSt

(Contd. of page 5)

11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

Quantitative data on the toxicity of this product are not available.

Primary irritant effect:

on the skin:

No known significant effects or critical hazards.

on the eye:

May cause temporary discomfort.

after inhalation:

No known significant effects or critical hazards.

Sensitization:

No sensitizing effects known.

CMR effects:

Germ cell mutagenicity:

No known significant effects or critical hazards.

Carcinogenicity:

No known significant effects or critical hazards.

Reproductive toxicity:

No known significant effects or critical hazards.

Aspiration hazard:

No aspiration toxicity classification.

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Further information:

The product should be handled with the care usual when dealing with chemicals.

12 Ecological information

12.1 Toxicity

Aquatic toxicity:

Quantitative data on the ecological effect of this product are not available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

The product floats on water and does not dissolve.

(Contd. on page 7)



Revision: 18.10.2013

Printing date 18.10.2013

Version number 2

Trade name: SILICONE OIL DC 710 ~ 500cSt

(Contd. of page 6)

Ecotoxical effects:

Remark:

Do not allow to enter waters, waste water, or soil!

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects

No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

The disposal is regionally differently regulated, therefore the kind of disposal is to be inquired at the responsible authorities.

Uncleaned packaging:

Recommendation:

Disposal according to official regulations.

14 Transport information		
14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	-	

(Contd. on page 8)

GB



Printing date 18.10.2013 Version number 2 Revision: 18.10.2013

Trade name: SILICONE OIL DC 710 ~ 500cSt

(Contd. of page 7)

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Breakdown regulations:

-

Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

-

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing MSDS: Department: Health, Safety and Environment

Contact: Frau Weckemann
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

LD50*: Lethal Dose, 50 percent (Not relevant for classification)

LD50*: Lethal Concentration, 50 percent (Not relevant for classification)

GB