

	Contian 1 1	dantification of the Substance/Mixture and of th	the Company/Indortaking			
	Section 1. I	dentification of the Substance/Mixture and of the	ne Company/Undertaking			
.1	Product Code:	18889				
	Product Name:	NS309				
	Synonyms:	6,7-dichloro-1H-indole-2,3-dione 3-oxime;				
.2	Relevant identified uses of	the substance or mixture and uses advised ag	gainst:			
	Relevant identified uses:	For research use only, not for human or veteri	inary use.			
.3	Details of the Supplier of the Safety Data Sheet:					
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108				
	Web site address:	www.caymanchem.com				
	Information:	Cayman Chemical Company	+1 (734)971-3335			
.4	Emergency telephone num					
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300			
	0	CHEMTREC Outside USA and Canada:	+1 (703)527-3887			
		Section 2. Hazards Identific	ation			
.1	Classification of the Subst		allon			
.2	Serious Eye Damage/Eye	Category 2 e Irritation, Category 2 exicity (single exposure), Category 3				
.2	Serious Eye Damage/Eye Specific Target Organ To	e Irritation, Category 2				
.2	Serious Eye Damage/Eye Specific Target Organ To	e Irritation, Category 2				
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases:	e Irritation, Category 2 oxicity (single exposure), Category 3 Warning				
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio	e Irritation, Category 2 exicity (single exposure), Category 3 Warning				
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye	e Irritation, Category 2 oxicity (single exposure), Category 3 Warning n. irritation.				
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. ory irritation.				
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases	e Irritation, Category 2 oxicity (single exposure), Category 3 Warning n. irritation. ory irritation.				
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dustication	e Irritation, Category 2 oxicity (single exposure), Category 3 Warning n. irritation. ory irritation. st/fume/gas/mist/vapors/spray}.				
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. ory irritation. irritation. st/fume/gas/mist/vapors/spray}. ughly after handling.	tion			
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. bry irritation. st/fume/gas/mist/vapors/spray}. ughly after handling. by protective clothing/eye protection/face protect	tion}.			
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo GHS Response Phrases:	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. ory irritation. irritation. irritation. irritation. ory irritation. irritation. ory irritation. irritation. ory irritation. ory irritation. irritation. ory irritation. ory irritation. irritation. ory irritation. ory irritation. irritation. ory irritation. irritation. ory irritation. ory irritation. ory irritation. irritation. ory irritation. ory ir	tion}.			
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo GHS Response Phrases: P302+352: IF ON SKIN: W	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. bry irritation. st/fume/gas/mist/vapors/spray}. ughly after handling. wes/protective clothing/eye protection/face protect /ash with plenty of soap and water.				
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. bry irritation. bry irritation. st/fume/gas/mist/vapors/spray}. ughly after handling. wes/protective clothing/eye protection/face protect /ash with plenty of soap and water. Remove victim to fresh air and keep at rest in a pos	sition comfortable for breathing.			
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. bry irritation. st/fume/gas/mist/vapors/spray}. ughly after handling. wes/protective clothing/eye protection/face protect /ash with plenty of soap and water.	sition comfortable for breathing.			
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYE to do. Continue rinsing.	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. bry irritation. bry irritation. st/fume/gas/mist/vapors/spray}. ughly after handling. wes/protective clothing/eye protection/face protect /ash with plenty of soap and water. Remove victim to fresh air and keep at rest in a pos	sition comfortable for breathing.			
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYE to do. Continue rinsing. P312: Call a POISON CEN	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. bry irritation. bry irritation. : st/fume/gas/mist/vapors/spray}. ughly after handling. wes/protective clothing/eye protection/face protect /ash with plenty of soap and water. Remove victim to fresh air and keep at rest in a pos :S: Rinse cautiously with water for several minutes	sition comfortable for breathing.			
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYE to do. Continue rinsing. P312: Call a POISON CEN P332+313: If skin irritation	e Irritation, Category 2 pxicity (single exposure), Category 3 Warning n. irritation. bry irritation. bry irritation. irritation. bry irritation. irritation. bry irritation. bry irri	sition comfortable for breathing.			
.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritatio H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases P261: Avoid breathing {dus P264: Wash {hands} thoro P280: Wear {protective glo GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYE to do. Continue rinsing. P312: Call a POISON CEN P332+313: If skin irritation P337+313: If eye irritation	e Irritation, Category 2 exicity (single exposure), Category 3 Warning n. irritation. bry irritation. bry irritation. :: st/fume/gas/mist/vapors/spray}. ughly after handling. wes/protective clothing/eye protection/face protect /ash with plenty of soap and water. Remove victim to fresh air and keep at rest in a pos S: Rinse cautiously with water for several minutes ITER or doctor/physician if you feel unwell. occurs, get medical advice/attention.	sition comfortable for breathing.			

4
Cauman
Caynan

SAFETY DATA SHEET NS309

Page: 2 of 6

cay	man					Revision. 02/01/2010			
	Please	e refer to Section 7	for Storage and Section 13 for	r Disposal informatio	on.				
2.3	Advers	e Human Health	Causes serious eye irritation.						
	Effects	and Symptoms:	Causes skin irritation.						
			Material may be irritating to t	he mucous membra	anes and upper res	spiratory tract.			
			May be harmful by inhalation						
			May cause respiratory system	m irritation.	-				
		To the best of our knowledge, the toxicological properties have not been thoroughly investig							
		Sec	tion 3. Composition	/Information	on Ingredie	nts			
CAS	#/	Hazardous Com	ponents (Chemical Name)/	Concentration	EC No./	GHS Classification			
RTE		REACH Registra			EC Index No.				
1871	1-16-5	NS309		100.0 %	NA	Skin Corr. 2: H315			
NA					NA	Eye Damage 2: H319			
						STOT (SE) 3: H335			
			Section 4. Fi	rst Aid Meas	ures				
4.1	Descrip	otion of First Aid							
	Measur	'es:							
	In Case	e of Inhalation:			al respiration or given and the second se	ve oxygen by trained personnel.			
			Get immediate medical atten	tion.					
	In Case	of Skin Contact:	-			5 minutes. Remove contaminated			
			clothing. Get medical attentic	medical attention if symptoms occur. Wash clothing before reuse.					
	In Case	of Eye Contact:		yelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined					
			and tested by medical persor						
	In Case of Ingestion:		Wash out mouth with water provided person is conscious. Never give anything by mouth to an						
				dical attention. Do N	NOT induce vomiti	ng unless directed to do so by			
			medical personnel.						
			Section 5. Fire						
5.1	Suitabl	e Extinguishing	Use alcohol-resistant foam, o			spray.			
	Media:		Use water spray to cool fire-	exposed containers					
	Unsuitable Extinguishing A solid water stream may be inefficient. Media:								
5.2		able Drenertice or	ndNo data available.						
5.2	Hazard	•							
			No data available.						
	Flash F	Yt:	No data.						
	Explos	ive Limits:	LEL: No data.	UEL: No d	lata.				
		nition Pt:	No data.						
5.3	Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or								
0.0	1 10 1 19		equivalent), and full protectiv		-				

Cayman

SAFETY DATA SHEET NS309

Multi-region format

			Section 6. Acc	cidental Releas	se Measures			
6.1	Protect	ive Precautions,	Avoid raising and bre	athing dust, and provid	le adequate ventilation.			
	Protect	ve Equipment and	d As conditions warran	t, wear a NIOSH appro	ved self-contained breathing	apparatus, or respirator,		
	Emerge	ncy Procedures:	and appropriate pers	onal protection (rubber	nal protection (rubber boots, safety goggles, and heavy rubber gloves).			
6.2	5.2 Environmental Take steps to avoid release into the environment, if safe to do so.							
	Precautions:							
6.3								
	Contain	ment and Cleanin	gTransfer to a chemic	al waste container for c	lisposal in accordance with lo	cal regulations.		
	Up:							
			Section 7.	Handling and	Storage			
7.1	Precaut	ions To Be Taken	Avoid breathing dust/	fume/gas/mist/vapours	/spray.			
	in Hand		Avoid prolonged or re	•				
7.2	Precaut	ions To Be Taken	Keep container tightly	closed.				
	in Stori	ng:	Store in accordance w	with information listed o	n the product insert.			
		Sec	tion 8. Exposu	re Controls/Pe	rsonal Protection			
8.1	Exposu	e Parameters:	·					
CAS	#	Partial Chemical	Name	Britain EH40	France VL	Europe		
1871	1-16-5	NS309		No data.	No data.	No data.		
CAS	#	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits		
1871	1-16-5	NS309		No data.	No data.	No data.		
8.2	Exposu	re Controls:						
8.2.1	Enginee	ering Controls	Use process enclosur	res, local exhaust venti	lation, or other engineering co	ontrols to control airborne		
	(Ventila	tion etc.):	levels below recomme	ended exposure limits.				
8.2.2	Person	al protection equi	pment:					
			Safety glasses					
	Protective Gloves: Comp		Compatible chemical-	compatible chemical-resistant gloves				
	Other Protective Clothing:Lab		_ab coat					
	Respiratory Equipment NIOS		NIOSH approved resp	IIOSH approved respirator, as conditions warrant.				
	(Specify	/ Туре):						
	Work/H	ygienic/Maintenar	Do not take internally					
	ce Practices:		Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.					
			Wash thoroughly after handling.					
			No data available.					



Page: 4 of 6

	Se	ection 9. Physical and Chemical Properties		
).1	Information on Basic Physi	ical and Chemical Properties		
	Physical States:	[]Gas []Liquid [X]Solid		
	Appearance and Odor:	A pale yellow to yellow solid		
	Melting Point:	No data.		
	Boiling Point:	No data.		
	Flash Pt:	No data.		
	Evaporation Rate:	No data.		
	Flammability (solid, gas):	No data available.		
	Explosive Limits:	LEL: No data. UEL: No data.		
	Vapor Pressure (vs. Air or	mm No data.		
	Hg):			
	Vapor Density (vs. Air = 1)	: No data.		
	Specific Gravity (Water = 1	I): No data.		
	Solubility in Water:	No data.		
	Solubility Notes:	~100 mM in DMSO;		
	Autoignition Pt:	No data.		
ə .2	Other Information			
	Percent Volatile:	No data.		
	Molecular Formula & Weig			
	molocular i officia a molo			
		Section 10. Stability and Reactivity		
10.1	,	No data available.		
10.2	-	Unstable [] Stable [X]		
10.3		Stable if stored in accordance with information listed on the product insert.		
	-	Will occur [] Will not occur [X]		
10.4		No data available.		
10.5	Incompatibility - Materials strong oxidizing agents			
	To Avoid:			
10.6		No data available.		
	Decomposition or			
	Byproducts:			
		Multi-reg	gion form	



	ological Effects:							
CAS #		ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA		
18711-16-5	NS309		n.a.	n.a.	n.a.	n.a.		
		Section 12. Ecol	ogical Informa	ation				
12.1 Toxic	ity:	Avoid release into the environment.						
		Runoff from fire control or dilution water may cause pollution.						
	stence and adability:	No data available.						
12.3 Bioa Pote	cumulative	No data available.						
12.4 Mobi	ity in Soil:	No data available.						
12.5 Results of PBT and vPvB No data available. assessment:								
12.6 Othe	adverse effects:	No data available.						
		Section 13. Dispo	sal Considera	itions				
13.1 Wast	e Disposal Method:	Dispose in accordance with lo	cal, state, and federal	regulations.				
		Section 14. Tra	nsport Informa	ation				
14.1 LAN	D TRANSPORT (US	DOT):						
DOT Pro	per Shipping Name	Not dangerous goods.						
DOT Ha	zard Class:							
UN/NA I	lumber:							
14.1 LAN	D TRANSPORT (Eur	opean ADR/RID):						
ADR/RI) Shipping Name:	Not dangerous goods.						
UN Nun	ber:							
Hazard	Class:							
14.3 AIR	FRANSPORT (ICAO/	IATA):						
ICAO/IA	TA Shipping Name:	Not dangerous goods.						
Additional	-	Transport in accordance with	local, state, and feder	al regulations.				
Information	:							
		Section 15. Reg	ulatory Informa	ation				
		nents and Reauthorization Ac	-					
CAS #		ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ		3 (TRI)		
18711-16-5			No	No	No			
		Hazardous Components (Chemical Name)		Other US EPA or State Lists				
CAS #	NS309	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No						
CAS # 18711-16-5								



Revision: 02/01/2016

Page: 6 of 6

Regulatory Information	This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)			
Statement:	No.1272/2008.			
Section 16. Other Information				
Revision Date:	02/01/2016			
Additional Information About	No data available.			
This Product:				
	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.			
1				