

	accord	ontification of the Culture and Culture	o Compony// Indontol/ing					
	Section 1. Ide	entification of the Substance/Mixture and of the	e Company/Undertaking					
1.1	Product Code:	15215						
	Product Name:	Ko 143						
	Synonyms:	(3S,6S,12aS)-1,2,3,4,6,7,12,12a-octahydro-9-m 2':1,6]pyrido[3,4-b]indole-3-propanoic acid 1,1-c						
1.2	Relevant identified uses of the substance or mixture and uses advised against:							
	Relevant identified uses:	For research use only, not for human or vetering	ary use.					
1.3	Details of the Supplier of the Safety Data Sheet:							
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108						
	Web site address:	www.caymanchem.com						
	Information:	Cayman Chemical Company	+1 (734)971-3335					
1.4	Emergency telephone numb	er:						
	Emergency Contact:	CHEMTREC Within USA and Canada: CHEMTREC Outside USA and Canada:	+1 (800)424-9300 +1 (703)527-3887					
		Saction 2 Hazarda Idantifia	tion					
	Classification of the Substar Classification according to Skin Corrosion/Irritation, C Serious Eye Damage/Eye I	Regulation (EC) No 1272/2008 [CLP]: Category 2						
2.1.1	Classification according to Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to Xi: Irritant Risk Phrases: R36/37/38	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC:						
2.1.1 2.1.2	Classification according to Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases:	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC:						
2.1 2.1.1 2.1.2 2.2 2.2	Classification according to Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements:	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC:						
2.1.1 2.1.2 2.2	Classification according to Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements:	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC:						
2.1.1 2.1.2 2.2	Classification according to Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements:	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC:						
2.1.1 2.1.2 2.2	Classification according to 1 Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to 1 Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements: Label Elements: Labeling according to Regu GHS Signal Word: GHS Hazard Phrases:	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC: See SECTION 15.						
2.1.1 2.1.2 2.2	Classification according to I Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to I Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements: Labeling according to Regu GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation.	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC: T see SECTION 15.						
2.1.1 2.1.2 2.2	Classification according to 1 Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to 1 Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements: Labeling according to Regu GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H319: Causes serious eye irrit	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC: The see SECTION 15. Inlation (EC) No 1272/2008 [CLP]: Warning						
2.1.1 2.1.2 2.2	Classification according to I Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to I Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements: Labeling according to Regu GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation.	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC: The see SECTION 15. Inlation (EC) No 1272/2008 [CLP]: Warning						
2.1.1 2.1.2 2.2	Classification according to 1 Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to 1 Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements: Labeling according to Regu GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H319: Causes serious eye irrit	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC: The see SECTION 15. Inlation (EC) No 1272/2008 [CLP]: Warning						
2.1.1 2.1.2 2.2	Classification according to 1 Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to 1 Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements: Labeling according to Regu GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H319: Causes serious eye irrit	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC: The see SECTION 15. Inlation (EC) No 1272/2008 [CLP]: Warning						
2.1.1 2.1.2 2.2	Classification according to 1 Skin Corrosion/Irritation, C Serious Eye Damage/Eye I Target Organ Systemic To Classification according to 1 Xi: Irritant Risk Phrases: R36/37/38 For full text of R- phrases: Label Elements: Labeling according to Regu GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H319: Causes serious eye irrit	nce or Mixture: Regulation (EC) No 1272/2008 [CLP]: Category 2 Irritation, Category 2 exicity (single exposure), Category 3 Directive 1999/45/EC: The see SECTION 15. Inlation (EC) No 1272/2008 [CLP]: Warning						

Multi-region format



GHS Precaution Phrases:

P264: Wash {hands} thoroughly after handling.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

P362+364: Take off contaminated clothing and wash it before reuse.

P261: Avoid breathing {dust/fume/gas/mist/vapours/spray}.

GHS Response Phrases:

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P332+313: If skin irritation occurs, get medical advice/attention.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists, get medical advice/attention.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a {POISON CENTER/doctor/...} if you feel unwell.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.2.2 Labeling according to Directive 1999/45/EC:



 2.3 Adverse Human Health Causes skin irritation.
 Effects and Symptoms: Causes serious eye irritation. Material may be irritating to the mucous membranes and upper respiratory tract. May be harmful by inhalation, ingestion, or skin absorption. May cause respiratory irritation. To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # /	Hazardous Components (Chemical Name)/	Concentration	EC No./	Risk Phrases/
RTECS #	REACH Registration No.		EC Index No.	GHS Classification
461054-93-3 NA	Ко 143	100.0 %	NA NA	Xi; R36/37/38 Skin Corr. 2: H315 Eye Damage 2: H319 TOST (SE) 3: H335 H336



SAFETY DATA SHEET Ko 143

ħ

Revision: 11/26/2014

		Section 4	First Aid Me	asures	
4.1	Description of First Aid	No data available.			
	Measures:				
	In Case of Inhalation:	Remove to fresh air. I Get immediate medic		tificial respiration or give oxyg	en by trained personnel.
	In Case of Skin Contact:			of water for at least 15 minute	
	In Case of Eye Contact:	-	d flush eyes with plenty	of water for at least 15 minut	
	In Case of Ingestion:	Wash out mouth with	water provided person	is conscious. Never give anyt Do NOT induce vomiting unles	
		Section 5.	Fire Fighting	Measures	
5.1	Suitable Extinguishing	Use alcohol-resistant	foam, carbon dioxide,	water, or dry chemical spray.	
	Media:		ool fire-exposed contain	IEIS.	
	Unsuitable Extinguishin Media:	g A Solid water stream	may be inefficient.		
5.2	Flammable Properties a	ndNo data available.			
	Hazards:				
	Flash Pt:	No data.			
	Explosive Limits:	LEL: No data.	UEL: I	No data.	
	Autoignition Pt:	No data.			
5.3	Fire Fighting Instruction	-	-	apparatus pressure-demand	
		equivalent), and full p	protective gear to preve	nt contact with skin and eyes.	
		Section 6. Ac	cidental Releas	se Measures	
6.1	Protective Precautions,	-	÷ .	de adequate ventilation.	
				oved self-contained breathing	
	Emergency Procedures:			boots, safety goggles, and he	eavy rubber gloves).
6.2	Environmental	Take steps to avoid	release into the enviror	nment, if safe to do so.	
	Precautions:	.	1		
6.3	Methods and Material Fo			disposal in sacardar	ool roquiotions
		ng i ransier to a chemic	a waste container for (disposal in accordance with lo	cai regulations.
	Up:				
		Section 7.	Handling and	Storage	
7.1	Precautions To Be Take	-	÷ .	/spray.	
	in Handling:	Avoid prolonged or re			
7.2	Precautions To Be Take			a	
	in Storing:	Store in accordance	with information listed o	on the product insert.	
	Sec	tion 8. Exposu	ire Controls/Pe	rsonal Protection	
8.1	Exposure Parameters:				
CAS	# Partial Chemica	I Name	Britain EH40	France VL	Europe
4610	54-93-3 Ko 143		No data.	No data.	No data.
	ł		•	•	•
					R 141
					Multi-region format



CAS # Partial Chemical 461054-93-3 Ko 143		Partial Chemical Name		OSHA TWA	ACGIH TWA	Other Limits
			No data.	No data.	No data.	
8.2		Controls:				
 8.2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to controls. 						ontrols to control airborn
(Ventilation etc.): levels below recommended exposure limits.						
822	-	l protection equi				
0.2.2	Eye Prot		Safety glasses			
	-	ve Gloves:	Compatible chemica	al-resistant aloves		
		otective Clothing	-	a-resistant gioves		
		-	-	spirator, as conditions v	vorropt	
	(Specify	ory Equipment	NICSI i approved re:			
			n Do not take internall			
	ce Practi	-		-	ould be equipped with an eye	wash and a safety showe
	ce Practi	ces:	Wash thoroughly aft	•		wash and a salety showe
			No data available.	er nanuling.		
		S	ection 9. Phy	sical and Chem	nical Properties	
9.1	Informati	on on Basic Phy	sical and Chemical F	Properties		
	Physical	States:	[] Gas	[] Liquid [X] Solic	l	
	Appeara	nce and Odor:	A crystalline	solid		
	Melting F	Point:	No data.			
	Boiling F	Point:	No data.			
	Flash Pt:	1	No data.			
	Evaporat	tion Rate:	No data.			
	Explosiv	e Limits:	LEL: No dat	a.	UEL: No data.	
	Vapor Pr	essure (vs. Air o	or mm No data.			
	Hg):					
	Vapor De	ensity (vs. Air = 1	I): No data.			
	Specific	Gravity (Water =	1): No data.			
	Solubility	y in Water:	No data.			
	Solubility	y Notes:	~0.25 mg/ml	in 1:3 EtOH:PBS (pH 7	7.2); ~30 mg/ml in EtOH; ~20	mg/ml in DMSO; ~25
			mg/ml in DM	IF;		
	Autoigni	tion Pt:	No data.			
9.2	Other Info	ormation				
	Percent	Volatile:	No data.			
	Molecula	r Formula & Wei	ight: C26H35N3C	95 469.6		
			Section 10). Stability and	Reactivity	
40.4	Desetivit			. Clability and	Rodolivity	
10.1	Reactivit	-	No data available.			
10.2 Stability: Unstable [] Stable [X] 10.3 Stability Note(s): Stable if stored in accordance with information listed on the pro-				ion listed on the product incom	t	
10.5	-					ι.
Polymerization: Will occur [] Will not occur [X]						
10.4		ns To Avoid:	No data available.			
10.5	•	-	s strong oxidizing age	nts		
	To Avoid					
10.6	Hazardo		carbon dioxide			
	Decomp	osition Or	carbon monoxide			
			nitrogen oxides			



Revision: 11/26/2014

	Byprodu	cts:						
			Sectio	on 11. Toxico	logical	Inform	ation	
11.1 Information on The toxicological effects of this product have not been thoroughly studied.						ied.		
Toxicological Effects:								
Carcinogenicity: NTP? No IARC Monographs						OSHA F	Regulated? No	
			Sect	ion 12. Ecolo	gical l	nforma	tion	
2.1	Toxicity:		Avoid releas	se into the environm	ent.			
			Runoff from	fire control or dilution	on water m	ay cause	pollution.	
12.2 Persistence andNo data available.								
	Degrada	bility:						
2.3	Bioaccu		No data ava	ilable.				
	Potential							
2.4	Mobility		No data ava					
2.5		of PBT and vPvB	No data ava	ailable.				
	assessm	ient:						
			Section	on 13. Dispos	sal Cor	nsidera	tions	
3.1	Waste Di	isposal Method:	Dispose in a	accordance with loca	al, state, a	nd federal	regulations.	
			Sec	tion 14. Tran	sport l	nforma	tion	
D(UI 14.1 UI Ha 14.3 IC Additi	OT Hazaro N/NA Num LAND TI DR/RID SH N Number azard Clas AIR TRA	nber: RANSPORT (Euro nipping Name: :: ss: NSPORT (ICAO/ Shipping Name:	opean ADR/f Not dar IATA): Not dar Transport ir	ngerous goods. RID): ngerous goods. n accordance with lo ion 15. Regu				
				v				
EPA :		Perfund Amendin Hazardous Com		eauthorization Act	S. 302		S. 304 RQ	S. 313 (TRI)
	* 54-93-3	Ko 143			No	(EH3)	No	No
4610								
		i			Other US EPA or State Lists CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA			
CAS #	# 54-93-3	Hazardous Com Ko 143	ponents (Ch	nemical Name)		AP,ODC: N		No; TSCA: No; CA



Calman	K0 143	Revision: 11/26/2014
Cayman		
European Community Hazard	Symbol codes:	
	Xi	
European Community Risk an		
R36/37/38	Irritating to eyes, respiratory system and skin.	
S24/25	Avoid contact with skin and eyes.	
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.	
Regulatory Information Statement:	This SDS was prepared in accordance with 29 CFR 1910.1200, Rep and European Directive 67/548/EEC as amended.	gulation (EC) No.1272/2008,
	Section 16. Other Information	
Revision Date:	11/26/2014	
Additional Information About	No data available.	
This Product:		
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and repre	scante the best information
	currently available to us. However, we make no warranty of mercha express or implied, with respect to such information, and we assum use. Users should make their own investigations to determine the s their particular purposes.	e no liability resulting from its