

#### **EREZTECH LLC**

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: http://ereztech.com

# SAFETY DATA SHEET

# Section 1. Identification

**Product Name:** Tetravinylsilane

Product Type: Liquid.

CAS Number: 1112-55-6.

Product Number: SI2556

**Product Manufacturer:** Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

<u>In case of an emergency:</u> (888) 658-1221 (for spill, leak, fire or exposure)

\*\*\* Contact manufacturer for all non-emergency calls.

### Section 2. Hazards Identification

**Emergency Overview** 

**Appearance/Odor:** Liquid, no data available on color or odor. **Classification:** FLAMMABLE LIQUIDS; - Category 2, H225

SKIN CORROSION/IRRITATION; - Category 2, H315

SERIOUS EYE DAMAGE/IRRITATION; - Category 2A, H319 SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION; - Category 3, H335

Signal word: DANGER

**Hazard statements:** H225: Highly flammable liquid and vapor.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

**Hazard pictograms:** 



**Precautionary statements** 

**Prevention:** P210: Keep away from heat/sparks/open flames/hot surfaces – No

smoking.

P233: Keep container tightly closed.

P240: Ground/Bond container and receiving equipment.

Date of Issue: 5/6/16 Page 1 of 13 Revision: 1.00

### Section 2. Hazards Identification

**Prevention (cont.):** P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking equipment.

P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray. P264: Wash exposed skin thoroughly after handling.

P271: Use only outdoors or in a well ventilated area.

P280: Wear protective gloves/eye protection/face protection. P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off

immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel

unwell.

P332 + P313: If skin irritation occurs: Get medical

advice/attention.

P337 + P313: If eye irritation persists: Get medical

advice/attention.

P362: Take off contaminated clothing and wash before reuse. P370 + P378: In case of fire: Use dry chemical powder, foam or

CO<sub>2</sub> for extinction.

**Storage:** P403 + P233 + P235: Store in a well-ventilated place. Keep

container tightly closed. Keep cool.

P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved wasted

disposal plant.

**GHS label elements** 

Response:

General: None.

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

None known.

Hazards not otherwise classified:

# Section 3. Composition/Information on Ingredients

**Substances** 

Formula : C<sub>8</sub>H<sub>12</sub>Si

Molecular weight : 136.27 g/mol : 1112-55-6

Date of Issue: 5/6/16 Page 2 of 13 Revision: 1.00

### Section 3. Composition/Information on Ingredients

Ingredient Name	%	<b>CAS Number</b>
Tetravinylsilane	<=100	1112-55-6

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

**General Advice:** Move out of dangerous area. Immediate medical attention is required.

Show this safety data sheet to the doctor in attendance.

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper

and lower eyelids. Check for and remove any contact lenses. Continue

rinsing.

**Skin Contact:** Wash off contaminated skin with soap and plenty of water. Get medical

attention if irritation develops and persists.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing or pain. In such cases,

seek immediate medical attention. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Call a

physician or POISON CONTROL CENTER.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If

vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a physician or POISON CONTROL

CENTER.

#### Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

**Eye Contact:** May cause slight to mild irritation of the eyes. Symptoms may include

stinging, tearing, and redness.

**Inhalation:** Inhalation may irritate the respiratory tract. Symptoms may include

coughing, wheezing, laryngitis, shortness of breath, headache and

nausea. Symptoms may be delayed.

**Skin Contact:** May cause slight to mild irritation of skin or contact dermatitis.

Date of Issue: 5/6/16 Page 3 of 13 Revision: 1.00

### Section 4. First Aid Measures

**Ingestion:** No information is available on the acute physiological effects of the

ingestion of this compound.

**Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary** 

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

**Protection of**No action taken shall be taken involving any personal risk

**First Responders:** without suitable training. It may be dangerous to the person providing

aid to give mouth-to-mouth resuscitation.

**See toxicological information (Section 11)** 

# Section 5. Fire Fighting Measures

**General Hazards:** Highly flammable liquid and vapor.

**Suitable Extinguishing Media:** Use sand, dry chemical powder, foam or carbon dioxide (CO<sub>2</sub>).

Suitable extinguishing media for the surrounding fire should be used. Fight larger fires with water spray or alcohol resistant

foam. Use water spray to cool containers.

**Unsuitable Extinguishing Media:** Water.

Unusual Fire and Explosion In a fire or if heated, a pressure increase will occur and the

Hazards:

container may burst with the risk of a subsequent explosion. Use water spray to cool unopened containers. Contact with

water liberates toxic, highly flammable gas.

**Product of Combustion:** If involved in a fire, this material may emit irritating and toxic

fumes. Decomposition products may include carbon oxides and

silicone oxides.

**Protection of Firefighters:** Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-

piece operated in a positive pressure mode.

### Section 6. Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

For Non-emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Remove all potential ignition sources. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering spill area.

### Section 6. Accidental Release Measures

For Non-emergency Personnel (cont.):

Do not touch or walk through spilled material. Wear respiratory protection. Put on appropriate personal protective equipment.

**For Emergency Responders:** 

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

**Environmental Precautions:** 

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods for Containment** 

Small Spill:

Absorb spill with inert liquid-binding material (sand, diatomite, acid/universal binders, sawdust). Sweep up absorbent material and place in an appropriate waste disposal container. Do not flush spill area with water or aqueous cleaning solution. Dispose of via a licensed waste disposal contractor.

**Large Spill:** 

Absorb spill with inert liquid-binding material (sand, diatomite, acid/universal binders, sawdust). Sweep up absorbent material and place in an appropriate waste disposal container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Do not flush spill area with water or aqueous cleaning product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and Storage

**Precautions:** 

Handle under an inert gas. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container. Non equilibrium conditions may increase the fire hazard associated with this product. Avoid contact with skin and eyes. Keep container tightly sealed. Avoid breathing vapors, spray or fumes. Avoid prolonged exposure. Provide adequate ventilation. Store in cool, dry place in tightly closed container.

# Section 7. Handling and Storage

**Protective Measures:** Put on appropriate personal protective equipment (see Section

8). Keep ignition sources away – Do not smoke. Protect against electrostatic discharge. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container kept tightly closed when not in use. Empty containers retain

product residue and can be hazardous. Do not reuse container.

Containe

**General Occupational Hygiene:** 

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers

should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

**Safe Storage Conditions:** Store contents under an inert gas. Contact with water liberates

toxic, highly flammable gas. Keep away from flame, sparks, excessive temperatures and open flame. Keep container tightly

closed and sealed until ready for use. Store in original

container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (oxidizing agents, heat/fire sources) and food and drink. Store locked up.

# Section 8. Exposure Controls/Personal Protection

**Introductory Remarks:** These recommendations provide general guidance for handling

this product. Because work environments and material handling practices vary, safety procedures should be developed for each

intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

Occupational Exposure Limits: This product, as delivered, contains no substances with

occupational exposure limits.

**Engineering Controls:** Properly operating chemical fume hood designed for

hazardous/flammable chemicals and having an average face velocity of at least 100 feet per minute is required. Provide an

eyewash/shower station.

**Environmental Exposure Controls:** Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of

environmental protection legislation.

### Section 8. Exposure Controls/Personal Protection

**Environmental Exposure Controls:** (cont.):

In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual Protection Measures**

**Hygiene Measures:** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/Face Protection:**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

# Skin Protection Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Neoprene or nitrile rubber.

### Section 8. Exposure Controls/Personal Protection

Other Skin Protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

**Respiratory Protection:** Where risk assessment shows air-purifying respirators are

appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

### Section 9. Physical and Chemical Properties

Physical State: Liquid.

Color:

Odor:

No data available.

No data available.

No data available.

No data available.

PH:

No data available.

No data available.

No data available.

**Boiling Point:** 130-131 °C (266-268 °F). **Flash Point:** 6 °C (43 °F) – closed cup.

**Auto-ignition temperature:** No data available.

**Specific Gravity:** 0.8 g/cm<sup>3</sup> at 25 °C (77 °F)

Vapor Pressure:

Vapor Density:

No data available.

Water Solubility:

Evaporation Rate:

Viscosity:

No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

# Section 10. Stability and Reactivity

**Reactivity:** No specific data available.

Chemical Stability: Material is moisture sensitive and should be handled

under an inert gas.

**Conditions to Avoid:** Heat, ignition sources, contact with water.

Date of Issue: 5/6/16 Page 8 of 13 Revision: 1.00

# Section 10. Stability and Reactivity

**Incompatible Materials:** 

Strong oxidizing agents. Strong acids.

**Hazardous Decomposition Products:** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides, organic fumes and chromium oxides. In the event of a fire: see section 5.

**Possibility of Hazardous Reactions:** 

Vapors may form explosive mixture with air and with

exposure to water/moisture.

### Section 11. Toxicological Information

#### **Information on Toxicological Effects**

**Acute Toxicity** 

**Irritation/Corrosion** 

**Sensitization** 

**Germ Cell Mutagencity** 

**Carcinogenity** 

**IARC** 

**ACGIH** 

**NTP** 

**OSHA** 

**Reproductive Toxicity** 

**Teratogenicity** 

Specific Target Organ Toxicity (single exposure)

Specific Target Organ Toxicity (repeat exposure)

**Aspiration Hazard** 

Information on the likely routes of exposure

- : No specific data available.
- : No specific data available.
- : No specific data available.
- : No effects known.
- No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
- No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
- : This product is not expected to cause reproductive or developmental effects.
- : No specific data available.
- : Respiratory tract irritation.
- : No specific data available.
- : No specific data available.
- : No specific data available.

# Section 11. Toxicological Information

**Additional Information** 

To the best of Ereztech LLC's knowledge, the chemical, physical, and toxicological properties of this product have not been thoroughly investigated.

# Section 12. Ecological Information

#### **Numerical Measures of Toxicity**

**Toxicity to Fish** 

**Toxicity to daphnia and other** 

aquatic invertebrates

**Toxicity to algae** 

**Persistence and Degradability** 

**Biodegradability** 

**Bioaccumulative potential** 

**Mobility in soil** 

**Other Adverse Effects** 

: No specific data available.

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Section 13. Disposal Considerations

#### **Waste Treatment Methods**

**Product** Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

**Contaminated packaging** Empty containers retain product residue (liquid and vapors) and

can be dangerous.

### Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN1993	UN1993	UN1993
UN Proper Shipping Name	FLAMMABLE LIQUID,	FLAMMABLE LIQUID,	FLAMMABLE LIQUID,
	N.O.S.	N.O.S.	N.O.S.
	(Tetravinylsilane)	(Tetravinylsilane)	(Tetravinylsilane)
Transport Hazard Classes	3	3	3
Packing Group	II	II	II
Environmental Hazards	Yes	Yes	Yes
Additional Information	-	EMS-No: F-E, S-E	-

 Date of Issue: 5/6/16
 Page 10 of 13
 Revision: 1.00

### Section 14. Transport Information

#### **Special Precautions for User**

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

### Section 15. Regulatory Information

#### **TSCA (Toxic Substance Control Act):**

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire hazard, acute health hazard.

#### **Massachusetts Right To Know Components**

No components are subject to Massachusetts Right to Know Act.

#### **Pennsylvania Right To Know Components**

CAS-No. Revision Date Tetravinylsilane 1112-55-6

**New Jersey Right To Know Components** 

CAS-No. Revision Date

Tetravinylsilane 1112-55-6

#### **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### Section 16. Other Information

#### **National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **HMIS Rating**

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

#### **History**

Date of printing : 5/6/16

Date of issue/Date of Revision : 5/6/16

Date of previous issue : None

**References** : None available

#### **Abbreviations and Acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DOT: US Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency For Research on Cancer

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

IMDG: International Maritime Code for Dangerous Goods

NFPA: National Fire Protection Association

### Section 16. Other Information

#### **Abbreviations and Acronyms (cont.)**

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration SARA: Superfund Amendments and Reauthorization Act

VOC: Volatile Organic Compound

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.