EREZTECH LLC



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Cyclopentadienyltungsten(II) tricarbonyl hydride.

Product Type: Pale yellow crystals.

CAS Number: 12128-26-6
Product Number: W8266

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Pale yellow crystals.

Classification: FLAMMABLE SOLID – Category 1, H228

SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER,

EMIT FLAMMABLE GASES – Category 3, H261

SKIN CORROSION/IRRITATION; - Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319 SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION; - Category 3, H335

GHS Label Elements

Signal Word: DANGER.

Hazard Statements: H228: Flammable solid.

H261: In contact with water releases flammable gas.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

Hazard Pictograms:



Section 2. Hazards Identification

Prevention:

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P223: Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P231 + P232: Handle under inert gas. Protect from moisture.

P240: Ground/Bond container and receiving equipment.

P241: Use explosion proof electrical/ventilating/lighting/processing equipment.

P261: Avoid breathing dust.

P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P334 + P335: Brush off loose particles from skin and immerse in cool water/wrap in wet bandages.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse. P370 + P378: IN case of fire: Use CO₂, dry chemical or foam for extinction.

P402 + P404: Store in a dry place. Store in a closed container. P403 + P233: Store in a well ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/ container to an approved wasted disposal plant.

This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Reacts violently with water.

Response:

Storage:

Disposal:

OSHA/HCS status:

Hazards Not Otherwise Classified (HNOC):

Section 3. Composition/Information on Ingredients

Substances

Formula : C₈H₆O₃W : 333.97 g/mol **Molecular Weight** : 12128-26-6 CAS-No.

Ingredient Name	%	CAS Number
Cyclopentadienyltungsten(II) tricarbonyl hydride	>98	12128-26-6

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Consult a physician. Show this safety data sheet

to the doctor in attendance.

Immediately flush eyes with plenty of water, occasionally lifting the upper and **Eye Contact:**

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Get

immediate medical attention.

Wash off contaminated skin with soap and plenty of water. Get immediate **Skin Contact:**

medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

> breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband. Call a POISON CENTER or doctor/physician immediately.

Call a physician or POISON CONTROL CENTER immediately. Rinse mouth. Do **Ingestion:**

NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt or waistband. Consult a physician.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Symptoms may include stinging, tearing, redness, swelling and blurred vision. **Eye Contact:**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Inhalation:

Skin Contact: May cause skin irritation.

Ingestion: No data available.

Section 4. First Aid Measures

<u>Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary</u>

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY

CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Vermiculite, sand, dry chemical or carbon dioxide (CO₂) may

also be used.

Unsuitable Extinguishing Media: DO NOT USE WATER OR FOAM as product reacts to produce

flammable vapors upon contact with water.

Unusual Fire and This material reacts with water and compounds containing active hydrogen such as alcohols and acids to release

cyclopentadiene. Product runoff to sewer may create a fire or explosion hazard. Gases released are heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to an

ignition source and flashback.

Product of Combustion: Decomposition products include carbon oxides (CO, CO₂) and

tungsten oxide.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing dusts,

aerosols, vapors and gases.

Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors

and to cool unopened containers.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid dust and aerosol formation. Avoid the formation and inhalation of dusts and aerosols. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment Small Spill:

Eliminate all ignition sources. Move containers from spill area if safe to do so. Sweep up and place in dry, sealed container for disposal according to local regulations (see Section 13). Avoid all contact with water. Avoid the creation and inhalation of dusts and aerosols. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.

Large Spill:

Eliminate all ignition sources. Move containers from spill area if safe to do so. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Avoid all contact with water/moisture and the creation/inhalation of dusts and aerosols. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Ereztech W8266 Page 5 of 14 Revision: 1.10 Date of Issue: 2/21/2020

Section 7. Handling and Storage

Precautions:

Product is moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures:

Protect against electrostatic charges. Use explosion-proof electrical/ventilating/lighting/handling equipment. Use only non-sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not

reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Product is moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store refrigerated at 2 – 8 °C. Keep away from all sources of ignition – NO SMOKING. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

List	Components	CAS-No.	Туре	Value
ACGIH	Cyclopentadienyltungsten(II) tricarbonyl hydride	12128-26-6	TLV	5.0 mg/m ³ as W TWA
			TLV	10.0 mg/m ³ as W STEL
NIOSH	Cyclopentadienyltungsten(II) tricarbonyl hydride	12128-26-6	REL	5.0 mg/m ³ as W TWA
			REL	10.0 mg/m ³ as W ST

Engineering Controls:

Properly operating explosion-proof, chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts or aerosols. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to aerosols or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Ereztech W8266 Page 7 of 14 Revision: 1.10

Section 8. Exposure Controls/Personal Protection

Hand Protection (cont.):

Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. For full contact, wear Neoprene or nitrile rubber gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Physical and Chemical Properties Section 9.

Physical State: Crystals. Pale yellow. **Color:**

No data available. Odor: No data available. **Odor Threshold:** No data available. pH: **Melting Point:** 69 °C (156 °F). **Boiling Point:** No data available.

76.67 °C (170.01 °F) – closed cup. **Flash Point:**

No data available. Flammability (solid):

Page 8 of 14 Ereztech W8266 Revision: 1.10 Date of Issue: 2/21/2020

Section 9. Physical and Chemical Properties

No data available. **Relative Density:** No data available. **Vapor Pressure:** No data available. **Vapor Density:**

Reacts violently with water to produce flammable gas. **Water Solubility:**

Section 10. Stability and Reactivity

Reacts violently with water to release toxic and flammable **Reactivity:**

gases.

This product is stable when stored under a dry, inert **Chemical Stability:**

atmosphere and away from heat (recommended

temperature range of 2 - 8 °C). Nitrogen containing less

than 5 ppm each moisture and air is recommended.

All sources of ignition (heat, flames, sparks, static **Conditions to Avoid:**

discharge); exposure to water/moisture; extremes of

temperature and direct sunlight.

Water/moisture, strong oxidizing agents. **Incompatible Materials:**

Under normal conditions of storage and use, hazardous **Hazardous Decomposition Products:**

decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and metal oxide fumes. In the

event of a fire: see section 5.

Reacts violently with water to produce toxic and **Possibility of Hazardous Reactions:**

flammable gases.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

Irritation/Corrosion

Sensitization

Germ Cell Mutagenicity

Carcinogenity

IARC

- : Product may be harmful if ingested or inhaled.
- : Product may be harmful in contact with skin. May cause skin irritation; may cause serious eye irritation.
- : No specific data available.
- : No effects known.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

Section 11. Toxicological Information

ACGIH

NTP

OSHA

Reproductive Toxicity

Teratogenicity

Specific Target Organ Toxicity (Single Exposure)

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard

Information on the Likely Routes of Exposure

Additional Information

- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
- : This product is not expected to cause reproductive or developmental effects.
- : No specific data available.
- : Inhalation May cause respiratory tract irritation.
- : No specific data available.
- : No specific data available.
- : No specific data available.
- : Product may be harmful if inhaled, ingested or absorbed through the skin.

To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to Daphnia and Other

Aquatic Invertebrates

Toxicity to Algae

Persistence and Degradability

Biodegradability

Bioaccumulative Potential

Mobility in Soil

- : No specific data available.

Page 10 of 14 Ereztech W8266 Revision: 1.10

Section 12. Ecological Information

Other Adverse Effects

: Product may cause long lasting harmful effects to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product

Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated Packaging

Empty containers retain product residue (dusts, aerosols, vapors and gases) and can be dangerous. DO NOT EXPOSE OPENED/EMPTY CONTAINERS TO MOISTURE/WATER, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN 3396	UN 3396	UN 3396
UN Proper Shipping	Organometallic	ORGANOMETALLIC	Organometallic
Name	substance, solid,	SUBSTANCE, SOLID,	substance, solid,
- B R I D	water-reactive,	WATER-REACTIVE,	water-reactive,
	flammable	FLAMMABLE	flammable
	(Cyclopentadienyltungs	(Cyclopentadienyltungs	(Cyclopentadienyltungs
	ten(II) tricarbonyl	ten(II) tricarbonyl	ten(II) tricarbonyl
	hydride)	hydride)	hydride)
Transport Hazard	4.3(4.1)	4.3(4.1)	4.3(4.1)
Classes			
Packing Group	III	III	III
Environmental Hazards	-	-	-
Additional Information	-	EMS-No: F-G, S-N	-

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Ereztech W8266 Page 11 of 14 Revision: 1.10 Date of Issue: 2/21/2020

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard (Flammable Solid), Reactive Hazard (In contact with water emits flammable gas), Acute Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Section 16. Other Information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	1

History

Date of Printing : 2/21/2020
Date of Issue/Date of Revision : 2/21/2020
Date of Previous Issue : 8/11/17

References : None available.

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity.

Section 16. Other Information

Abbreviations and Acronyms (cont.)

TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Page 14 of 14 Ereztech W8266 Revision: 1.10 Date of Issue: 2/21/2020