EREZTECH LLC



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Dichlorobis(indenyl)zirconium(IV)

Product Type: Solid

 CAS Number:
 12148-49-1

 Product Number:
 ZR8491

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Yellow solid, characteristic hydrogen chloride odor.

Classification: SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER,

EMIT FLAMMABLE GASES - Category 2, H261

SKIN CORROSION/IRRITATION - Category 1B, H314

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1, H318
HAZARDOUS TO THE AQUATIC ENVIRONMENT, ACUTE TOXICITY -

Category 1, H400

HAZARDOUS TO THE AQUATIC ENVIRONMENT, CHRONIC

TOXICITY - Category 1, H410

GHS Label Elements
Hazard Pictograms:



Signal Word: DANGER

Hazard Statements: H261: In contact with water releases flammable gas.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage. H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

<u>Ereztech ZR8491</u> Page 1 of 13 Revision: 1.20
Date of Issue: 3/17/2020

Section 2. Hazards Identification

Precautionary Statements

Prevention: P223: Keep away from any possible contact with water because of

violent reaction and possible flash fire.

P231 + P232: Handle under an inert gas. Protect from moisture.

P260: Avoid breathing vapors, sprays, gases or mists.

P264: Wash skin thoroughly after handling. P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT Response:

induce vomitina.

P303 + P361 + P353: If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue

rinsina.

P310: Immediately call a POISON CENTER or doctor/physician. P334 + P335: Brush off loose particles from skin and immerse in

cool water/wrap in wet bandages.

P363: Wash contaminated clothing before reuse.

P370 + P378: In case of fire: Use alcohol-resistant foam, dry chemical or carbon dioxide for extinction, DO NOT USE WATER.

P391: Collect spillage.

P402 + P404: Store in a dry place. Store in a closed container. Storage:

P405: Store locked up.

P501: Dispose of contents/ container to an approved wasted **Disposal:**

disposal plant.

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

> Communication Standard (29 CFR 1910.1200). Reacts with water to release hydrogen chloride.

Hazards Not Otherwise

Classified:

Section 3. Composition/Information on Ingredients

Substances

: C₁₈H₁₄Cl₂Zr **Formula** : 392.43 g/mol. **Molecular Weight** : 12148-49-1. CAS-No.

Ereztech ZR8491 Page 2 of 13 Revision: 1.20

Section 3. Composition/Information on Ingredients

Ingredient Name	%	CAS Number
Dichlorobis(indenyl)zirconium(IV)	>98	12148-49-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Consult a physician. Show this safety data sheet

to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Get

immediate medical attention.

Skin Contact: Take off contaminated clothing and shoes immediately. Wash off contaminated

skin with soap and plenty of water. Get immediate medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband. Call a POISON CENTER or doctor/physician immediately.

Ingestion: Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

occurs, the head should be kept low so that vomit does not enter the lungs.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a

physician or POISON CONTROL CENTER immediately.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: Severe chemical burns to the eye may be expected and may cause permanent

eye damage.

Inhalation: Due to the products reactivity with water/moisture, inhalation of product may be

expected to cause chemical burns of mucous membranes.

Skin Contact: Skin contact with this product may be expected to cause severe chemical burns.

Ingestion: Ingestion will result in burns of the mouth, throat, esophagus and digestive tract.

Section 4. First Aid Measures

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

Suitable Extinguishing Media: THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY

CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Vermiculite, sand, dry chemical or carbon dioxide (CO₂) may also be used. Water spray may be used to cool sealed

containers.

Unsuitable Extinguishing Media: Do not use water (fog, spray or jet). Product reacts with

water to release flammable, toxic and corrosive gases.

Vapors released under fire conditions may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Do not cut, grind, drill or weld on or near the container (even empty) of this product because an explosion

may result. Keep away from heat, sparks and flame.

Product of Combustion: Products of complete combustion are carbon oxides (CO_x) , hydrogen chloride and zirconium oxides. Irritating fumes and

organic acid vapors may be generated during exposure to

elevated temperatures or open flame.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas.

Section 6. Accidental Release Measures

For Non-Emergency Personnel: (cont.)

Product is moisture sensitive and releases flammable gases when exposed to moisture and water. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation of dusts and aerosols. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

General:

Spilled material will likely give off smoke and fumes. Eliminate all local and distant ignition sources. Move containers from spill area if safe to do so. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment.

Small Spill:

Contain and collect spillage with non-combustible, dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

Large Spill:

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

_ _ _

Precautions:

Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged

Product is moisture sensitive; handle under a dry, inert gas.

exposure. Ensure adequate ventilation.

Protective Measures: Put on appropriate personal protective equipment (see Section

8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Safe Storage Conditions: Product is moisture sensitive; store under an inert gas.

Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from

incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for use. Store

locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks: These recommendations provide general guidance for handling

this product. Because work environments and material handling practices vary, safety procedures should be developed for each

intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

Occupational Exposure Limits: Product contains no substances with occupational exposure

limit values.

Engineering Controls: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100

feet per minute. Provide an eyewash/shower station.

Section 8. Exposure Controls/Personal Protection

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts and aerosols. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or aerosols. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Section 8. Exposure Controls/Personal Protection

Hand Protection (cont.): Dispose of contaminated gloves after use in accordance with

applicable laws and good laboratory practices. Wash and dry

hands. For full contact, use Neoprene or nitrile rubber.

Other Skin Protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory Protection: Where risk assessment shows air-purifying respirators are

appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Solid.
Color: Yellow.

Odor: Characteristic, hydrogen chloride like.

Melting Point: 239 - 243 °C (462 - 469 °F).

Boiling Point:

Flash Point:

Auto-ignition temperature:

Relative Density:

Vapor Pressure:

No data available.

Water Solubility: Insoluble; reacts with water to release flammable, toxic and

corrosive gases.

Section 10. Stability and Reactivity

Reactivity: This product reacts with air, water and compounds

containing active hydrogen such as alcohols and acids to

release flammable, toxic and corrosive gases.

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. This

product is not sensitive to impact.

Ereztech ZR8491 Page 8 of 13 Revision: 1.20

Section 10. Stability and Reactivity

Conditions to Avoid: Keep away from air, moisture, heat and sources of

ignition.

Incompatible Materials: Air, water, compounds containing active hydrogen such as

alcohols and acids and strong oxidizing compounds.

Hazardous Decomposition Products: Hazardous decomposition products formed under fire

conditions: irritating fumes, organic acid vapors, carbon oxides (CO_X) , hydrogen chloride and zirconium oxide

fumes. In the event of a fire: see section 5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use noted above,

hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use. In contact with water, product releases

toxic, corrosive and flammable gases.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

Irritation/Corrosion

Sensitization

Germ Cell Mutagenicity

Carcinogenity

IARC

ACGIH

NTP

OSHA

Reproductive Toxicity

: No specific data available.

: No specific data available. Product may be expected to cause chemical burns to the skin, eyes and exposed mucous membranes.

: No specific data available.

: No effects known.

No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

: This product is not expected to cause reproductive or developmental effects.

Section 11. Toxicological Information

Teratogenicity

Specific Target Organ Toxicity (Single Exposure)

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard

Information on the Likely Routes of Exposure

Additional Information

: No specific data available.

: Respiratory tract irritation/damage through chemical burns.

: No specific data available.

: No specific data available.

: No specific data available.

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to Daphnia and Other Aquatic Invertebrates

Toxicity to Algae

Persistence and Degradability

Biodegradability

Bioaccumulative Potential

Mobility in Soil

Other Adverse Effects

: No specific data available.

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product

Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated Packaging

Empty containers retain product residue (liquids, aerosols, vapors) and can be dangerous. Dispose of as unused product. DO NOT EXPOSE SUCH CONTAINERS TO AIR, MOISTURE, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Ereztech ZR8491 Page 10 of 13 Revision: 1.20

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN 3261	UN 3261	UN 3261
UN Proper	Corrosive solid, acidic,	CORROSIVE SOLID,	Corrosive solid, acidic,
Shipping Name	organic, n.o.s.	ACIDIC, ORGANIC,	organic, n.o.s.
	(Dichlorobis(indenyl)	N.O.S. (Dichlorobis	(Dichlorobis(indenyl)
	zirconium(IV))	(indenyl) zirconium(IV))	zirconium(IV))
Transport Hazard	8	8	8
Classes			
Packing Group	III	III	III
Environmental	-	-	-
Hazards			
Additional	-	EMS-No: F-A, S-B	
Information			

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation); Reactivity Hazard (In contact with water emits flammable gas).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

Section 15. Regulatory Information

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	2

History

Date of Printing : 3/17/2020
Date of Issue/Date of Revision : 3/17/2020
Date of Previous Issue : 1/5/2020

References : None available

Section 16. Other Information

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and

Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. **REL:** Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity. TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average. VOC: Volatile Organic Compound.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.