EREZTECH LLC



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

2,2,6,6-Tetramethyl-3,5-heptanedionate yttrium(III) **Product Name:**

White to off-white crystals **Product Type:**

15632-39-0 **CAS Number:**

Product Number: Y2390

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

CHEMTREC: 1-800-424-9300 (USA); In Case of an Emergency:

+1 703-527-3887 (International); CCN836180 *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

White to off-white crystals, odor not determined. Appearance/Odor:

Classification: ACUTE TOXICITY, ORAL – Category 4, H302

ACUTE TOXICITY, DERMAL - Category 4, H312

SKIN CORROSION/IRRITATION; - Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319

ACUTE TOXICITY, INHALATION – Category 4, H332

SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION; - Category 3, H335

GHS Label Elements

Signal Word: WARNING

Hazard Statements: H302: Harmful if swallowed.

H312: Harmful in contact with the skin.

H315: Causes skin irritation.

H319: Causes serious eve irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

Ereztech Y2390 Page 1 of 13 Revision: 1.10

Section 2. Hazards Identification

Hazard Pictograms:



Precautionary Statements

Prevention:

P261: Avoid breathing dusts.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

Storage:

P301 + P312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P330: Rinse mouth.

P332 + P313: If skin irritation occurs: Get medical

advice/attention.

P337 + P313: If eye irritation persists: Get medical

advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P363: Wash contaminated clothing before reuse.

P403 + P233: Store in a well ventilated place. Keep container

tiahtly closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/ container to an approved wasted

disposal plant.

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards Not Otherwise

Classified (HNOC):

None identified.

Section 3. Composition/Information on Ingredients

Substances

Synonyms: Yttrium(III) tris(2,2,6,6-tetramethyl-3,5-heptanedionate);

Yttrium tris(dipivaloylmethane)

Formula : C₃₃H₅₇O₆Y Molecular Weight : 638.71 CAS-No. : 15632-39-0

Ingredient Name	%	CAS Number
2,2,6,6-Tetramethyl-3,5-heptanedionate yttrium(III)	>98	15632-39-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Consult a physician. Show this safety data sheet

to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Call

a physician or POISON CONTROL CENTER immediately.

Skin Contact: Wash off contaminated skin with soap and plenty of water. Call a physician or

POISON CONTROL CENTER immediately.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband. Call a POISON CENTER or doctor/physician immediately.

Ingestion: Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a

physician or POISON CONTROL CENTER immediately.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Inhalation: Harmful if inhaled. May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Section 4. First Aid Measures

Harmful in contact with skin. Repeated exposure to this material can result in **Skin Contact:**

absorption through skin causing significant health hazards. May cause skin

irritation.

Harmful if swallowed. **Ingestion:**

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically. No specific treatment. **Specific Treatments:**

No action taken shall be taken involving any personal risk **Protection of First Responders:**

> without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

None identified. **General Hazards:**

Suitable Extinguishing Media: Use water spray, "alcohol" foam, dry chemical or carbon

dioxide (CO₂).

Unsuitable Extinguishing Media: None identified.

Unusual Fire and Explosion Hazards:

Product of Combustion:

None identified.

Decomposition products include carbon oxides (CO_x) and

yttrium oxides.

Promptly isolate the scene by removing all persons from the **Protection of Firefighters:**

> vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid dust and aerosol formation. Avoid inhalation of dusts and aerosols. Provide

adequate ventilation.

Ereztech Y2390 Page 4 of 13 Revision: 1.10

Section 6. Accidental Release Measures

For Non-Emergency Personnel (cont.):

Wear respiratory protection. Put on appropriate personal protective equipment.

For Emergency Responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental Precautions:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

Small Spill: Sweep up and place in an appropriate waste disposal container.

Dispose of via a licensed waste disposal contractor.

Large Spill:

Contain and collect spillage with broom or shovel and place in a dry container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Product is air and moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures:

Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Ereztech Y2390 Page 5 of 13 Revision: 1.10

Section 7. Handling and Storage

Safe Storage Conditions:

Product is moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits

List	Components	CAS-No.	Туре	Value
ACGIH	2,2,6,6-Tetramethyl-3,5- heptanedionate yttrium(III)	15632-39-0	TLV	1 mg/ m ³ (as Y metal) TWA
OSHA	2,2,6,6-Tetramethyl-3,5- heptanedionate yttrium(III)	15632-39-0	PEL	1 mg/ m³ (as Y metal) TWA
NIOSH	2,2,6,6-Tetramethyl-3,5- heptanedionate yttrium(III)	15632-39-0	REL	1 mg/ m³ (as Y metal) TWA

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts or aerosols. Avoid contact with eyes and skin.

Section 8. **Exposure Controls/Personal Protection**

Hygiene Measures (cont.):

Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to aerosols or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemicalresistant gloves. For full contact, wear Neoprene or nitrile rubber gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Page 7 of 13 Revision: 1.10 Ereztech Y2390

Section 9. Physical and Chemical Properties

Physical State: Solid.

Color: White to off-white crystals.

Odor:

Odor Threshold:

No data available.

No data available.

No data available.

Melting Point: 170-173 °C (338-343 °F).

Boiling Point: 290 °C (554 °F).

Flash Point: 95 °C (203 °F) @ 0.05 mm Hg.

Flammability:

Relative Density:

Vapor Pressure:

Vapor Density:

Water Solubility:

VOC Content:

No data available.

No data available.

No data available.

No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

Section 10. Stability and Reactivity

Reactivity: No data available.

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air and a temperature range of 2 - 8 °C is recommended. This product is not

sensitive to impact.

Conditions to Avoid: Exposure to moisture/water, extreme temperatures and

direct sunlight.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and metal oxide fumes. In the

event of a fire: see section 5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous

reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

: No specific data available. Product may be expected to be harmful if absorbed through the skin, ingested or inhaled.

: No specific data available. Product may cause skin irritation; may cause serious eye irritation.

: No specific data available.

: No effects known.

• No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

: This product is not expected to cause reproductive or developmental effects.

: No specific data available.

: Inhalation – May cause respiratory tract irritation.

: No specific data available.

: No specific data available.

: No specific data available.

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Irritation/Corrosion

Sensitization

Germ Cell Mutagenicity

Carcinogenity

IARC

ACGIH

NTP

OSHA

Reproductive Toxicity

Teratogenicity

Specific Target Organ Toxicity (Single Exposure)

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard

Information on the Likely Routes of Exposure

Additional Information

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

: No specific data available.

<u>Ereztech Y2390</u> Page 9 of 13 Revision: 1.10
Date of Issue: 2/28/2020

Section 12. Ecological Information

Toxicity to Daphnia and Other

Aquatic Invertebrates

Toxicity to Algae

Biodegradability

Persistence and Degradability

Bioaccumulative Potential

Mobility in Soil

Other Adverse Effects

: No specific data available.

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product

Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated Packaging

Empty containers retain product residue (dusts, aerosols and/or vapor) and can be dangerous. Dispose of as unused product.

Section 14. Transport Information

B R / D	DOT	IMDG	IATA
UN Number	Not regulated.	Not regulated.	Not regulated.
UN Proper Shipping	-	-	-
Name			
Transport Hazard	-	-	-
Classes			
Packing Group	-	-	-
Environmental Hazards	-	-	-
Additional Information	-	-	-

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Page 10 of 13 Revision: 1.10
Date of Issue: 2/28/2020

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard (Acute toxicity (oral, dermal, inhalation); Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

New Jersey Right to Know Components


No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Section 16. Other Information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

History

Date of Printing : 2/28/2020
Date of Issue/Date of Revision : 2/28/2020
Date of Previous Issue : 2/13/19

References : None available

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

Section 16. Other Information

Abbreviations and Acronyms

STOT: Specific Target Organ Toxicity. TLV: Threshold Limit Values (ACGIH). TWA: Time Weighted Average. VOC: Volatile Organic Compound.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Ereztech Y2390 Page 13 of 13 Revision: 1.10