

#### **EREZTECH LLC**

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020 E: <u>info@ereztech.com</u> W: <u>http://ereztech.com</u>

# SAFETY DATA SHEET

### Section 1. Identification

Hafnium(IV) tert-butoxide

Liquid

Product Name:
Product Type:
CAS Number:
Product Number:
Product Manufacturer:

2172-02-3. HF2023 Ereztech LLC 11555 Medlock Bridge Road, Suite 100 Johns Creek, GA 30097

Product Information: In case of an emergency: (888) 658-1221
(888) 658-1221 (for spill, leak, fire or exposure)
\*\*\* Contact manufacturer for all non-emergency calls.

#### Section 2. Hazards Identification

<b>Emergency Overview</b>	
Appearance/Odor: Classification:	Pale yellow liquid, alcohol-like odor. FLAMMABLE LIQUIDS; - Category 3, H226 SKIN CORROSION/IRRITATION; - Category 2, H315 SERIOUS EYE DAMAGE/EYE IRRITATION; - Category 2A, H319 SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY TRACT IRRITATION – Category 3, H335
<b>GHS label elements</b>	
Signal word:	WARNING
Hazard statements:	<ul> <li>H226: Flammable liquid and vapor.</li> <li>H315: Causes skin irritation.</li> <li>H319: Causes serious eye irritation.</li> <li>H335: May cause respiratory irritation.</li> </ul>
Hazard pictograms:	

Precautionary statements Prevention:

Date of Issue: 4/26/16



P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Revision: 1.00

	Hafnium(IV) tert-butoxide Safety Data Sheet
Sec	ction 2. Hazards Identification
Prevention (cont.): Response:	<ul> <li>P231: Handle under inert gas.</li> <li>P232: Protect from moisture.</li> <li>P233: Keep container tightly closed.</li> <li>P240: Ground/Bond container and receiving equipment.</li> <li>P241: Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>P242: Use only non-sparking tools.</li> <li>P243: Take precautionary measures against static discharge.</li> <li>P261: Avoid breathing fumes/mist/vapors/spray.</li> <li>P264: Wash hands and exposed skin thoroughly after handling.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P302 + P352: IF ON SKIN: Wash with plenty of soap and water.</li> <li>P303 + P353 + P361: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> <li>P305 + P351 + P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313: If eye irritation persists: Tet medical advice/attention.</li> <li>P337 + P378: In case of fire: Use CO<sub>2</sub>, dry chemical or foam for extinction.</li> </ul>
Storage:	P403 + + P233 + P235: Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405: Store locked up.
Disposal: General:	P501: Dispose of contents/ container to an approved wasted disposal plant. None.
OSHA/HCS status:	This material is considered hazardous by the OSHA Hazard
Hazards not otherwise classified:	Communication Standard (29 CFR 1910.1200). None known.

# Section 3. Composition/Information on Ingredients

#### Substances

Synonyms Date of Issue: 4/26/16 : Hafnium(IV) t-butoxide; Hafnium t-butoxide;

Section 3.	Composition/Informatio	n on Ing	redients
Synonyms (cont.)	: Tetratert-butoxyhafnium	· //	
	Hafnium tetrakis(2-meth	ylpropan-2-o	pleate)
Formula	: C <sub>16</sub> H <sub>36</sub> HfO <sub>4</sub>		
Molecular weight	: 470.94 g/mol		
CAS-No.	: 2172-02-3		
Ingredient Name		%	CAS Number

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

99.9

2172-02-3

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

Hafnium(IV) tert-butoxide

**General Advice:** Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

- **Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Rinse for a minimum of 15 minutes. Check for and remove any contact lenses after initial rinse period and continue rinsing for an additional 15 minutes. Keep eyes wide open during rinsing process. Consult a physician.
- Skin Contact: Remove all contaminated clothing and shoes. Wash off contaminated skin with soap and plenty of water. Get medical attention if irritation develops and persists.
- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Immediately call a POISON CENTER or doctor/physician.
- **Ingestion:** Do NOT induce vomiting. Immediately call a physician or POISON CONTROL CENTER. Rinse mouth. Remove dentures if any. Drink plenty of water. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

**Eye Contact:** May cause immediate or delayed severe eye irritation. Symptoms may include stinging, tearing and redness.

### Section 4. First Aid Measures

Inhalation:		vapor/mists/fumes or spray may cause respiratory irritation. ude coughing, sneezing and a shortness of breath.
Skin Contact:	Symptoms may incl	ude reddening of skin and a burning or itching sensation.
Ingestion:	No specific data ava	ailable.
<b>Indication of Imm</b>	ediate Medical Atter	ntion and Special Treatment Needed, If Necessary
Notes to Physician	:	Treat symptomatically.
Specific Treatment	ts:	No specific treatment.
Protection of First	Responders:	No action taken shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### See toxicological information (Section 11)

Section	5. Fire Fighting Measures
General Hazards:	None known.
Suitable Extinguishing Media:	Use sand, dry chemical or carbon dioxide ( $CO_2$ ). Fight larger fires with alcohol resistant foam.
Unsuitable Extinguishing Media:	Product reacts with water to produce tert-butanol, a highly flammable liquid which when heated may produce flammable vapors.
Unusual Fire and Explosion Hazards:	Unopened containers may become pressurized and rupture during a fire. Use water spray to cool unopened containers. Thermal decomposition can lead to the production of irritating and toxic gases and vapors.
Product of Combustion:	Decomposition products may include carbon oxides and hafnium oxide fumes.
Protection of Firefighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

### Section 6. Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

**For Non-emergency Personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Remove all ignition sources.

Haf	nium(IV) tert-butoxide Safety Data Sheet
Section 6.	Accidental Release Measures
For Non-emergency Personnel (cont.):	Prevent unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation of mists/vapors/spray/fumes. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.
For Emergency Responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".
Environmental Precautions:	Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for Containment	
Small Spill:	Keep away from ignition sources. Use an inert dry binding material (sand, diatomite, acid binders, universal binders) on spill, sweep up and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large Spill:	Keep away from ignition sources. Contain and collect spillage with non-combustible, dry absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in dry container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Minimize exposure to air/water/moisture. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and Storage

Precautions:	Keep away from ignition sources – NO SMOKING. Take measures to prevent buildup of electrostatic charge. Store in cool/dry place in tightly closed container. Keep container tightly sealed. Avoid inhalation of vapors or mist. Avoid prolonged exposure. Provide adequate ventilation. Keep away from air, moisture and oxidizing agents.
Protective Measures:	Handle under inert gas. Protect against electrostatic charges. Use explosion-proof electrical/ventilating/lighting/handling equipment. Use only non-sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing.

Section	7. Handling and Storage
Protective Measures (cont.):	Avoid breathing vapors/fumes/mists/sprays. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
General Occupational Hygiene:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Safe Storage Conditions:	Store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from heat, sparks and open flames. Product is moisture sensitive and reacts with water to produce tert-butanol, a highly flammable liquid. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (air, moisture, strong oxidizing agents) and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

### Section 8. Exposure Controls/Personal Protection

**Introductory Remarks:** 

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

#### **Occupational Exposure Limits:**

List	Components	CAS-No.	Туре	Value
ACGIH	Hafnium(IV) tert-butoxide	2172-02-3	TLV	0.5 mg/m <sup>3</sup> as Hf TWA
NIOSH	Hafnium(IV) tert-butoxide	2172-02-3	REL	0.5 mg/m <sup>3</sup> as Hf TWA
OSHA	Hafnium(IV) tert-butoxide	2172-02-3	PEL	0.5 mg/m <sup>3</sup> as Hf TWA

#### **Engineering Controls:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

#### Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## Section 8. Exposure Controls/Personal Protection

Environmental Exposure Controls (cont.):	In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual Protection Measures	
Hygiene Measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale gases/fumes/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/Face Protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.
Skin Protection	
Hand Protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
	Full contact Material: Neoprene or nitrile rubber.

#### Section 8. Exposure Controls/Personal Protection

Other Skin Protection:Appropriate footwear and any additional skin protection<br/>measures should be selected based on the task being<br/>performed and the risks involved and should be approved by a<br/>specialist before handling this product.Respiratory Protection:Where risk assessment shows air-purifying respirators are<br/>appropriate use a full-face respirator with multipurpose<br/>combination (US) or type ABEK (EN 14387) respirator<br/>cartridges as a backup to engineering controls. If the respirator<br/>is the sole means of protection, use a full-face supplied air<br/>respirator. Use respirators and components tested and<br/>approved under appropriate government standards such as<br/>NIOSH (US) or CEN (EU).

### Section 9. Physical and Chemical Properties

Physical State:	Liquid.
Color:	Pale yellow.
Odor:	Alcohol like.
Odor Threshold:	No data available.
pH:	No data available.
Melting Point:	8°C (46°F).
Boiling Point:	90°C (194°F) @ 5 mmHg.
Flash Point:	28°C (82°F) – closed cup.
Auto-ignition temperature:	No data available.
Auto-ignition temperature: Flammability:	No data available. Flammable.
•	
Flammability:	Flammable.
Flammability: Specific Gravity:	Flammable. 1.166 g/ml @ 25°C (77°F).
Flammability: Specific Gravity: Vapor Pressure:	Flammable. 1.166 g/ml @ 25°C (77°F). No data available.
Flammability: Specific Gravity: Vapor Pressure: Vapor Density:	Flammable. 1.166 g/ml @ 25°C (77°F). No data available. No data available.

### Section 10. Stability and Reactivity

Reactivity:	No specific data available.
Chemical Stability:	Stable at normal ambient temperature and pressure and under recommended storage conditions.
Conditions to Avoid:	Air, moisture, heat, sparks and flames.

### Section 10. Stability and Reactivity

Incompatible Materials:	Air, moisture, strong oxidizing agents.
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Product reacts with water to produce tert-butanol, a highly flammable liquid. Hazardous decomposition products formed under fire conditions: carbon oxides and hafnium oxide fumes. In the event of a fire: see section 5.
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions are not expected to occur.

#### Section 11. Toxicological Information **Information on Toxicological Effects** : No specific data available. **Acute Toxicity** : No specific data available. Causes skin irritation. **Irritation/Corrosion** Causes serious eye irritation. : No specific data available. Sensitization : No effects known. **Germ Cell Mutagenicity** Carcinogenity IARC : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. : No component of this product present at levels greater ACGIH than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH. : No component of this product present at levels greater NTP than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP. : No component of this product present at levels greater **OSHA** than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA. : This product is not expected to cause reproductive or **Reproductive Toxicity** developmental effects. **Teratogenicity** : No specific data available. Specific Target Organ Toxicity : Respiratory tract irritation. (single exposure) Specific Target Organ Toxicity : No specific data available. (repeat exposure) : No specific data available. **Aspiration Hazard**

#### Hafnium(IV) tert-butoxide Safety Data Sheet Section 11. Toxicological Information : No specific data available. Information on the likely routes of exposure **Additional Information** : To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated. Section 12. Ecological Information **Numerical Measures of Toxicity Toxicity to Fish** : No specific data available. : No specific data available. Toxicity to daphnia and other aquatic invertebrates : No specific data available. **Toxicity to algae Persistence and Degradability Biodegradability** : No specific data available. **Bioaccumulative potential** : No specific data available. : No specific data available. **Mobility in soil** : An environmental hazard cannot be excluded in the **Other Adverse Effects**

### Section 13. Disposal Considerations

event of unprofessional handling or disposal.

Waste Treatment Methods	
Product	Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.
Contaminated packaging	Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

### Section 14. Transport Information

	DOT	IMDG	ΙΑΤΑ
UN Number	UN 1993	UN 1993	UN 1993
UN Proper Shipping Name	FLAMMABLE LIQUID,	FLAMMABLE LIQUID,	FLAMMABLE LIQUID,
	N.O.S. (Hafnium(IV)	N.O.S. (Hafnium(IV)	N.O.S. (Hafnium(IV)
	tert-butoxide)	tert-butoxide)	tert-butoxide)
Transport Hazard Classes	3	3	3
Packing Group	III	III	III
Environmental Hazards	-	-	-
Additional Information	-	EMS: F-E, S-E	-

**Special Precautions for User** 

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

### Section 15. Regulatory Information

#### **TSCA (Toxic Substance Control Act):**

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Fire Hazard.

#### Massachusetts Right To Know Components

Hafnium	CAS-No. 7440-58-6	Revision Date
Pennsylvania Right To Know Components		
Hafnium	CAS-No. 7440-58-6	Revision Date

### Section 15. Regulatory Information

CAS-No.

7440-58-6

**Revision Date** 

#### New Jersey Right To Know Components

Hafnium

#### **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating	
HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	1
History	
Date of printing	: 4/26/17
Date of issue/Date of Revision	: 4/26/17
Date of previous issue	: None
References	: None available
Date of Issue: 4/26/16	Page 12 of 13

Revision: 1.00

### Section 16. Other Information

#### Abbreviations and Acronyms (cont.)

ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) DOT: US Department of Transportation GHS: Globally Harmonized System of Classification and Labeling of Chemicals HMIS: Hazardous Materials Identification System IARC: International Agency For Research on Cancer IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) IMDG: International Maritime Code for Dangerous Goods NFPA: National Fire Protection Association NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration SARA: Superfund Amendments and Reauthorization Act VOC: Volatile Organic Compound

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.