#### **EREZTECH LLC**



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

# SAFETY DATA SHEET

### Section 1. Identification

Bis(ethylcyclopentadienyl)nickel(II) **Product Name:** 

Liquid **Product Type:** 

**CAS Number:** 31886-51-8 **Product Number:** NI6518

**Product Manufacturer:** Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

CHEMTREC: 1-800-424-9300 (USA); **In Case of an Emergency:** 

> +1 703-527-3887 (International); CCN836180 \*\*\* Contact manufacturer for all non-emergency calls.

### Section 2. Hazards Identification

Dark green liquid, odor not determined. Appearance/Odor:

**Classification:** ACUTE TOXICITY, ORAL - Category 4, H302 ACUTE TOXICITY, DERMAL – Category 4, H312

ACUTE TOXICITY, INHALATION - Category 4, H332

**GHS Label Elements** 

**Hazard Pictograms:** 



**Signal Word:** WARNING

H302: Harmful if swallowed. **Hazard Statements:** 

H312: Harmful in contact with skin.

H332: Harmful if swallowed.

**Precautionary Statements** 

**Prevention:** P261: Avoid breathing fumes/mists/vapors/sprays.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

Page 1 of 13 Revision: 1.00 Ereztech NI6518

### Section 2. Hazards Identification

**Response:** P301 + P312: IF SWALLOWED: Call a POISON CENTER/doctor if

you feel unwell.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor/physician if you feel

unwell.

P330: Rinse mouth.

P362 + P364: Take off contaminated clothing and wash before

reuse.

**Storage:** No applicable statements.

**Disposal:** P501: Dispose of contents/ container to an approved wasted

disposal plant.

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

**Hazards Not Otherwise** Classified (HNOC):

None identified.

### Section 3. Composition/Information on Ingredients

**Substances** 

Synonyms : Ni(EtCp)2; Bis(ethylcyclopentadienyl)

nickel(II); Nickelocene,1,1'-diethyl, 1,1'-

Diethylnickelocene; Nickel bis(ethyl-p-cyclopentadienyl)-

Formula : C<sub>14</sub>H<sub>18</sub>Ni

Molecular Weight : 244.99 g/mol. CAS-No. : 31886-51-8

Ingredient Name	%	CAS Number
Bis(ethylcyclopentadienyl)nickel(II)	≥ 97	31886-51-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

**General Advice:** Move out of dangerous area. Call a physician or POISON CONTROL CENTER if

symptoms develop or if you feel unwell. Show this safety data sheet to the

doctor in attendance.

### Section 4. First Aid Measures

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Seek

medical attention if eye irritation develops and persists.

**Skin Contact:** Wash off contaminated skin with soap and plenty of water. Call a POISON

CENTER or doctor/physician immediately.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband. Call a POISON CENTER or doctor/physician immediately.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a

physician or POISON CONTROL CENTER immediately.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

**Eye Contact:** Product is irritating to eye tissues. Symptoms may include stinging, tearing,

redness, swelling and blurred vision.

**Inhalation:** Product is harmful if inhaled and is irritating to respiratory system. Symptoms

may include coughing, sneezing with phlegm production, sore throat, nausea,

headache, vomiting.

**Skin Contact:** Product is harmful if absorbed through skin and is irritating to the skin.

Symptoms may include an itching or burning sensation, reddening, swelling and

blistering with tissue necrosis.

**Ingestion:** Product is harmful if ingested and is irritating to mucous membranes. Symptoms

may include cramping, localized pain, headache, nausea and vomiting.

<u>Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary</u>

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

specific freatments.

**Protection of First Responders:** No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

**See toxicological information (Section 11)** 

### Section 5. Fire Fighting Measures

**General Hazards:** None identified.

**Suitable Extinguishing Media:** Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

**Unsuitable Extinguishing Media:** None identified.

Unusual Fire and None identified. Explosion Hazards:

**Product of Combustion:** Decomposition products include carbon oxides  $(CO_X)$  and

nickel oxides.

**Protection of Firefighters:** Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing sprays,

mists, vapors and gases.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

### Section 6. Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures** 

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of sprays, mists, vapors and gases. Provide

adequate ventilation. Wear respiratory protection. Put on

appropriate personal protective equipment.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable

materials. See also the information in "For nonemergency

personnel".

**Environmental Precautions:** Do not allow dispersal of spilled material and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

**Methods for Containment** 

**General:** Move containers from spill area if safe to do so.

### Section 6. Accidental Release Measures

**Small Spill:** 

Contain and collect spillage with a dry, absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

**Large Spill:** 

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with a dry' absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and Storage

**Precautions:** 

Product is moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Avoid the formation and inhalation of sprays, mists, vapors and gases. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures:

Put on appropriate personal protective equipment (see Section 8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**General Occupational Hygiene:** 

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Safe Storage Conditions:** 

Product is moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Page 5 of 13 Revision: 1.00 Ereztech NI6518

### Section 8. Exposure Controls/Personal Protection

#### **Introductory Remarks:**

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

#### **Occupational Exposure Limits:**

List	Components	CAS-No.	Туре	Value
ACGIH	Nickel, soluble compounds as Ni	7440-02-0	TLV	0.1 mg/m <sup>3</sup> TWA
				(Inhalation)
NIOSH	Nickel, soluble compounds as Ni	7440-02-0	REL	0.015 mg/m <sup>3</sup>
				TWA - 10 hrs.
OSHA	Nickel, soluble compounds as Ni	7440-02-0	OEL (Z1)	0.1 mg/m <sup>3</sup> TWA

#### **Engineering Controls:**

Properly operating explosion-proof, chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

#### **Environmental Exposure Controls:**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual Protection Measures**

#### **Hygiene Measures:**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Avoid the formation and inhalation of sprays, mists, aerosols, vapors and gases. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/Face Protection:**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to aerosols, vapors or sprays. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR

1910.133, ANSI Z87.1, or European Standard EN166.

### Section 8. Exposure Controls/Personal Protection

**Skin Protection** 

**Hand Protection:** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. For full contact, wear Neoprene or nitrile rubber gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

# Other Skin Protection:

#### **Respiratory Protection:**

#### Section 9. Physical and Chemical Properties

**Physical State:** Liquid.

Dark green. Color:

Odor: No data available. No data available. **Odor Threshold:** 

No data available. pH:

### Section 9. Physical and Chemical Properties

No data available. **Melting Point:** 90 °C (194 °F). **Boiling Point:** 

109 °C (228 °F) closed cup. **Flash Point: Specific Gravity:** 1.137 g/ml @ 25 °C (77 °F)

**Vapor Pressure:** No data available. No data available. **Vapor Density: Water Solubility:** No data available.

### Section 10. Stability and Reactivity

Product is moisture sensitive. **Reactivity:** 

Product is stable when stored under a dry, inert **Chemical Stability:** 

> atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. This

product is not sensitive to impact.

**Conditions to Avoid:** Exposure to water/moisture.

**Incompatible Materials:** Water, compounds containing active hydrogen (alcohols,

acids) and strong oxidizing agents.

**Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and nickel oxide fumes.

Irritating fumes and organic acid vapors may be generated during exposure to elevated temperatures or

open flame. In the event of a fire: see section 5.

Under normal conditions of storage and use noted above, **Possibility of Hazardous Reactions:** 

hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of

storage or use.

### Section 11. Toxicological Information

#### **Information on Toxicological Effects**

: Product is harmful if inhaled, ingested and when **Acute Toxicity** absorbed through the skin.

: Product is irritating to the skin and eye tissues. Nickel **Irritation/Corrosion** and nickel compounds may cause a form of dermatitis

known as nickel itch.

Sensitization : Product may cause an allergic skin reaction.

Ereztech NI6518 Revision: 1.00 Page 8 of 13 Date of Issue: 7/13/2020

### Section 11. Toxicological Information

**Germ Cell Mutagenicity Carcinogenicity** 

**IARC** 

**ACGIH** 

**NTP** 

**OSHA** 

**Reproductive Toxicity** 

**Teratogenicity** 

**Specific Target Organ Toxicity** (Single Exposure)

**Specific Target Organ Toxicity** (Repeated Exposure)

**Aspiration Hazard** 

**Information on the Likely Routes of Exposure** 

**Additional Information** 

: No effects known.

- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
- : This product is not expected to cause reproductive or developmental effects.
- : No specific data available.
- : Common routes of exposure: inhalation, dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking or eating after handling product without washing hands or using hand protection).
- : Nickel and nickel compounds may cause intestinal disorders, convulsions and asphyxia.

To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

### Section 12. Ecological Information

**Numerical Measures of Toxicity Toxicity to Fish** 

: No specific data available.

Page 9 of 13 Revision: 1.00 Ereztech NI6518

### Section 12. Ecological Information

**Toxicity to Daphnia and Other** 

**Aquatic Invertebrates** 

**Toxicity to Algae** 

**Persistence and Degradability** 

**Biodegradability** 

**Bioaccumulative Potential** 

**Mobility in Soil** 

Other Adverse Effects

: No specific data available.

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Section 13. Disposal Considerations

#### **Waste Treatment Methods**

**Product** 

Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

**Contaminated Packaging** 

Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Dispose of as unused product.

### Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Classes	-	-	-
Packing Group	-	-	-
Environmental Hazards	-	-	-
Additional Information	-	-	-

#### **Special Precautions for User**

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transporting in Bulk According** to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Page 10 of 13 Revision: 1.00 Ereztech NI6518

### Section 15. Regulatory Information

#### **TSCA (Toxic Substance Control Act):**

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard (Acute toxicity: oral, dermal, inhalation).

#### **Massachusetts Right to Know Components**

No components are subject to Massachusetts Right to Know Act.

#### **Pennsylvania Right to Know Components**

No components are subject to Pennsylvania Right to Know Act.

#### **New Jersey Right to Know Components**

No components are subject to New Jersey Right to Know Act.

#### **California Proposition 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### Section 16. Other Information

#### **National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

### Section 16. Other Information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **HMIS Rating**



#### History

**Date of Printing** : 7/13/2020 : 7/13/2020 **Date of Issue/Date of Revision** None. **Date of Previous Issue** 

: None available. References

#### **Abbreviations and Acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity. TLV: Threshold Limit Values (ACGIH).


TWA: Time Weighted Average. VOC: Volatile Organic Compound.

### Section 16. Other Information

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Page 13 of 13 Revision: 1.00 Ereztech NI6518