EREZTECH LLC



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Pentamethylcyclopentadienylzirconium trichloride **Product Name:**

Solid **Product Type:**

75181-07-6 **CAS Number: Product Number:** ZR1076

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

CHEMTREC: 1-800-424-9300 (USA); In Case of an Emergency:

> +1 703-527-3887 (International); CCN836180 *** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Yellow solid (crystalline powder), odor not determined. **Appearance/Odor:** Classification:

SKIN CORROSION/IRRITATION - Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319 SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION - Category 3, H335

GHS Label Elements

Hazard Pictograms:



WARNING **Signal Word:**

Hazard Statements: H315: Causes skin irritation.

> H319: Causes serious eye irritation. H335: May cause respiratory irritation.

Precautionary Statements

Prevention: P261: Avoid breathing dust.

P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

Ereztech ZR1076 Page 1 of 13 Revision: 1.10

Section 2. Hazards Identification

P280: Wear protective gloves/ protective clothing/ eye protection/ **Prevention (cont.):**

face protection.

Response: P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

> P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

> P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present.

> > Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P403 + P233: Store in a well ventilated place. Keep container

tightly closed. P405: Store locked up.

P501: Dispose of contents/ container to an approved wasted

disposal plant.

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

None identified.

Storage:

Disposal:

Hazards Not Otherwise Classified (HNOC):

Section 3. Composition/Information on Ingredients

Substances

Formula : C₁₀H₁₅Cl₃Zr **Molecular Weight** : 332.81 g/mol : 75181-07-6 CAS-No.

Ingredient Name	%	CAS Number
Pentamethylcyclopentadienylzirconium trichloride	99	75181-07-6

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Page 2 of 13 Revision: 1.10 Ereztech ZR1076

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Seek medical attention for any symptoms which

may develop from exposure to this compound. Show this safety data sheet to

the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Seek

medical attention if eye irritation develops and persists.

Skin Contact: Wash off contaminated skin with soap and plenty of water. Seek medical

attention if skin irritation develops and persists or if burns occur.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a physician or POISON CONTROL CENTER immediately.

Ingestion: Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a

physician or POISON CONTROL CENTER immediately.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Inhalation: Product may cause irritation to nose, respiratory tract and mucous membranes.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Symptoms may include coughing, shortness of breath, difficulty in breathing,

nausea and headaches.

Skin Contact: Symptoms may include redness, itching, burning and pain at site of exposure.

Ingestion: May cause irritation to mucous membranes of the mouth, esophagus and

stomach. Symptoms may include localized pain, stomach cramps, vomiting and

diarrhea.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: None identified.

Suitable Extinguishing Media: Use water spray, dry chemical, halogenated compounds or

carbon dioxide (CO₂).

Unsuitable Extinguishing Media:

Unusual Fire and Explosion Hazards:

None identified.

None identified.

Product of Combustion: If involved in a fire, this product will produce carbon oxides

(CO, CO₂), hydrogen chloride gas, potentially toxic organic

vapors and zirconium oxides.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid dust and aerosol formation. Avoid inhalation of dusts and aerosols. Provide

adequate ventilation. Wear respiratory protection. Put on

appropriate personal protective equipment.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency

personnel".

Environmental Precautions: Do not allow dispersal of spilled material and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for Containment

General: Move containers from spill area if safe to do so. Avoid the

formation and inhalation of dusts and aerosols.

Section 6. Accidental Release Measures

Small Spill: Contain and collect spillage with non-combustible, dry binding

material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed

waste disposal contractor.

Large Spill: Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, dry binding material (e.g.

sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the

same hazard as the spilled product.

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions: Product is air and moisture sensitive; handle under a dry, inert

gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid

prolonged exposure. Ensure adequate ventilation.

Protective Measures: Put on appropriate personal protective equipment (see Section

8). Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Safe Storage Conditions: Product is air, moisture and light sensitive; store under an inert

gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for use.

Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks: These recommendations provide general guidance for handling

this product. Because work environments and material handling practices vary, safety procedures should be developed for each

intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

Occupational Exposure Limits: Product contains no substances with occupational exposure

limit values.

Engineering Controls: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100

feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls: Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts or aerosols. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

TO THE COURT TO

Eye/Face Protection: Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary to avoid exposure to aerosols or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR

1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling

chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove

manufacturer, check during use that the gloves are still

retaining their protective properties.

Section 8. Exposure Controls/Personal Protection

Hand Protection (cont.):

It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. For full contact, wear Neoprene or nitrile rubber gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

Appropriate footwear and any additional skin protection **Other Skin Protection:**

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Solid (powder).

Yellow. Color:

Odor: No data available. No data available. **Odor Threshold:** No data available. pH: 230 °C (446 °F). **Melting Point: Boiling Point:** No data available. **Flash Point:** Not applicable. No data available. Flammability (solid): No data available. **Relative Density:**

Insoluble in water; reacts/decomposes in water. **Water Solubility:**

> Page 7 of 13 Revision: 1.10 Date of Issue: 3/16/2020

Section 10. Stability and Reactivity

Reactivity:

No data available.

Chemical Stability:

Stable at normal ambient temperature and pressure and under recommended storage and handling conditions.

Conditions to Avoid:

Exposure to air/water/moisture, extremes of temperature

and direct sunlight.

Incompatible Materials:

Air, water/moisture, strong oxidizing agents.

Hazardous Decomposition Products:

Hazardous decomposition products formed under fire conditions: carbon oxides (CO_X), hydrogen chloride, potentially toxic organic vapors and zirconium oxide

fumes. In the event of a fire: see section 5.

Possibility of Hazardous Reactions:

Under normal conditions of storage and use, hazardous

reactions will not occur.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

Irritation/Corrosion

: No specific data available.

- : May be expected to cause skin irritation and serious eye irritation. Prolonged exposure may have a corrosive effect on moist/wet tissues and mucous membranes.
- : No specific data available.
- : No effects known.

Sensitization

Germ Cell Mutagenicity

Carcinogenity

IARC

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or

confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

: This product is not expected to cause reproductive or

developmental effects.

: No specific data available.

: Inhalation – May cause respiratory tract irritation.

ACGIH

NTP

OSHA

Reproductive Toxicity

Teratogenicity Specific Target Organ Toxicity

(Single Exposure)

Ereztech ZR1076 Page 8 of 13 Revision: 1.10

Section 11. Toxicological Information

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard

Information on the Likely Routes of Exposure

Additional Information

- : No specific data available.
- : No specific data available.
- : No specific data available.
- : To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to Daphnia and Other

Aquatic Invertebrates

Toxicity to Algae

Persistence and Degradability

Biodegradability

Bioaccumulative Potential

Mobility in Soil

Other Adverse Effects

- : No specific data available.
- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

Empty containers retain product residue (dusts and/or aerosols) **Contaminated Packaging**

and can be dangerous. Dispose of as unused product.

Ereztech ZR1076 Page 9 of 13 Revision: 1.10

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	3261	3261	3261
UN Proper Shipping	Corrosive solid, acidic,	CORROSIVE SOLID,	Corrosive solid, acidic,
Name	organic, n.o.s.	ACIDIC, ORGANIC,	organic, n.o.s.
	(Pentamethylcyclopent	N.O.S.	(Pentamethylcyclopent
	adienylzirconium (IV)	(Pentamethylcyclopent	adienylzirconium(IV)
	trichloride)	adienylzirconium (IV)	trichloride)
		trichloride)	
Transport Hazard	8	8	8
Classes			
Packing Group	II	II	II
Environmental Hazards	-	-	-
Additional Information	-	EMS-No: F-A, S-B	-

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

Massachusetts Right to Know Components

No components are subject to Massachusetts Right to Know Act.

Ereztech ZR1076 Page 10 of 13 Revision: 1.10

Section 15. Regulatory Information

Pennsylvania Right to Know Components

No components are subject to Pennsylvania Right to Know Act.

New Jersey Right to Know Components

No components are subject to New Jersey Right to Know Act.

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

Ereztech ZR1076



History

: 3/16/2020 **Date of Printing** : 3/16/2020 Date of Issue/Date of Revision : 3/6/18 **Date of Previous Issue**

References : None available

> Page 11 of 13 Revision: 1.10

Section 16. Other Information

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and

Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. **REL: Recommended Exposure Limits.**

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity. TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average. VOC: Volatile Organic Compound.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



<u>Ereztech ZR1076</u> Page 13 of 13 Revision: 1.10