### **EREZTECH LLC**



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

# SAFETY DATA SHEET

# Section 1. Identification

Product Name: <u>Magnesium bromide, anhydrous</u>

Product Type: Solid

CAS Number: 7789-48-2
Product Number: MG9482

**Product Manufacturer:** Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

<u>In Case of an Emergency:</u> CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180 \*\*\* Contact manufacturer for all non-emergency calls.

### Section 2. Hazards Identification

**Appearance/Odor:** Off-white powder, odor not determined.

Classification: SKIN CORROSION/IRRITATION - Category 2, H315

SERIOUS EYE DAMAGE/IRRITATION - Category 2A, H319

SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION - Category 3, H335

**GHS Label Elements** 

**Hazard Pictograms:** 



Signal Word: WARNING

**Hazard Statements:** H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

**Precautionary Statements** 

**Prevention:** P261: Avoid breathing fumes/gas/mist/vapors/spray.

P264: Wash exposed skin thoroughly after handling. P271: Use only outdoors or in a well ventilated area.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

Ereztech MG9482 Page 1 of 13 Revision: 1.10

### Section 2. Hazards Identification

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. Response:

P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel

unwell.

P332 + P313: If skin irritation occurs: Get medical

advice/attention.

P337 + P313: If eye irritation persists: Get medical

advice/attention.

P362: Take off contaminated clothing and wash before reuse. P403 + P233: Store in a well ventilated place. Keep container

tightly closed.

P405: Store locked up.

P501: Dispose of contents/ container to an approved wasted **Disposal:** 

disposal plant.

None. **General:** 

**OSHA/HCS Status:** This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

None identified.

**Hazards Not Otherwise** Classified (HNOC):

# Section 3. Composition/Information on Ingredients

#### **Substances**

Storage:

**Synonyms** : Magnesium dibromide

**Formula** : MgBr<sub>2</sub> : 184.11 **Molecular Weight** : 7789-48-2. CAS-No. : 232-170-9. EC-No.

Ingredient Name	%	<b>CAS Number</b>
Magnesium bromide, anhydrous	>98	7789-48-2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Ereztech MG9482 Page 2 of 13 Revision: 1.10

### Section 4. First Aid Measures

**Description of Necessary First Aid Measures** 

**General Advice:** Move out of dangerous area. Call a POISON CENTER or doctor/physician

immediately if symptoms develop or if you feel unwell. Show this safety data

sheet to the doctor in attendance.

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Seek

medical attention if eye irritation develops and persists.

**Skin Contact:** Take off contaminated clothing and shoes immediately. Wash off contaminated

skin with soap and plenty of water. Seek medical attention if irritation develops

and persists, if symptoms develop or if you feel unwell.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a physician or POISON CONTROL CENTER if symptoms develop

or if you feel unwell.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting

occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a physician or POISON CONTROL CENTER if symptoms develop or if you feel

unwell.

Most Important Symptoms/Effects, Acute and Delayed Potential Acute Health Effects

**Eye Contact:** Symptoms may include stinging, tearing, redness, swelling and blurred vision.

**Inhalation:** Product may be irritating to respiratory system. Symptoms may include

coughing, sneezing with phlegm production, sore throat, nausea, headache,

vomiting.

**Skin Contact:** Symptoms may include an itching or burning sensation, reddening, swelling and

blistering with tissue necrosis.

**Ingestion:** Product may be expected to be irritating to mucous membranes. Symptoms may

include cramping, localized pain, headache, nausea and vomiting.

**Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary** 

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

**Protection of First Responders:** No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

<u>Ereztech MG9482</u> Page 3 of 13 Revision: 1.10
Date of Issue: 4/29/2020

### Section 5. Fire Fighting Measures

**General Hazards:** None identified.

**Suitable Extinguishing Media:** Use water spray, alcohol resistant foam, dry chemical or carbon

dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media:** 

**Unusual Fire and Explosion** 

**Hazards:** 

None identified. None identified.

**Product of Combustion:** Decomposition products may include hydrogen bromide gas

and magnesium oxide.

**Protection of Firefighters:** Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and

self-contained breathing apparatus (SCBA) with a full face-

piece operated in a positive pressure mode.

# Section 6. Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation

and inhalation of dusts and aerosols. Provide adequate ventilation. Wear respiratory protection. Put on appropriate

personal protective equipment.

**For Emergency Responders:** If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency

Personnel".

**Environmental Precautions:** Do not allow dispersal of spilled material and contact with

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways or air).

**Methods for Containment** 

**General:** Move containers from spill area if safe to do so. Avoid the

formation and inhalation of dusts and aerosols.

### Section 6. Accidental Release Measures

**Small Spill:** 

**Precautions:** 

Contain and collect spillage with a dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal

contractor.

**Large Spill:** Approach release from upwind. Prevent entry into sewers,

water courses, basements or confined areas. Contain and collect spillage with a dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the

same hazard as the spilled product.

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

# Section 7. Handling and Storage

3 3

Product is moisture sensitive; handle under a dry, inert gas.

Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged

exposure. Ensure adequate ventilation.

**Protective Measures:** Put on appropriate personal protective equipment (see Section

8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Keep in the original container kept tightly closed when not in use. Empty containers retain product

residue and can be hazardous. Do not reuse container.

**General Occupational Hygiene:** Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Safe Storage Conditions:** Product is moisture sensitive; store under an inert gas.

Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct

sunlight in a dry and well-ventilated area, away from

incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

<u>Ereztech MG9482</u> Page 5 of 13 Revision: 1.10
Date of Issue: 4/29/2020

## Section 8. Exposure Controls/Personal Protection

**Introductory Remarks:** These recommendations provide general guidance for handling

this product. Because work environments and material handling practices vary, safety procedures should be developed for each

intended application. While developing safe handling

procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

**Occupational Exposure Limits:** No exposure limits noted for this material.

Properly operating chemical fume hood designed for hazardous **Engineering Controls:** chemicals and having an average face velocity of at least 100

feet per minute. Provide an eyewash/shower station.

**Environmental Exposure Controls:** Emissions from ventilation or work process equipment should

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

**Individual Protection Measures** 

Wash hands, forearms and face thoroughly after handling **Hygiene Measures:** 

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts produced by product. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to

the workstation's location.

Safety eyewear complying with an approved standard should **Eye/Face Protection:** 

> be used when a risk assessment indicates this is necessary to avoid exposure to dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

higher degree of protection: chemical splash goggles,

faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI

Z87.1, or European Standard EN166.

**Skin Protection** 

**Hand Protection:** Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling

necessary. Considering the parameters specified by the glove

chemical products if a risk assessment indicates this is

manufacturer, check during use that the gloves are still

retaining their protective properties.

### Section 8. Exposure Controls/Personal Protection

**Hand Protection (cont.):** 

It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. For full contact,

wear Neoprene or nitrile rubber gloves.

Other Skin Protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

**Respiratory Protection:** 

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Section 9. Physical and Chemical Properties

**Physical State:** Solid, crystals.

Color: Off-white.

Odor: Not determined.
Odor Threshold: No data available.
pH: No data available.

Melting Point:711 °C (1,312 °F)Boiling Point:No data available.Flash Point:No data available.

**Density:** 3.72 gm/cm<sup>3</sup> @ 25 °C (77 °F)

Vapor Pressure:No data available.Vapor Density:No data available.

Water Solubility: Soluble.

Ereztech MG9482 Page 7 of 13 Revision: 1.10

### Section 10. Stability and Reactivity

Reactivity:

No data available.

**Chemical Stability:** 

Product is strongly deliquescent. This product is stable when stored under a dry, inert atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. This product is not

sensitive to impact.

**Conditions to Avoid:** 

Exposure to water/moisture.

**Incompatible Materials:** 

Water, compounds containing active hydrogen (alcohols,

acids) and strong oxidizing agents.

**Hazardous Decomposition Products:** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: hydrogen bromide gas and magnesium oxides.

In the event of a fire: see section 5.

**Possibility of Hazardous Reactions:** 

Under normal conditions of storage and use, hazardous reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use.

### Section 11. Toxicological Information

### **Information on Toxicological Effects**

**Acute Toxicity** 

**Irritation/Corrosion** 

Sensitization

**Germ Cell Mutagenicity** 

**Carcinogenity** 

**IARC** 

: No specific data available.

: Product causes skin irritation and serious eye irritation.

: No specific data available.

: No effects known.

**ACGIH** 

: No component of this product present at levels greater than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

: No specific data available.

: No specific data available.

**NTP** 

**OSHA** 

**Reproductive Toxicity** 

**Teratogenicity** 

Ereztech MG9482 Page 8 of 13 Revision: 1.10

# Section 11. Toxicological Information

Specific Target Organ Toxicity (Single Exposure)

Specific Target Organ Toxicity (Repeated Exposure)

**Aspiration Hazard** 

Information on the Likely Routes of Exposure

**Additional Information** 

: Respiratory tract irritation.

: No specific data available.

: No specific data available.

: Common routes of exposure: inhalation (failure to prevent dust formation), dermal (failure to use skin protection), eye (failure to use safety eyewear). Less common: ingestion (failure to employ recommended hygiene measures (e.g. smoking after handling product without washing hands or using hand protection).

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

# Section 12. Ecological Information

### **Numerical Measures of Toxicity**

**Toxicity to Fish** 

**Toxicity to Daphnia and Other Aquatic Invertebrates** 

**Toxicity to Algae** 

**Persistence and Degradability** 

**Biodegradability** 

**Bioaccumulative Potential** 

**Mobility in Soil** 

**Other Adverse Effects** 

- : No specific data available.
- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Section 13. Disposal Considerations

#### **Waste Treatment Methods**

**Product** Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

**Contaminated Packaging** Empty containers retain product residue (dust) and can be

dangerous. Dispose of as unused product.

### Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	Not regulated.	Not regulated.	Not regulated.
UN Proper Shipping Name	-	-	-
Transport Hazard Classes	-	-	-
Packing Group	-	-	-
Environmental Hazards	-	-	-
Additional Information	-	-	-

### **Special Precautions for User**

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

# Section 15. Regulatory Information

### TSCA (Toxic Substance Control Act):

This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute Health Hazard (Acute toxicity – ingestion; Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

#### **Massachusetts Right to Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **Pennsylvania Right to Know Components**

No components are subject to the Pennsylvania Right to Know Act.

#### **New Jersey Right to Know Components**

No components are subject to the New Jersey Right to Know Act.

### **California Proposition 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Page 10 of 13 Revision: 1.10

Date of Issue: 4/29/2020

### Section 16. Other Information

#### **National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **HMIS Rating**

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

#### **History**

Date of Printing : 4/29/2020
Date of Issue/Date of Revision : 4/29/2020
Date of Previous Issue : 8/3/18

**References**: None available.

### **Abbreviations and Acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

### Section 16. Other Information

### **Abbreviations and Acronyms (cont.)**

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and

Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity.
TLV: Threshold Limit Values (ACGIH).
TWA: Time Weighted Average.

TWA: Time Weighted Average. VOC: Volatile Organic Compound.

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

<u>Ereztech MG9482</u> Page 12 of 13 Revision: 1.10



<u>Ereztech MG9482</u> Page 13 of 13 Revision: 1.10