# SAFETY DATA SHEET

Version 5.7 Revision Date 03/05/2018 Print Date 11/09/2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 **Product identifiers** 

> Product name Trichlorosilane

**Product Number** 175552 Brand Aldrich 014-001-00-9 Index-No.

CAS-No. 10025-78-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

> Company Sigma-Aldrich

> > 3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone +1 800-325-5832 +1 800-325-5052 Fax

1.4 **Emergency telephone number** 

> Emergency Phone # +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 1), H224 Pyrophoric liquids (Category 1), H250 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Skin corrosion (Category 1A), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H224 Extremely flammable liquid and vapour. H250 Catches fire spontaneously if exposed to air.

Harmful if swallowed. H302

Causes severe skin burns and eye damage. H314

Toxic if inhaled. H331

H335 May cause respiratory irritation.

Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P222	Do not allow contact with air.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302 + P334	IF ON SKIN: Immerse in cool water/ wrap in wet bandages.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to
	extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P422	Store contents under inert gas.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water., Contact with water liberates toxic gas. Lachrymator.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Formula : HCl<sub>3</sub>Si

Molecular weight : 135.45 g/mol
CAS-No. : 10025-78-2
EC-No. : 233-042-5
Index-No. : 014-001-00-9

**Hazardous components** 

Component	Classification	Concentration
Trichlorosilane		
	Flam. Liq. 1; Pyr. Liq. 1; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; H224, H250, H302, H314, H331, H335	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 175552 Page 2 of 9

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

### Suitable extinguishing media

Dry powder Dry sand

## Unsuitable extinguishing media

Do NOT use water jet.

## 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush with water.

## 6.4 Reference to other sections

For disposal see section 13.

Aldrich - 175552 Page 3 of 9

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage.

Recommended storage temperature 2 - 8 °C

Store under inert gas. Moisture sensitive. Over time, pressure may increase causing containers to burst Handle and open container with care.

Storage class (TRGS 510): 4.2: Pyrophoric and self-heating hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Trichlorosilane	10025-78-2	CEIL	0.5 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

## 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Protective gloves against thermal risks

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Aldrich - 175552 Page 4 of 9

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing Melting point/freezing point: -126.5 °C (-195.7 °F)

point

f) Initial boiling point and 32 - 34 °C (90 - 93 °F) - lit.

boiling range

q) Flash point -27 °C (-17 °F)

h) Evaporation rate No data available

i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 70 %(V) flammability or Lower explosion limit: 6.9 %(V)

explosive limits

k) Vapour pressure 672.1 hPa (504.1 mmHg) at 20 °C (68 °F)

2,122.2 hPa (1,591.8 mmHg) at 55 °C (131 °F) 721.88 hPa (541.45 mmHg) at 22.5 °C (72.5 °F)

I) Vapour density 4.68 - (Air = 1.0)

m) Relative density 1.342 g/cm3 at 25 °C (77 °F)

n) Water solubility No data availableo) Partition coefficient: n- No data available

octanol/water

p) Auto-ignition The substance or mixture is pyrophoric with the category 1. temperature

q) Decomposition No data available temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

## 9.2 Other safety information

Relative vapour density 4.68 - (Air = 1.0)

Aldrich - 175552 Page 5 of 9

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Reacts violently with water. Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks. Exposure to moisture

## 10.5 Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents, Alcohols, Amines

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male - 1,030 mg/kg

LC50 Inhalation - Rat - male and female - 4 h - 7.69 mg/l

(OECD Test Guideline 403)

Dermal: No data available

No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

## Reproductive toxicity

No data available

No data available

### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

Aldrich - 175552 Page 6 of 9

### **Additional Information**

RTECS: VV5950000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Packing group: I

#### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## DOT (US)

UN number: 1295 Class: 4.3 (3, 8)

Proper shipping name: Trichlorosilane

Reportable Quantity (RQ): Poison Inhalation Hazard: No

## **IMDG**

### **IATA**

UN number: 1295 Class: 4.3 (3, 8)
Proper shipping name: Trichlorosilane
IATA Passenger: Not permitted for transport
IATA Cargo: Not permitted for transport

# 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Fire Hazard, Reactivity Hazard, Acute Health Hazard

Aldrich - 175552 Page 7 of 9

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Trichlorosilane	10025-78-2	2013-02-08

#### **Pennsylvania Right To Know Components**

Trichlorosilane CAS-No. Revision Date 10025-78-2 2013-02-08

CAS-No. Revision Date

Trichlorosilane 10025-78-2 2013-02-08

**New Jersey Right To Know Components** 

Trichlorosilane CAS-No. Revision Date 10025-78-2 2013-02-08

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Eye Dam. Serious eye damage
Flam. Liq. Flammable liquids

H224 Extremely flammable liquid and vapour.
H250 Catches fire spontaneously if exposed to air.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

Pyr. Liq. Pyrophoric liquids Skin Corr. Skin corrosion

## **HMIS Rating**

Health hazard: 3
Chronic Health Hazard:
Flammability: 4
Physical Hazard 2

# **NFPA** Rating

Health hazard: 3
Fire Hazard: 4
Reactivity Hazard: 2
Special hazard.1: W

# **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.7 Revision Date: 03/05/2018 Print Date: 11/09/2018

Aldrich - 175552 Page 8 of 9

Aldrich - 175552 Page 9 of 9