# SAFETY DATA SHEET

Version 4.11 Revision Date 09/13/2017 Print Date 11/10/2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Nickel(II) fluoride

Product Number : 342211 Brand : Aldrich

CAS-No. : 10028-18-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318 Respiratory sensitisation (Category 1), H334

Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1A), H350

Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Respiratory Tract, H372

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H301 + H331 Toxic if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Aldrich - 342211 Page 1 of 10

H341 H350 H360 H372	Suspected of causing genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Strong hydrogen fluoride-releaser

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

# **Hazardous components**

Component	Classification	Concentration
Nickel difluoride		
	Acute Tox. 3; Skin Irrit. 2; Eye	90 - 100 %
	Dam. 1; Resp. Sens. 1; Skin	
	Sens. 1; Muta. 2; Carc. 1A;	
	Repr. 1B; STOT RE 1; H301 +	
	H331, H315, H317, H318,	
	H334, H341, H350, H360,	
	H372	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 342211 Page 2 of 10

#### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. First treatment with calcium gluconate paste.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

# **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Aldrich - 342211 Page 3 of 10

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place. Keep in a dry place. Do not store in glass

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
			parameters				
Nickel difluoride	10028-18-9	TWA	2.500000	USA. Occupational Exposure Limits			
			mg/m3	(OSHA) - Table Z-1 Limits for Air			
				Contaminants			
	Remarks	CAS number varies with compound					
		TWA	1.000000	USA. Occupational Exposure Limits			
			mg/m3	(OSHA) - Table Z-1 Limits for Air			
				Contaminants			
		TWA	2.500000	USA. Occupational Exposure Limits			
			mg/m3	(OSHA) - Table Z-2			
		Z37.28-1969					
		TWA	2.500000	USA. ACGIH Threshold Limit Values			
			mg/m3	(TLV)			
		Bone dama	Bone damage				
		Fluorosis					
		Substances for which there is a Biological Exposure Index or Indices					
		(see BEI® section)					
		Not classifiable as a human carcinogen					
		varies					
		TWA	2.500000	USA. ACGIH Threshold Limit Values			
			mg/m3	(TLV)			
		Bone damage					
		Fluorosis					
		Substances for which there is a Biological Exposure Index or Indices					
		(see BEI® section)					
		Not classifiable as a human carcinogen					
		varies					
		TWA	0.100000	USA. ACGIH Threshold Limit Values			
			mg/m3	(TLV)			
		Lung damage					
		Nasal cancer					
		Not classifiable as a human carcinogen					
		varies					
		TWA	0.015000	USA. NIOSH Recommended			
			mg/m3	Exposure Limits			
		Potential Occupational Carcinogen					
		See Append	ppendix A				

Aldrich - 342211 Page 4 of 10

TWA	2.5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
CAS nun	CAS number varies with compound				
TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
TWA	2.5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
Fluorosis Substanc (see BEI	Bone damage Fluorosis Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen varies				
TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
Nasal car	Lung damage Nasal cancer Not classifiable as a human carcinogen				
TWA	0.015 mg/m3	USA. NIOSH Recommended Exposure Limits			
	Potential Occupational Carcinogen See Appendix A				
PEL	2.5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			
PEL	0.05 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			

**Biological occupational exposure limits** 

Component	CAS-No.	Parameters	Value	Biological specimen	Basis	
Nickel difluoride	10028-18-9	Fluoride	3.0000 mg/g	Urine	ACGIH - Biological Exposure Indices (BEI)	
	Remarks	Prior to shift (16 hours after exposure ceases)				
		Fluoride	10.0000 mg/g	Urine	ACGIH - Biological Exposure Indices (BEI)	
		End of shift (As soon as possible after exposure ceases)				
		Fluoride	3.0000 mg/g	Urine	ACGIH - Biological Exposure Indices (BEI)	
		Prior to shift (16 hours after exposure ceases)				
		Fluoride	10.0000 mg/g	Urine	ACGIH - Biological Exposure Indices (BEI)	
		End of shift (As soon as possible after exposure ceases)				
		Fluoride	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)	
		Prior to shift (16 hours after exposure ceases)				
		Fluoride	3 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)	
		End of shift (As soon as possible after exposure ceases)				

Aldrich - 342211 Page 5 of 10

#### 8.2 **Exposure controls**

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder b) Odour odourless

c) Odour Threshold No data available No data available d) pH e) Melting point/freezing No data available

point

Initial boiling point and boiling range

No data available

Not applicable g) Flash point h) Evaporation rate No data available

Flammability (solid, gas) The product is not flammable. i)

Aldrich - 342211 Page 6 of 10 j) Upper/lower No data available flammability or

explosive limits

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 4.72 g/cm3 at 25  $^{\circ}$ C (77  $^{\circ}$ F)

n) Water solubility ca.40 g/l at 25 °C (77 °F) - soluble

o) Partition coefficient: noctanol/water No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

#### 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Avoid moisture.

Reacts dangerously with glass.

# 10.5 Incompatible materials

Peroxidesglass

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride, Nickel/nickel oxides Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male - 178 mg/kg

Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

Aldrich - 342211 Page 7 of 10

# Germ cell mutagenicity

No data available

Mouse

Micronucleus test

Mouse

sperm

# Carcinogenicity

IARC: 1 - Group 1: Carcinogenic to humans (Nickel difluoride)

3 - Group 3: Not classifiable as to its carcinogenicity to humans (Nickel difluoride)

NTP: Known to be human carcinogen (Nickel difluoride)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### **Additional Information**

Repeated dose

Rat - male and female - Inhalation - NOAEL : 0.25 mg/m3 - LOAEL : 0.5 mg/m3

toxicity

RTECS: QR6825000

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

Salivation, Nausea, Vomiting, Fever, Dermatitis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Gastrointestinal disturbance, Material reacts with moisture on the skin, eyes, and mucous membranes to generate hydrogen fluoride. Hydrogen fluoride is extremely destructive and may cause deep progressive burns that induce subcutaneous tissues to become blanched and bloodless resulting in lesions of dead tissue that are slow to heal.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

Aldrich - 342211 Page 8 of 10

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3288 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, inorganic, n.o.s. (Nickel difluoride)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 3288 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Nickel difluoride)

Marine pollutant:yes

**IATA** 

UN number: 3288 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, inorganic, n.o.s. (Nickel difluoride)

#### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 10028-18-9 2007-07-01

Nickel difluoride

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# Pennsylvania Right To Know Components

CAS-No. Revision Date Nickel difluoride 10028-18-9 2007-07-01

**New Jersey Right To Know Components** 

CAS-No. Revision Date

Nickel difluoride 10028-18-9 2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. Revision Date 2007-09-28

Nickel difluoride

### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Carc. Carcinogenicity

Aldrich - 342211 Page 9 of 10

Eye Dam. Serious eye damage H301 Toxic if swallowed.

H301 + H331 Toxic if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

# **HMIS Rating**

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

# **NFPA Rating**

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.11 Revision Date: 09/13/2017 Print Date: 11/10/2018

Aldrich - 342211 Page 10 of 10