# SAFETY DATA SHEET

Version 6.4 Revision Date 07/31/2014 Print Date 11/18/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Hydroxylamine sulfate

Product Number : 210250
Brand : Sigma-Aldrich
Index-No. : 612-123-00-2

CAS-No. : 10039-54-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

**USA** 

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Skin sensitisation (Category 1), H317 Carcinogenicity (Category 2), H351

Specific target organ toxicity - repeated exposure, Oral (Category 2), H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H290 May be corrosive to metals.

H302 + H312 Harmful if swallowed or in contact with skin

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Sigma-Aldrich - 210250 Page 1 of 9

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure if

swallowed.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P234 Keep only in original container.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P322 Specific measures (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

P391 Collect spillage. P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inner

liner.

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Synonyms : Hydroxylammonium sulfate

Formula :  $H_6N_2O_2 \cdot H_2O_4S$ Molecular Weight : 164.14 g/mol CAS-No. : 10039-54-0 EC-No. : 233-118-8 Index-No. : 612-123-00-2

# **Hazardous components**

Component	Classification	Concentration
Bis(hydroxylammonium) sulphate		
	Met. Corr. 1; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; Carc. 2; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 3; H290, H302 +	90 - 100 %
	H312, H315, H317, H319, H351, H373, H400, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 210250 Page 2 of 9

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

no data available

# 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

## 5.4 Further information

no data available

## 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

Sigma-Aldrich - 210250 Page 3 of 9

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Sigma-Aldrich - 210250 Page 4 of 9

Colour: colourless

b) Odour no data available Odour Threshold no data available no data available

e) Melting point/freezing

point

Melting point/range: 170 °C (338 °F) - dec.

Initial boiling point and

boiling range

no data available

g) Flash point not applicable h) Evapouration rate no data available

Flammability (solid, gas) The product is not flammable.

Upper/lower flammability or

explosive limits

no data available

k) Vapour pressure no data available Vapour density no data available

m) Relative density 1.88 g/cm3 at 20 °C (68 °F)

587 g/l at 20 °C (68 °F) - soluble n) Water solubility log Pow: -3.6 at 25 °C (77 °F)

Partition coefficient: n-

octanol/water

Auto-ignition temperature

no data available

Decomposition temperature

no data available

r) Viscosity no data available Not explosive s) Explosive properties

Oxidizing properties The product has been shown not to be oxidising in a test following Directive

67/548/EEC (Method A17, oxidising properties).

#### 9.2 Other safety information

no data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

no data available

#### 10.2 **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions 10.3

no data available

#### Conditions to avoid 10.4

no data available

#### 10.5 Incompatible materials

Oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - nitrogen oxides (NOx), Sulphur oxides Other decomposition products - no data available In the event of fire: see section 5

Sigma-Aldrich - 210250 Page 5 of 9

### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - rat - male and female - 642 mg/kg

(OECD Test Guideline 401)

Inhalation: no data available

LD50 Dermal - rabbit - male and female - > 1,500 - < 2,000 mg/kg

(OECD Test Guideline 402)

no data available

### Skin corrosion/irritation

Skin - rabbit

Result: Irritating to skin. (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - rabbit

Result: No eye irritation - 24 h (OECD Test Guideline 405)

## Respiratory or skin sensitisation

Maximisation Test - guinea pig

Result: May cause sensitisation by skin contact.

(OECD Test Guideline 406)

## Germ cell mutagenicity

mouse - male Result: negative

## Carcinogenicity

Carcinogenicity - rat - male and female - Oral Endocrine: Adrenal cortex hyperplasia.

Suspected human carcinogens

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

## Specific target organ toxicity - single exposure

no data available

### Specific target organ toxicity - repeated exposure

no data available

# **Aspiration hazard**

no data available

### **Additional Information**

RTECS: NC5425000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Sigma-Aldrich - 210250 Page 6 of 9

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Toxicity to fish mortality LC50 - Pimephales promelas (fathead minnow) - 7.2 mg/l - 96 h

Toxicity to daphnia and

static test EC50 - Daphnia magna (Water flea) - 1.62 mg/l - 48 h other aquatic (Directive 67/548/EEC, Annex V, C.2.)

invertebrates

static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) -Toxicity to algae

0.72 mg/l - 72 h

Respiration inhibition EC50 - Sludge Treatment - 54 mg/l - 180 min Toxicity to bacteria

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

no data available

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2865 Class: 8 Packing group: III

Proper shipping name: Hydroxylamine sulfate

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2865 Packing group: III Class: 8 EMS-No: F-A, S-B

Proper shipping name: HYDROXYLAMINE SULPHATE

Marine pollutant: No

**IATA** 

UN number: 2865 Class: 8 Packing group: III

Proper shipping name: Hydroxylamine sulphate

Sigma-Aldrich - 210250 Page 7 of 9

### 15. REGULATORY INFORMATION

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know Components

Bis(hydroxylammonium) sulphate CAS-No. Revision Date 2007-03-01

**New Jersey Right To Know Components** 

Bis(hydroxylammonium) sulphate CAS-No. Revision Date 2007-03-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
Eye Irrit. Eye irritation

H290 May be corrosive to metals. H302 Harmful if swallowed.

H302 + H312 Harmful if swallowed or in contact with skin

H312 Harmful in contact with skin. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H400 Very toxic to aquatic life.

# **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

# **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the

Sigma-Aldrich - 210250 Page 8 of 9

product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.4 Revision Date: 07/31/2014 Print Date: 11/18/2018

Sigma-Aldrich - 210250 Page 9 of 9