SAFETY DATA SHEET

Version 5.5 Revision Date 02/13/2018 Print Date 11/18/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifiers

Product name Mercury(I) chloride

Product Number 230405 Brand Sigma-Aldrich Index-No. 080-003-00-1

CAS-No. 10112-91-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

> Company Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone +1 800-325-5832 +1 800-325-5052 Fax

1.4 **Emergency telephone number**

> Emergency Phone # +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Respiratory sensitisation (Category 1), H334 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

Toxic if swallowed. H301

Harmful in contact with skin. H312 Causes skin irritation. H315 Causes serious eye irritation. H319

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

H410 Very toxic to aquatic life with long lasting effects.

Sigma-Aldrich - 230405 Page 1 of 9 Precautionary statement(s) P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear eye protection/ face protection. P280 Wear protective gloves/ protective clothing. P285 In case of inadequate ventilation wear respiratory protection. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell. P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P391 Collect spillage.
P405 Store locked up.

Take off contaminated clothing and wash before reuse.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

P362

Synonyms : Calomel

Mercurous chloride

Formula : Cl₂Hg₂

Molecular weight : 472.09 g/mol
CAS-No. : 10112-91-1
EC-No. : 233-307-5
Index-No. : 080-003-00-1

Hazardous components

Component	Classification	Concentration	
Calomel			
	Acute Tox. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Resp. Sens. 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H312, H315, H319, H334, H410	90 - 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 230405 Page 2 of 9

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Product is sensitive to light and moisture.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 230405 Page 3 of 9

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
Calamal	40440.04.4	TIALA	parameters	LICA ACCILITATE PARA IN THE STATE OF THE STA		
Calomel	10112-91-1	TWA	0.025000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Central Nervous System impairment				
		Kidney damage				
		Substances for which there is a Biological Exposure Index or Indices				
		(see BEI® section)				
		Not classifiable as a human carcinogen				
		Danger of cutaneous absorption				
		varies				
		TWA	0.050000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		Potential for	dermal absorptio	n		
		С	0.100000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		Potential for	dermal absorptio			
		See Table Z-2				
		See Table Z-2				
		TWA	0.025 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
		Central Nervous System impairment				
		Kidney damage Substances for which there is a Biological Exposure Index or Indice (see BEI® section) Not classifiable as a human carcinogen Danger of cutaneous absorption				
		varies				
		TWA	0.05 mg/m3	USA. NIOSH Recommended Exposure Limits		
		Potential for	dermal absorptio			
		С	0.1 mg/m3	USA. NIOSH Recommended		
				Exposure Limits		
		Potential for dermal absorption				
				California permissible exposure		
		IPEL	1 U.U25 mg/m3	i California permissiple exposure		
		PEL	0.025 mg/m3	limits for chemical contaminants		
		PEL	0.025 mg/m3	limits for chemical contaminants		
			0.025 mg/m3			
		Skin		limits for chemical contaminants (Title 8, Article 107)		
		Skin	0.025 mg/m3	limits for chemical contaminants		
		Skin		limits for chemical contaminants (Title 8, Article 107) California permissible exposure		

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Sigma-Aldrich - 230405 Page 4 of 9

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: solid a) Appearance

b) Odour No data available c) Odour Threshold No data available No data available d)

Melting point/freezing

point

Melting point/range: 400 °C (752 °F) - lit.

Initial boiling point and

boiling range

No data available

g) Flash point Not applicable h) Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower No data available

flammability or explosive limits

Vapour pressure No data available No data available Vapour density 7.150 g/cm3 m) Relative density

Sigma-Aldrich - 230405 Page 5 of 9 n) Water solubilityNo data availableo) Partition coefficient: n-No data available

octanol/water

temperature

p) Auto-ignition No data available

q) Decomposition No data available temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Strong bases, Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Mercury/mercury oxides. Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 210 mg/kg

LD50 Dermal - Rat - 1,500 mg/kg

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

Sigma-Aldrich - 230405 Page 6 of 9

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: OV8740000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 0.5 mg/l - 48 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 0.002 mg/l - 48 h

other aquatic invertebrates

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2025 Class: 6.1 Packing group: III Proper shipping name: Mercury compounds, solid, n.o.s. (Calomel)

Reportable Quantity (RQ): Marine pollutant:yes

Poison Inhalation Hazard: No

IMDG

UN number: 2025 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Sigma-Aldrich - 230405 Page 7 of 9

Proper shipping name: MERCURY COMPOUND, SOLID, N.O.S. (Calomel)

Marine pollutant: yes Marine pollutant: yes

IATA

UN number: 2025 Class: 6.1 Packing group: III Proper shipping name: Mercury compound, solid, n.o.s. (Calomel)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Calomel 10112-91-1 1987-01-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Calomel CAS-No. Revision Date 10112-91-1 1987-01-01

CAS-No. Revision Date 10112-91-1 1987-01-01

New Jersey Right To Know Components

CAS-No. Revision Date 10112-91-1 1987-01-01

California Prop. 65 Components

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive 10112-91-1 1990-07-01

harm. Calomel

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Eye Irrit. Eye irritation H301 Toxic if swallowed.

H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2

Sigma-Aldrich - 230405 Page 8 of 9

Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.5 Revision Date: 02/13/2018 Print Date: 11/18/2018

Sigma-Aldrich - 230405 Page 9 of 9