Page 1 of 10

# SAFETY DATA SHEET

Version 5.6 Revision Date 08/10/2016 Print Date 11/10/2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Dibutyltin diacetate

Product Number : 290890 Brand : Aldrich

CAS-No. : 1067-33-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

**USA** 

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - single exposure, Oral (Category 1), thymus gland, H370 Specific target organ toxicity - repeated exposure, Oral (Category 1), thymus gland, H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.
H360 May damage fertility or the unborn child.

H370 Causes damage to organs (thymus gland) if swallowed.

Aldrich - 290890

H372	Causes damage to organs	(thymus gland)	) through prolonged or repeated

exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P281 Use personal protective equipment as required.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Immediately call a POISON CENTER or

doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Rapidly absorbed through skin.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Synonyms : Diacetoxydibutyltin

### Hazardous components

Component	Classification	Concentration
Dibutyltin diacetate		
	Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Muta. 2; Repr. 1B; STOT SE 1; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H314, H317, H318, H341, H360, H370, H372, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 290890 Page 2 of 10

### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

No data available

# **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

Aldrich - 290890 Page 3 of 10

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Moisture sensitive. Handle and store under inert gas.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
Component	CAS-No.	value		Basis	
<b>5</b> 0 40 0 44	100= 00 0		parameters		
Dibutyltin diacetate	1067-33-0	TWA	0.100000	USA. Occupational Exposure Limits	
			mg/m3	(OSHA) - Table Z-1 Limits for Air	
				Contaminants	
		TWA	0.100000	USA. ACGIH Threshold Limit Values	
			mg/m3	(TLV)	
	Remarks	Central nerv	ous system	,	
		Immune effects			
		Upper Resp	Upper Respiratory Tract irritation		
		Headache			
		Eye irritation			
		Nausea			
			Not classifiable as a human carcinogen		
		Danger of cutaneous absorption			
		varies	atancous absorptic	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	+	STEL	0.200000	USA. ACGIH Threshold Limit Values	
		SIEL			
		0 1 1	mg/m3	(TLV)	
		Central nerv	•		
		Immune effe			
		Upper Respiratory Tract irritation			
		Headache			
		Eye irritation			
		Nausea			
		Not classifiable as a human carcinogen			
		Danger of cutaneous absorption			
		varies			
		TWA	0.100000	USA. NIOSH Recommended	
			mg/m3	Exposure Limits	
		Also see spe	ecific listing for Cyl		
			dermal absorption		
		TWA	0.1 mg/m3	USA. Occupational Exposure Limits	
			011g/	(OSHA) - Table Z-1 Limits for Air	
				Contaminants	
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values	
		IVVA	0.11119/1110	(TLV)	
		Central nervous system			
		Immune effe			
		Upper Respiratory Tract irritation Headache Eye irritation			
		Nausea			
		Not classifiable as a human carcinogen			
			utaneous absorptio		
		varies			
	1	STEL	0.2 mg/m3	USA. ACGIH Threshold Limit Values	
		"	0.2 mg/mo	(TLV)	
		Control nom	oue evetem	( : = v )	
	1	Central nerv	ous system	!	

Aldrich - 290890 Page 4 of 10

Headache Eye irritat Nausea Not class	espiratory Tract irrit	carcinogen
TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits
	Also see specific listing for Cyhexatin.  Potential for dermal absorption	
PEL	0.1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin	Skin	
STEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		·

# 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 30 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

Aldrich - 290890 Page 5 of 10

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties 9.1

a) Appearance Form: liquid

Colour: colourless

b) Odour No data available No data available Odour Threshold d) No data available

Melting point/freezing

point

Melting point/range: 7 - 10 °C (45 - 50 °F) - lit.

Initial boiling point and

boiling range

142 - 145 °C (288 - 293 °F) at 13 hPa (10 mmHg) - lit.

150.5 °C (302.9 °F) - Pensky-Martens closed cup - ISO 2719 g) Flash point

h) Evaporation rate No data available No data available i) Flammability (solid, gas) Upper/lower No data available i)

flammability or explosive limits

k) Vapour pressure 1.7 hPa (1.3 mmHg) at 25 °C (77 °F)

Vapour density 12.12 - (Air = 1.0)

1.32 g/cm3 at 25 °C (77 °F) m) Relative density

No data available n) Water solubility Partition coefficient: n-No data available octanol/water

**Auto-ignition** 

temperature

520 °C (968 °F)

Decomposition temperature

No data available

No data available Viscosity No data available s) Explosive properties Oxidizing properties No data available t)

9.2 Other safety information

> Relative vapour density 12.12 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions 10.3

No data available

Aldrich - 290890 Page 6 of 10

### 10.4 Conditions to avoid

Light.

### 10.5 Incompatible materials

Strong oxidizing agentsStrong oxidizing agents, Strong acids, Strong bases

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Tin/tin oxides

Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

# **Acute toxicity**

No data available

Inhalation: No data available

LD50 Dermal - Rabbit - 2,318 mg/kg

Remarks: Prolonged skin contact may cause skin irritation and/or dermatitis.

No data available

### Skin corrosion/irritation

Skin - in vitro assay Result: Corrosive

(EPISKIN Human Skin Model Test)

# Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

Ames test S. typhimurium Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### **Additional Information**

Repeated dose toxicity - No data available(Dibutyltin diacetate)

RTECS: WH6880000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes,

Aldrich - 290890 Page 7 of 10

and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Oryzias latipes - 3.76 mg/l - 48 h

Toxicity to daphnia and

other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 1.4 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test EC50 - Skeletonema costatum (marine diatom) - 0.035 mg/l - 72 h

Toxicity to bacteria Respiration inhibition EC50 - Sludge Treatment - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2922 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive liquids, toxic, n.o.s. (Dibutyltin diacetate)

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2922 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Dibutyltin diacetate)

Marine pollutant:yes

IATA

UN number: 2922 Class: 8 (6.1) Packing group: II
Proper shipping name: Corrosive liquid, toxic, n.o.s. (Dibutyltin diacetate)

Aldrich - 290890 Page 8 of 10

### 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Dibutyltin diacetate

Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

Dibutyltin diacetate	CAS-No. 1067-33-0	Revision Date 1994-04-01
Pennsylvania Right To Know Components	CAS-No.	Revision Date

**New Jersey Right To Know Components** 

CAS-No. Revision Date
Dibutyltin diacetate 1067-33-0 1994-04-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

1067-33-0

1994-04-01

### 16. OTHER INFORMATION

# Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Dam.	Serious eye damage

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H341 Suspected of causing genetic defects. H360 May damage fertility or the unborn child.

H370 Causes damage to organs (/\$/\*\_ORG\_SING\_ORAL/\$/) if swallowed.

H372 Causes damage to organs (/\$/\*\_ORG\_REP\_ORAL/\$/) through prolonged or

repeated exposure if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Muta. Germ cell mutagenicity
Repr. Reproductive toxicity

# **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 1
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 1
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the

Aldrich - 290890 Page 9 of 10

product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.6 Revision Date: 08/10/2016 Print Date: 11/10/2018

Aldrich - 290890 Page 10 of 10