SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.4 Revision Date 05/23/2016 Print Date 11/10/2018

.1	Product identifiers					
	Product name	:	Silica			
	Product Number Brand	:	381276 Aldrich			
	CAS-No.	:	112945-52-5			
1.2	Relevant identified use	s of th	e substance or mixtu	ure and uses advised a	gainst	
	Identified uses	:	Laboratory chemical	s, Synthesis of substance	es	
1.3	Details of the supplier	of the :	safety data sheet			
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 6 USA	3103		
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052			
1.4	Emergency telephone	numbe	r			
	Emergency Phone #	:	+1-703-527-3887 (C	HEMTREC)		
2. H/	AZARDS IDENTIFICATION	N				
2.1	1 Classification of the substance or mixture					
	Not a hazardous substar	nce or i	nixture.			
2.2 GHS Label elements, including precautionary statements						
	Not a hazardous substance or mixture.					
2.3	Hazards not otherwise classified (HNOC) or not covered by GHS - none					
3. CO	OMPOSITION/INFORMAT		N INGREDIENTS			
3.1	Substances Synonyms	:	Silicic anhydride Silicon dioxide amor Silica Silicon dioxide Silica, fumed	phous		
	Formula	:	O ₂ Si			
	Molecular weight CAS-No.	:	60.08 g/mol 112945-52-5			
	Hazardous component	s				
	Component			Classification	Concentration	
	Pyrogenic colloidal sili	ca				
	r yrogenic conoluar sin	ca			<= 100 %	

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Avoid breathing vapours, mist or gas. For personal protection see section 8.

6.2 Environmental precautions No special environmental precautions required.

- **6.3 Methods and materials for containment and cleaning up** Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

Aldrich - 381276

Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
			parameters			
Pyrogenic colloidal	112945-52-	TWA	20.000000Millio	USA. Occupational Exposure Limits		
silica	5		n particles per	(OSHA) - Table Z-3 Mineral Dusts		
			cubic foot			
	Remarks			unted by light-field techniques.		
				per cubic meter = particles per c.c		
		TWA		USA. Occupational Exposure Limits		
			3 / %SiO2	(OSHA) - Table Z-3 Mineral Dusts		
		TWA	20.000000Millio	USA. Occupational Exposure Limits		
			n particles per	(OSHA) - Table Z-3 Mineral Dusts		
			cubic foot			
				unted by light-field techniques.		
		mppcf X 35.3		per cubic meter = particles per c.c		
		TWA	80.000000mg/m	USA. Occupational Exposure Limits		
			3 / %SiO2	(OSHA) - Table Z-3 Mineral Dusts		
		TWA	20.000000Millio	USA. Occupational Exposure Limits		
			n particles per	(OSHA) - Table Z-3 Mineral Dusts		
			cubic foot			
		Based on im	Based on impinger samples counted by light-field techniques.			
		mppcf X 35.3	nppcf X 35.3 = million particles per cubic meter = particles per c			
		TWA	80.000000mg/m	USA. Occupational Exposure Limits		
			3 / %SiO2	(OSHA) - Table Z-3 Mineral Dusts		
		TWA	6.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		TWA	6.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		TWA	20Million	USA. Occupational Exposure Limits		
			particles per	(OSHA) - Table Z-3 Mineral Dusts		
			cubic foot			
		Based on im	npinger samples counted by light-field techniques.			
			35.3 = million particles per cubic meter = particles per c.o			
		TŴA	80mg/m3 /	USA. Occupational Exposure Limits		
			%SiO2	(OSHA) - Table Z-3 Mineral Dusts		
		TWA	6 mg/m3	USA. NIOSH Recommended		
				Exposure Limits		
		PEL	6 mg/m3	California permissible exposure		
				limits for chemical contaminants		
				(Title 8, Article 107)		

8.2 Exposure controls

Appropriate engineering controls General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

No special environmental precautions required.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	3.6 - 4.3 at 40 g/l
e)	Melting point/freezing point	Melting point/range: > 1,600 °C (> 2,912 °F)
f)	Initial boiling point and boiling range	2,200 °C (3,992 °F) at 1,013 hPa (760 mmHg)
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	2.200 g/cm3
n)	Water solubility	insoluble

0)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	ner safety information data available	
STAB	ILITY AND REACTIVITY	,

10.

10.1 Reactivity

9.2

No data available

- 10.2 Chemical stability Stable under recommended storage conditions.
- Possibility of hazardous reactions 10.3 No data available
- 10.4 Conditions to avoid Exposure to moisture may affect product quality.
- 10.5 Incompatible materials Strong acids, Strong bases, Hydrogen fluoride, Oxidizing agents, Ammonia, Oxygen difluoride, Chlorine trifluoride

Hazardous decomposition products 10.6 Hazardous decomposition products formed under fire conditions. - silicon oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity Rat

Lungs Body fluid assay

Rat

Unscheduled DNA synthesis

Carcinogenicity

Carcinogenicity - Rat - Inhalation Tumorigenic:Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration:Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: VV7310000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components				
Pyrogenic colloidal silica	CAS-No. 112945-52-5	Revision Date		
Pyrogenic colloidal silica	CAS-No. 112945-52-5	Revision Date		
New Jersey Right To Know Components				
Pyrogenic colloidal silica	CAS-No. 112945-52-5	Revision Date		
Pyrogenic colloidal silica	CAS-No. 112945-52-5	Revision Date		

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

		HMIS Rating Health hazard: Chronic Health Hazard: Flammability: Physical Hazard	0 * 0 0
NFPA Rating Health hazard: 0 Fire Hazard: 0 Reactivity Hazard: 0 Aldrich - 381276	Aldrich	Health hazard: Fire Hazard: Reactivity Hazard:	0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4

Revision Date: 05/23/2016

Print Date: 11/10/2018