# SIGMA-ALDRICH

sigma-aldrich.com SAFETY DATA SHEET Version 3.13 Revision Date 09/23/2016

Revision Date 09/23/2016 Print Date 10/31/2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Titanium(IV) oxysulfate - sulfuric acid hydrate
	Product Number Brand	:	333980 Aldrich
	CAS-No.	:	123334-00-9
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier of t	he :	safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

### 1.4 Emergency telephone number

Emergency Phone # : +	-1-703-527-3887 (	(CHEMTREC)
-----------------------	-------------------	------------

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Corrosive to metals (Category 1), H290 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statement(s)	
P234	Keep only in original container.
P260	Do not breathe dust or mist.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant stainless steel container with a resistant inner liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

Molecular weight : 276 g/mol

Molecular weight	. 270 9/1101		
Hazardous components			
Component		Classification	Concentration
Titanium oxide sulphate			
CAS-No.	13825-74-6	Skin Corr. 1A; Eye Dam. 1;	>= 70 - < 90 %
EC-No.	237-523-0	H314, H318	
Sulfuric acid			
CAS-No.	7664-93-9	Met. Corr. 1; Skin Corr. 1A;	>= 10 - < 20 %
EC-No.	231-639-5	Eye Dam. 1; H290, H314	
Index-No.	016-020-00-8		
Registration number	01-2119458838-20-XXXX		
For the full text of the H-Sta	atements mentioned in this S	ection, see Section 16.	

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **5. FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Sulfuric acid	7664-93-9	TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

Hazardous components without workplace control parameters

### 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: Powder with lumps Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	Not applicable

h)	Evaporation rate	No data available		
i)	Flammability (solid, gas)	No data available		
j)	Upper/lower flammability or explosive limits	No data available		
k)	Vapour pressure	No data available		
I)	Vapour density	No data available		
m)	Relative density	No data available		
n)	Water solubility	No data available		
o)	Partition coefficient: n- octanol/water	No data available		
p)	Auto-ignition temperature	No data available		
q)	Decomposition temperature	No data available		
r)	Viscosity	No data available		
s)	Explosive properties	No data available		
t)	Oxidizing properties	No data available		
Other safety information				

# No data available

# **10. STABILITY AND REACTIVITY**

10.1 Reactivity No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials No data available

#### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Titanium/titanium oxides Other decomposition products - No data available In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

#### Acute toxicity Dermal: No data available

No data available

#### Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

# Respiratory or skin sensitisation

No data available

Aldrich - 333980

# Germ cell mutagenicity

No data available

# Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

# **Additional Information**

RTECS: Not available

spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence (Sulfuric acid)

# 12. ECOLOGICAL INFORMATION

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### **12.6 Other adverse effects** No data available

# **13. DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

# DOT (US)

UN number: 3260 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Sulfuric acid, Titanium oxide sulphate) Reportable Quantity (RQ):

Poison Inhalation Hazard: No

# IMDG

UN number: 3260 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, Titanium oxide sulphate)

# ΙΑΤΑ

UN number: 3260 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Sulfuric acid, Titanium oxide sulphate)

# **15. REGULATORY INFORMATION**

SARA 302 Components		
The following components are subject to reporting levels es	-	
	CAS-No.	Revision Date
Sulfuric acid	7664-93-9	2007-07-01
SARA 313 Components		
The following components are subject to reporting levels estimates	stablished by SARA Title III	, Section 313:
	CAS-No.	Revision Date
Sulfuric acid	7664-93-9	2007-07-01
SARA 311/312 Hazards		
Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
- ·	CAS-No.	Revision Date
Sulfuric acid	7664-93-9	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Titanium oxide sulphate	13825-74-6	1994-07-31
Water	7732-18-5	
Sulfuric acid	7664-93-9	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Titanium oxide sulphate	13825-74-6	1994-07-31
Water	7732-18-5	0007.07.04
Sulfuric acid	7664-93-9	2007-07-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the		Revision Date
State of California to cause cancer. Sulfuric acid	7664-93-9	2007-09-28

# **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

erious eye damage
ay be corrosive to metals.
auses severe skin burns and eye damage.
auses serious eye damage.

Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion

# **HMIS Rating**

Health hazard: Chronic Health Hazard:	3
Flammability:	0
Physical Hazard	2
NFPA Rating	
NFPA Rating Health hazard:	3
•	3 0

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.13

Revision Date: 09/23/2016

Print Date: 10/31/2018