# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.8 Revision Date 05/27/2016 Print Date 11/19/2018

# **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Fenbutatin oxide	
	Product Number	:	34342	
	Brand	:	Sigma-Aldrich	
	Index-No.	:	050-017-00-2	
	CAS-No.	:	13356-08-6	
4.0		<b>6</b> (1)		

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

#### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 2), H330 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger Hazard statement(s) H315 Causes skin irritation. H319 Causes serious eye irritation. H330 Fatal if inhaled. H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. P264 Use only outdoors or in a well-ventilated area. P271

Sigma-Aldrich - 34342

P273 P280 P284	Avoid release to the environment. Wear protective gloves/ eye protection/ face protection. Wear respiratory protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	<b>Substances</b> Synonyms	:	Bis[tris-(2-methyl-2-phe	nylpropyl)tin] oxide	
	Formula Molecular weight CAS-No. EC-No. Index-No.	: : :	C <sub>60</sub> H <sub>78</sub> OSn <sub>2</sub> 1,052.68 g/mol 13356-08-6 236-407-7 050-017-00-2		
	Hazardous components Component			Classification	Concentration
	Fenbutatin oxide				•
				Acute Tox. 2; Skin Irrit. 2; Eye Irrit. 2A; Aquatic Acute 1; Aquatic Chronic 1; H315,	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

H319, H330, H410

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Fenbutatin oxide	13356-08-6	TWA	0.100000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.100000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central nerv Immune effe Upper Respi Headache		on

Danger of co varies STEL Central nerv Immune effe	ble as a human c utaneous absorpti 0.200000 mg/m3 rous system	USA. ACGIH Threshold Limit Values (TLV)
Headache Eye irritation Nausea Not classifia	·	arcinogen
TWA	0.100000	USA. NIOSH Recommended
Also see sne	mg/m3 ecific listing for Cy	Exposure Limits
	dermal absorptio	
TWA	0.1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Headache Eye irritation Nausea Not classifia	ects iratory Tract irritat ble as a human c utaneous absorpti	arcinogen ion
STEL	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Headache Eye irritation Nausea Not classifia	ects iratory Tract irritat	arcinogen
TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits
	ecific listing for Cy dermal absorptio	n
PEL	0.1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

# 8.2 Exposure controls

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	100.00 °C (212.00 °F) - closed cup
h)	Evaporation rate	No data available

i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	insoluble
o)	Partition coefficient: n- octanol/water	log Pow: 5.2
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	<b>her safety information</b> data available	

# **10. STABILITY AND REACTIVITY**

**10.1 Reactivity** No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents

# Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Tin/tin oxides Other decomposition products - No data available In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# Acute toxicity

LD50 Oral - Rat - 2,630 mg/kg

Inhalation: No data available

LD50 Dermal - Rabbit - > 2,000 mg/kg

No data available

**Skin corrosion/irritation** No data available

Serious eye damage/eye irritation No data available

# Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

# No data available

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

#### Aspiration hazard No data available

# Additional Information

**RTECS:** Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 0.002 mg/l - 96.0 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 0.01 mg/l - 48 h other aquatic invertebrates

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available

#### 12.4 Mobility in soil No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

# **13. DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

# Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

#### DOT (US)

UN number: 2811 Class: 6.1 Packing group: III Proper shipping name: Toxic solids, organic, n.o.s. (Fenbutatin oxide) Reportable Quantity (RQ): Marine pollutant:yes Poison Inhalation Hazard: No

#### IMDG

UN number: 2811 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (Fenbutatin oxide) Marine pollutant:yes IATA UN number: 2811 Class: 6.1 Packing group: III

Proper shipping name: Toxic solid, organic, n.o.s. (Fenbutatin oxide)

# **15. REGULATORY INFORMATION**

# SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:				
	CAS-No.	Revision Date		
Fenbutatin oxide	13356-08-6	2007-07-01		

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

Fenbutatin oxide	CAS-No. 13356-08-6	Revision Date 2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Fenbutatin oxide	13356-08-6	2007-07-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity

Eye irritation
Causes skin irritation.
Causes serious eye irritation.
Fatal if inhaled.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

# **HMIS Rating**

NFPA Rating	
Physical Hazard	0
Flammability:	0
Chronic Health Hazard:	*
Health hazard:	3

Health hazard:	3
Fire Hazard:	0
Reactivity Hazard:	0

# **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.8

Revision Date: 05/27/2016

Print Date: 11/19/2018