# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.4 Revision Date 06/27/2014 Print Date 11/10/2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION 1.1 **Product identifiers** Product name : 2-Chloroethanesulfonyl chloride Product Number 302325 Brand Aldrich CAS-No. 1622-32-8 : 1.2 Relevant identified uses of the substance or mixture and uses advised against : Laboratory chemicals, Manufacture of substances Identified uses Details of the supplier of the safety data sheet 1.3 Company Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA +1 800-325-5832 Telephone Fax +1 800-325-5052 1.4 **Emergency telephone number**

: +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

Emergency Phone #

# 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 1), H330 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H301 H314 H330	Toxic if swallowed. Causes severe skin burns and eye damage. Fatal if inhaled.
Precautionary statement(s) P260 P264 P270 P271 P280	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P320	Specific treatment is urgent (see supplemental first aid instructions on this label).
P363	Wash contaminated clothing before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Lachrymator.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

3.1	Substances Synonyms	:	2-Chloro-1-ethanesulfonyl chloride
	Formula	:	C <sub>2</sub> H <sub>4</sub> Cl <sub>2</sub> O <sub>2</sub> S
	Molecular Weight	:	163.02 g/mol
	CAS-No.	:	1622-32-8
	EC-No.	:	216-594-1
	Hazardaya componento		

#### Hazardous components

Component	Classification	Concentration
(2-Chloroethyl)sulphonyl chloride		
	Acute Tox. 3; Acute Tox. 1;	-
	Skin Corr. 1B; Eye Dam. 1;	
	H301, H314, H330	
For the full text of the H Statements mentioned in this Section, see Section 16		

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# **4.3** Indication of any immediate medical attention and special treatment needed no data available

# **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Sulphur oxides, Hydrogen chloride gas

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# 5.4 Further information

no data available

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

# 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Moisture sensitive.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Components with workplace control parameters** Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Chloroprene Minimum layer thickness: 0.6 mm Break through time: 60 min Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: light yellow
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	no data available
e)	Melting point/freezing point	no data available
f)	Initial boiling point and boiling range	84 - 86 °C (183 - 187 °F) at 20 hPa (15 mmHg) - lit.
g)	Flash point	113 °C (235 °F) - closed cup
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	no data available
k)	Vapour pressure	20 hPa (15 mmHg) at 84 °C (183 °F)
I)	Vapour density	no data available
m)	Relative density	1.56 g/mL at 25 °C (77 °F)

n)	Water solubility	no data available
o)	Partition coefficient: n- octanol/water	no data available
p)	Auto-ignition temperature	no data available
q)	Decomposition temperature	no data available
r)	Viscosity	no data available
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available
Other safety information no data available		

# **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

9.2

no data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions no data available
- **10.4 Conditions to avoid** no data available
- **10.5** Incompatible materials Strong oxidizing agents, Strong bases
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

# Acute toxicity

LD50 Oral - rat - 240 mg/kg

LC50 Inhalation - rat - 4 h - 420 mg/m3

Dermal: no data available

no data available

# Skin corrosion/irritation no data available

Serious eye damage/eye irritation no data available

# **Respiratory or skin sensitisation** no data available

# Germ cell mutagenicity no data available

#### Carcinogenicity

IARC:	No component of this product present at levels greater than or equal to 0.1% is identified as
	probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity no data available

no data available

Specific target organ toxicity - single exposure no data available

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

## **Additional Information**

RTECS: KI8060000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

# **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

no data available

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- 12.4 Mobility in soil no data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

no data available

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

## DOT (US)

UN number: 3390 Class: 6.1 (8) Packing group: I Proper shipping name: Toxic by inhalation liquid, corrosive, n.o.s. ((2-Chloroethyl)sulphonyl chloride) Marine pollutant: No Poison Inhalation Hazard: Hazard zone B

# IMDG

UN number: 3390 Class: 6.1 (8) Aldrich - 302325 Packing group: I

Proper shipping name: TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. ((2-Chloroethyl)sulphonyl chloride) Marine pollutant: No

# ΙΑΤΑ

UN number: 3390 Class: 6.1 (8) Proper shipping name: Toxic by inhalation liquid, corrosive, n.o.s. ((2-Chloroethyl)sulphonyl chloride) IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

# **15. REGULATORY INFORMATION**

# SARA 302 Components

	CAS-No.	Revision Date
(2-Chloroethyl)sulphonyl chloride	1622-32-8	1993-04-24

### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Com	ponents

CAS-No. 1622-32-8	Revision Date 1993-04-24
CAS-No.	Revision Date
1622-32-8	1993-04-24
CAS-No. 1622-32-8	Revision Date 1993-04-24
	1622-32-8 CAS-No. 1622-32-8 CAS-No.

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Eye Dam. H301 H314 H318 H330	Acute toxicity Serious eye damage Toxic if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled.
Skin Corr.	Skin corrosion
HMIS Rating Health hazard: Chronic Health Haz Flammability: Physical Hazard	3 ard: 1 0
3	5
NFPA Rating Health hazard: Fire Hazard: Reactivity Hazard:	4 1 0

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.4

Revision Date: 06/27/2014

Print Date: 11/10/2018