# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET Version 5.4

Revision Date 05/23/2016 Print Date 11/19/2018

## **1. PRODUCT AND COMPANY IDENTIFICATION**

| 1.1 | Product identifiers<br>Product name | :    | 3-Fluorophenylmagnesium bromide solution        |
|-----|-------------------------------------|------|---|
|     | Product Number<br>Brand             | :    | 550671<br>Aldrich                               |
|     | CAS-No.                             | :    | 17318-03-5                                      |
| 1.2 | Relevant identified uses o          | f th | e substance or mixture and uses advised against |
|     | Identified uses                     | :    | Laboratory chemicals, Synthesis of substances   |
| 1.3 | Details of the supplier of t        | he   | safety data sheet                               |
|     | Company                             | :    | Sigma-Aldrich                                   |

|                  |   | 3050 Spruce Street<br>SAINT LOUIS MO 63103<br>USA |
|------------------|---|---|
| Telephone<br>Fax | : | +1 800-325-5832<br>+1 800-325-5052                |

#### 1.4 Emergency telephone number

| Emergency Phone # | : | +1-703-527-3887 (CHEMTREC) |
|-------------------|---|----------------------------|
|-------------------|---|----------------------------|

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable liquids (Category 2), H225 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Danger

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



| Hazard statement(s)        |  |
|----------------------------|--|
| H225                       | Highly flammable liquid and vapour.                              |
| H314                       | Causes severe skin burns and eye damage.                         |
| H335                       | May cause respiratory irritation.                                |
| H351                       | Suspected of causing cancer.                                     |
| Precautionary statement(s) | Obtain special instructions before use.                          |
| P201                       | Do not handle until all safety precautions have been read and    |
| P202                       | understood.  |
| P210                       | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |

| P233<br>P240              | Keep container tightly closed.<br>Ground/bond container and receiving equipment.  |
|---------------------------|---|
| P240                      | Use explosion-proof electrical/ ventilating/ lighting/ equipment.   |
| P242                      | Use only non-sparking tools.  |
| P243                      | Take precautionary measures against static discharge.   |
| P261                      | Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  |
| P264                      | Wash skin thoroughly after handling.  |
| P271                      | Use only outdoors or in a well-ventilated area.   |
| P280                      | Wear protective gloves/ protective clothing/ eye protection/ face protection.   |
| P301 + P330 + P331        | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  |
| P303 + P361 + P353        | IF ON SKIN (or hair): Take off immediately all contaminated clothing.   |
|                           | Rinse skin with water/shower.   |
| P304 + P340 + P310        | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.   |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| P308 + P313               | IF exposed or concerned: Get medical advice/ attention.   |
| P363                      | Wash contaminated clothing before reuse.  |
| P370 + P378               | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  |
| P403 + P233               | Store in a well-ventilated place. Keep container tightly closed.  |
| P403 + P235               | Store in a well-ventilated place. Keep cool.  |
| P405                      | Store locked up.  |
| P501                      | Dispose of contents/ container to an approved waste disposal plant.   |

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water., May form explosive peroxides.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

| Formula          | : | C <sub>6</sub> H <sub>4</sub> BrFMg |
|------------------|---|-------------------------------------|
| Molecular weight | : | 199.30 g/mol                        |

| Hazardous | components |
|-----------|------------|
|-----------|------------|

| Component  |                       | Classification                  | Concentration  |  |  |  |  |
|--|-----------------------|---------------------------------|----------------|--|--|--|--|
| Tetrahydrofuran  |                       |                                 |                |  |  |  |  |
| CAS-No.  | 109-99-9              | Flam. Liq. 2; Acute Tox. 4; Eye | >= 70 - < 90 % |  |  |  |  |
| EC-No.   | 203-726-8             | Irrit. 2A; Carc. 2; STOT SE 3;  |                |  |  |  |  |
| Index-No.  | 603-025-00-0          | H225, H302, H319, H335,         |                |  |  |  |  |
| Registration number  | 01-2119444314-46-XXXX | H351                            |                |  |  |  |  |
| 3-Fluorophenylmagnesium bromide  |                       |                                 |                |  |  |  |  |
| CAS-No.  | 17318-03-5            | Skin Corr. 1B; Eye Dam. 1;      | >= 20 - < 30 % |  |  |  |  |
|  |                       | H314                            |                |  |  |  |  |
| For the full text of the H-Statements mentioned in this Section, see Section 16. |                       |                                 |                |  |  |  |  |

4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable extinguishing media Dry powder

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

- **6.3** Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.
- 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage.

Dry residue is explosive. Reacts violently with water. Store under nitrogen.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

| Component       | CAS-No.  | Value   | Control                        | Basis                                   |  |  |  |
|-----------------|----------|---|--------------------------------|---|--|--|--|
|                 |          |   | parameters                     |   |  |  |  |
| Tetrahydrofuran | 109-99-9 | TWA   | 50.000000 ppm                  | USA. ACGIH Threshold Limit Values (TLV) |  |  |  |
|                 | Remarks  | Central Nervous System impairment                   |                                |   |  |  |  |
|                 |          | Upper Respiratory Tract irritation<br>Kidney damage |                                |   |  |  |  |
|                 |          |   |                                |   |  |  |  |
|                 |          |   |                                | with unknown relevance to humans        |  |  |  |
|                 |          |   | utaneous absorptio             |   |  |  |  |
|                 |          | STEL  | 100.000000                     | USA. ACGIH Threshold Limit Values       |  |  |  |
|                 |          |   | ppm                            | (TLV)                                   |  |  |  |
|                 |          |   |                                |   |  |  |  |
|                 |          |   | ous System impai               |   |  |  |  |
|                 |          | Upper Resp  | iratory Tract irritation       | on                                      |  |  |  |
|                 |          | Kidney dama   | age                            |   |  |  |  |
|                 |          | Confirmed a   | nimal carcinogen v             | with unknown relevance to humans        |  |  |  |
|                 |          | Danger of cu  | Danger of cutaneous absorption |   |  |  |  |
|                 |          | TWA   | 200.000000                     | USA. NIOSH Recommended                  |  |  |  |
|                 |          |   | ppm                            | Exposure Limits                         |  |  |  |
|                 |          |   | 590.000000                     |   |  |  |  |
|                 |          |   | mg/m3                          |   |  |  |  |
|                 |          | ST  | 250.000000                     | USA. NIOSH Recommended                  |  |  |  |
|                 |          |   | ppm                            | Exposure Limits                         |  |  |  |
|                 |          |   | 735.000000                     |   |  |  |  |
|                 |          |   | mg/m3                          |   |  |  |  |
|                 |          | TWA   | 200.000000                     | USA. Occupational Exposure Limits       |  |  |  |
|                 |          |   | ppm                            | (OSHA) - Table Z-1 Limits for Air       |  |  |  |
|                 |          |   | 590.000000                     | Contaminants                            |  |  |  |
|                 |          |   | mg/m3                          |   |  |  |  |
|                 |          |   | mg/m3 is approxir              |   |  |  |  |
|                 |          | PEL   | 200 ppm                        | California permissible exposure         |  |  |  |
|                 |          |   | 590 mg/m3                      | limits for chemical contaminants        |  |  |  |
|                 |          |   |                                | (Title 8, Article 107)                  |  |  |  |
|                 |          | STEL  | 250 ppm                        | California permissible exposure         |  |  |  |
|                 |          |   | 735 mg/m3                      | limits for chemical contaminants        |  |  |  |
|                 |          |   |                                | (Title 8, Article 107)                  |  |  |  |

Hazardous components without workplace control parameters

#### **Biological occupational exposure limits**

| Component       | CAS-No.  | Parameters   | Value          | Biological specimen | Basis   |
|-----------------|----------|--|----------------|---------------------|---|
| Tetrahydrofuran | 109-99-9 | Tetrahydrofur<br>an                                      | 2.0000<br>mg/l | Urine               | ACGIH - Biological<br>Exposure Indices<br>(BEI) |
|                 | Remarks  | End of shift (As soon as possible after exposure ceases) |                |                     |   |

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 10 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

| a) | Appearance   | Form: liquid                           |
|----|--|--|
| b) | Odour  | No data available                      |
| c) | Odour Threshold                                    | No data available                      |
| d) | рН   | No data available                      |
| e) | Melting point/freezing<br>point                    | No data available                      |
| f) | Initial boiling point and boiling range            | 65 °C (149 °F) at 1,013 hPa (760 mmHg) |
| g) | Flash point  | -21.11 °C (-6.00 °F) - closed cup      |
| h) | Evaporation rate                                   | No data available                      |
| i) | Flammability (solid, gas)                          | No data available                      |
| j) | Upper/lower<br>flammability or<br>explosive limits | No data available                      |
| k) | Vapour pressure                                    | No data available                      |
| I) | Vapour density                                     | No data available                      |
| m) | Relative density                                   | 1.024 g/cm3                            |
| n) | Water solubility                                   | No data available                      |
| o) | Partition coefficient: n-<br>octanol/water         | No data available                      |

| p) | Auto-ignition<br>temperature | No data available |
|----|------------------------------|-------------------|
| q) | Decomposition<br>temperature | No data available |
| r) | Viscosity                    | No data available |
| s) | Explosive properties         | No data available |
| t) | Oxidizing properties         | No data available |

## 9.2 Other safety information No data available

#### **10. STABILITY AND REACTIVITY**

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.Reacts violently with water.
- **10.4 Conditions to avoid** Heat, flames and sparks. Extremes of temperature and direct sunlight. Exposure to moisture
- 10.5 Incompatible materials Oxidizing agents, Strong oxidizing agents, Oxygen
- 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen bromide gas, Hydrogen fluoride, Magnesium oxide Other decomposition products - No data available In the event of fire: see section 5

#### **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation** No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

Aldrich - 550671

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

#### **Additional Information**

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence (Tetrahydrofuran)

## **12. ECOLOGICAL INFORMATION**

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects No data available

## **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

## DOT (US)

UN number: 2924 Class: 3 (8) Packing group: II Proper shipping name: Flammable liquids, corrosive, n.o.s. (3-Fluorophenylmagnesium bromide, Tetrahydrofuran) Reportable Quantity (RQ): 1256 lbs

Poison Inhalation Hazard: No

#### IMDG

UN number: 2924 Class: 3 (8) Packing group: II EMS-No: F-E, S-C Proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (3-Fluorophenylmagnesium bromide, Tetrahydrofuran)

#### IATA

UN number: 2924 Class: 3 (8) Packing group: II Proper shipping name: Flammable liquid, corrosive, n.o.s. (3-Fluorophenylmagnesium bromide, Tetrahydrofuran)

## **15. REGULATORY INFORMATION**

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### **Massachusetts Right To Know Components**

| . Revision Date<br>9 1993-04-24 |
|---------------------------------|
|                                 |
| . Revision Date                 |
| 9 1993-04-24                    |
| 3-5                             |
|                                 |
| . Revision Date                 |
| 9 1993-04-24                    |
| 3-5                             |
|                                 |

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

| Acute Tox. | Acute toxicity                                   |
|------------|--|
| Carc.      | Carcinogenicity                                  |
| Eye Dam.   | Serious eye damage                               |
| Eye Irrit. | Eye irritation                                   |
| Flam. Liq. | Flammable liquids                                |
| H225       | Highly flammable liquid and vapour.              |
| H302       | Harmful if swallowed.                            |
| H314       | Causes severe skin burns and eye damage.         |
| H318       | Causes serious eye damage.                       |
| H319       | Causes serious eye irritation.                   |
| H335       | May cause respiratory irritation.                |
| H351       | Suspected of causing cancer.                     |
| Skin Corr. | Skin corrosion                                   |
| STOT SE    | Specific target organ toxicity - single exposure |

#### **HMIS Rating**

| Health hazard:         | 3 |
|------------------------|---|
| Chronic Health Hazard: | * |
| Flammability:          | 3 |
| Physical Hazard        | 0 |
|                        |   |

## **NFPA Rating**

| Health hazard:     | 3 |
|--------------------|---|
| Fire Hazard:       | 3 |
| Reactivity Hazard: | 0 |

## Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4

Revision Date: 05/23/2016

Print Date: 11/19/2018