# SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.5 Revision Date 09/23/2016 Print Date 10/19/2018

# **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Triirondodecacarbonyl
	Product Number Brand	:	381411 Aldrich
	CAS-No.	:	17685-52-8
1.2	Relevant identified uses of	f th	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

#### 1.4 **Emergency telephone number**

Emergency Phone #	:	+1-703-527-3887 (	(CHEMTREC)
-------------------	---	-------------------	------------

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable solids (Category 1), H228 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H228 H302 + H332 H370	Flammable solid. Harmful if swallowed or if inhaled Causes damage to organs.
Precautionary statement(s) P210 P240 P241 P260 P264 P270	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.

P271 P280	Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307 + P311	IF exposed: Call a POISON CENTER or doctor/ physician.
P321	Specific treatment (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

Synonyms	: tri-Irondodecacarbonyl
Formula	: C <sub>12</sub> Fe <sub>3</sub> O <sub>12</sub>
Molecular weight	: 503.66 g/mol

#### Hazardous components

	Classification	Concentration
17685-52-8 241-668-5	Flam. Sol. 1; Acute Tox. 4; H228, H302 + H332	>= 90 - <= 100 %
67-56-1	Flam. Liq. 2; Acute Tox. 3;	>= 10 - < 20 %
200-659-6	STOT SE 1; H225, H301 +	
603-001-00-X	H311 + H331, H370	
01-2119433307-44-XXXX		
	241-668-5 67-56-1 200-659-6 603-001-00-X	17685-52-8       Flam. Sol. 1; Acute Tox. 4;         241-668-5       H228, H302 + H332         67-56-1       Flam. Liq. 2; Acute Tox. 3;         200-659-6       STOT SE 1; H225, H301 +         603-001-00-X       H311 + H331, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4 Further information** Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Methanol	67-56-1	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Headache Nausea Dizziness Eye damage Substances		a Biological Exposure Index or Indices

(see BEI® se	ection)	
	utaneous absorptio	on
STEL	250.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Headache Nausea Dizziness Eye damage		
(see BEI® se		a Biological Exposure Index or Indices
TWA	200.000000 ppm 260.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential for	dermal absorption	]
ST	250.000000 ppm 325.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential for	dermal absorption	1
TWA	200.000000 ppm 260.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in	mg/m3 is approxi	mate.
TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
(see BEI® se	for which there is	a Biological Exposure Index or Indices
STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
(see BEI® se	for which there is	a Biological Exposure Index or Indices
TWA	200 ppm	USA. NIOSH Recommended Exposure Limits
TWA		Exposure Limits
TWA	200 ppm 260 mg/m3	Exposure Limits
TWA Potential for ST	200 ppm 260 mg/m3 dermal absorption 250 ppm	Exposure Limits USA. NIOSH Recommended Exposure Limits
TWA Potential for ST	200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3	Exposure Limits USA. NIOSH Recommended Exposure Limits
TWA Potential for ST Potential for TWA	200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm	Exposure Limits USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
TWA Potential for ST Potential for TWA	200 ppm 260 mg/m3 dermal absorption 250 ppm 325 mg/m3 dermal absorption 200 ppm 260 mg/m3 mg/m3 is approxi 250 ppm 325 mg/m3	Exposure Limits USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

TWA	200 ppm 260 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin notat	ion	
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

#### **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As	s soon as po	ssible after exposure	e ceases)
		Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (As	s soon as po	ssible after exposure	e ceases)

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder
		Colour: black

b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 165 °C (329 °F) - lit.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	9.7 °C (49.5 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	<b>her safety information</b> data available	

#### **10. STABILITY AND REACTIVITY**

10.1 Reactivity No data available

9.2

**10.2 Chemical stability** Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks. Extremes of temperature and direct sunlight.
- **10.5** Incompatible materials Strong oxidizing agents
- Hazardous decomposition products
   Hazardous decomposition products formed under fire conditions. Carbon oxides, Iron oxides
   Other decomposition products No data available
   In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

# Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available No data available

**Specific target organ toxicity - single exposure** No data available

#### Specific target organ toxicity - repeated exposure No data available

#### Aspiration hazard

No data available

#### Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence (Methanol)

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

12.2 Persistence and degradability No data available

# 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil No data available

**12.5** Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

No data available

### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

#### DOT (US)

UN number: 3175 Class: 4.1 Packing group: II Proper shipping name: Solids containing flammable liquid, n.o.s. (Methanol, tri-Irondodecacarbonyl) Reportable Quantity (RQ):

Poison Inhalation Hazard: No

#### IMDG

UN number: 3175 Class: 4.1 Packing group: II EMS-No: F-A, S-I Proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Methanol, tri-Irondodecacarbonyl)

#### ΙΑΤΑ

UN number: 3175 Class: 4.1 Packing group: II Proper shipping name: Solids containing flammable liquid, n.o.s. (Methanol, tri-Irondodecacarbonyl)

#### 15. REGULATORY INFORMATION

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

The following components are subject to reporting levels esta	ablished by SARA Title I	II, Section 313:
	CAS-No.	Revision Date
Methanol	67-56-1	2007-07-01

# SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components

Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
tri-Irondodecacarbonyl	17685-52-8	
Methanol	67-56-1	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
tri-Irondodecacarbonyl	17685-52-8	
Methanol	67-56-1	2007-07-01
Aldrich - 381411		

#### California Prop. 65 Components

WARNING: This product contains a chemical known to the CAS-No. State of California to cause birth defects or other reproductive harm.

Methanol

#### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Flam. Liq. Flam. Sol. H225 H228 H301 + H311 +	Acute toxicity Flammable liquids Flammable solids Highly flammable liquid and vapour. Flammable solid. Toxic if swallowed, in contact with skin or if inhaled
H331 H302 H302 + H332 H332 H370 STOT SE	Harmful if swallowed. Harmful if swallowed or if inhaled Harmful if inhaled. Causes damage to organs. Specific target organ toxicity - single exposure

#### **HMIS Rating**

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	3
Physical Hazard	3
NFPA Rating	
NFPA Rating Health hazard:	2
-	2 3

#### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.5

Revision Date: 09/23/2016

Print Date: 10/19/2018

Revision Date 2012-03-16